1961

CATALOGUE

EFFECTIVE APRIL 15TH, 1961

PRE-FAB MATERIALS

FITTINGS & PIPE

OIL & GAS BURNERS

COMPLETE INSTALLATION MATERIALS

PRODUCTS

PERIMETER
FURNACE
FITTINGS
AND HEATING
EQUIPMENT

CONTINUE-FLO HEATING PRODUCTS LTD.

HEAD OFFICE AND PLANT - 1254 EAST PLAINS ROAD
P.O. BOX 340 — BURLINGTON, ONTARIO

COMPLETE HEATING & AIR CONDITIONING MATERIALS

THE MOST COMPLETE SERVICE AVAILABLE TO THE WARM AIR HEATING TRADE IN CANADA

TO ALL OUR CUSTOMERS AND FRIENDS

It is with great pleasure that the Management and Staff of Continue-Flo Heating Products Limited introduce their new 1961 Continue-Flo Pocket Catalogue which has proved so popular to the heating industry throughout the Dominion of Canada.

One of the prime reasons for this Continue-Flo popularity is the many outstanding products developed, manufactured and distributed under this name, providing a complete source of supply to the Air Conditioning and Warm Air Heating trade.

A far-sighted research program is constantly developing new and better products for the rapidly changing industry to extend the further services that we find, from time to time, are required by you, our customers.

Our personnel are fully trained with the utmost in modern equipment and know how to produce the highest quality products at the lowest cost — YOUR ONE DEPENDABLE SOURCE FOR OIL AND GAS BURNERS, FURNACES, FITTINGS, REGISTERS AND COMPLETE INSTALLATION MATERIALS.

The Personnel at Continue-Flo Heating Products Limited take great pride in the knowledge given them by the Industry — realizing, of course, that one of the most important parts of your retail business is personalized and efficient service to your customers. It is our purpose, and would be our privilege, to have the opportunity of providing you with this service in order that you might serve your customers better.

YOU, OUR CUSTOMER, IS THE MOST IMPORTANT ASSET WE HAVE. We deem it a great pleasure to serve you. Your criticisms and suggestions are always welcome.

Quality and Service at competitive prices.

May we have the opportunity of offering you these services.

MANAGEMENT AND STAFF.

CONTINUE-FLO PRODUCTS CANADA'S LEADING PRE FAB HEATING MATERIALS PLANT

and

Complete Warm-Air Heating & Air Conditioning Supply House

Constantly bringing to the heating trade better, and at less ost, products and methods of application of heat distribution marials. WE WELCOME the opportunity of proving our statements rough the many services we offer.

- Trafting and layout service to our customers.
- * Information and advice on any heating problems.
- ★ Listings and costing of materials PER HOUSE, PER DESIGN.
- Complete package service of furnaces and heating materials PER HOUSE, PER DESIGN.
- Engineering manuals, catalogues and descriptive literature on equipment and materials.
- "On the job" help as to layout and advice where CONTINUE-FLO HEATING units and installation materials are to be installed.
- Fast Service to any place in Canada. Higher Quality at Competitive prices.
- For "Prepayment and Freight Allowance Policy" see pages 3 and 4. WE KNOW that you will find this Freight Prepayment and Allowance programme very attractive.

GENERAL INFORMATION

PRICES:

All prices in this catalogue are Net Prices including Federal Sales Tax where applicable. WE SERVICE THE WHOLESALE TRADE ONLY.

TERMS:

Our terms of payment are 2% 10 days, Net 30 days on approved credit.

SHIPPING INSTRUCTIONS:

Please indicate on order how you want goods shipped: EX-PRESS, TRANSPORT (name of company), FREIGHT, etc. If you do not instruct us we will ship via carrier who we consider will give you the best service AT THE LOWEST COST.

ORDERS:

In order that we may give fast and efficient service please give complete information on orders — MODEL NUMBER, DESCRIPTION, ETC., AS INDICATED IN CATALOGUE.

BACK ORDERS:

Should it at any time become necessary to back order any goods it is the policy of this company to notify the customer immediately in order that the customer can advise as to disposition of the order.

STOCK:

CONTINUE-FLO HEATING PRODUCTS LIMITED endeavours to carry ample stock to accommodate our customers. However, we do not attempt to indicate Stock and Non-stock items. Same day delivery is our purpose at all times.

SPECIAL SERVICES:

We appreciate the many problems that confront the heating trade from time to time; therefore, we have trained personnel who will be pleased to provide prompt and accurate information when required. We also maintain Costing and Drafting departments solely for the purpose of assisting the Trade. These services are available and we welcome your enquiries.

RETURNED GOODS:

No goods may be returned without our permission and are subject to a 10% HANDLING CHARGE.

GUARANTEE:

All goods are sold by CONTINUE-FLO HEATING PRODUCTS LIMITED on a MONEY BACK OR REPLACEMENT BASIS for the length of the manufacturer's warranty.

But we do not assume any liability for consequential damage. On the return of such goods and they must be returned on a prepaid basis. THIS CATALOGUE SUPERSEDES ALL PREVIOUS PRICE LISTS OR CATALOGUES AND IS EFFECTIVE MARCH 15, 1961 AND PRICES THEREIN ARE SUBJECT TO CHANGE WITHOUT NOTICE.

ONTARIO DEALER PREPAYMENT & FREIGHT ALLOWANCE SCHEDULE Effective February 15th, 1961

CONTINUE-FLO offers to its dealers freight prepayment or allowance plans which are superior to any in the trade.

Certain items, due to their nature, are of necessity excepted from such plans.

The following are the plans available to Dealers in various parts of the country.

LOCAL — Along Lakeshore Road to and including Metropolitan Toronto and all intermediate points FREE daily delivery is made by our trucks throughout the year.

SOUTHERN ONTARIO — South of a line drawn from and including Sault Ste. Marie, North Bay, Mattawa and all intermediate highway points, bounded by the Ottawa River to the St. Lawrence River, Lake Ontario, Lake Erie, Lake Huron and Georgian Bay. On orders of \$75.00 or more, excluding furnaces, water heaters, unit heaters, toul cil tanks, sonoairduct, B vent, sheet metal machinery, trough and 10 ft. conductor pipe, we will prepay the freight.

NORTHERN ONTARIO — Everything North to a line drawn from Sault Ste. Marie, North Bay and Mattawa, excluding all intermediate highway points. On orders of \$100.00 or more, with the exception of pipe, furnaces, water heaters, unit heaters, fuel oil tanks, sonoairdet, B vent, sheet metal machinery, trough and 10 ft. conductor pipe, 5% freight allowance will be allowed on the net amount of the invoice.

PIPE — On orders of 1,000 ft. or more of 5 ft. pipe, mixed sizes, a 5% freight allowance will be allowed on the net amount of the invoice.

NOTE — The above amounts of \$75.00 and \$100.00 are for one order, on one shipment, to one destination only.

SEE PAGE 4 FOR BALANCE OF SCHEDULE.

PREPAYMENT SCHEDULE FOR EASTERN PROVINCES Effective February 15th, 1961

(Continued from previous page)

QUEBEC, MARITIME PROVINCES, NEWFOUNDLAND, NEW BRUNS-WICK, NOVA SCOTIA, PRINCE EDWARD ISLAND.

All orders of \$150.00 or more, with the exception of Pipe, Furnaces, Water Heaters, Unit Heaters, Space Heaters, Fuel Oil Tanks, Sono-airduct, B Vent, Sheet Metal Machinery, Trough and 10 ft. Conductor Pipe, will be F.O.B. our warehouse, subject to a 5% freight allowance of the net amount of the invoice.

All orders of \$500.00 or more, with the exception of Pipe, Furnaces, Water Heaters, Unit Heaters, Space Heaters, Fuel Oil Tanks, Sono-airduct, B Vent, Sheet Metal Machinery, Trough, and 10 ft. Conductor Pipe, will be F.O.B. our warehouse, subject to a freight allowance of 5% and 5% of the net amount of the invoice.

SPECIAL NOTE:

The amounts of \$150.00 and \$500.00 are for one order, for one shipment, to one destination.

PREPAYMENT SCHEDULE FOR WESTERN PROVINCES Efective February 15th, 1961

MANITOBA, SASKATCHEWAN, ALBERTA, BRITISH COLUMBIA.

All orders of \$150.00 or more, with the exception of Pipe, Furnaces, Water Heaters, Unit Heaters, Space Heaters, Fuel Oil Tanks, Sono-airduct, B Vent, Sheet Metal Machinery, Trough and 10 ft. Conductor Pipe, will be F.O.B. our warehouse, subject to a 5% freight allowance of the net amount of the invoice.

All orders of \$500,00 or more, with the exception of Pipe, Furnaces, Water Heaters, Unit Heaters, Space Heaters, Fuel Oil Tanks, Sono-airduct, B Vent, Sheet Metal Machinery, Trough and 10 ft. Conductor Pipe, will be F.O.B. our warehouse, subject to a freight allowance of 5% and 5% of the net amount of the invoice.

SPECIAL NOTE:

The amounts of \$150.00 and \$500.00 are for one order, for one shipment, to one destination.

Friction
=
, L
Li.
_
C
-
H
For Equal
.0
1
1
1
SIZES
7
S
5
D
DUCI
z
Щ
ALENT
7
QUIV
2
U

			-								-																			
																		12x14	13x14	14x14	15x14	16x14	17x14	18x14	19x14	20x14	21x14	22x14	23×14	25x14
														10x12	11x12	12×12	13x12	14x12	15x12	16x12	17x12	18x12	19×12	21x12	22×12	23×12	25x12	26×12	28×12	30×12
	ZES									8×10	9x10	10x10	11x10	12×10	13×10	14×10	16×10	17×10	18×10	20×10	21x10	23×10	24×10	26×10	28×10	29×10	31×10	33×10	35×10	37×10
	UCT SE					6x9	7x9	8x8	8x6	10x9	11x9	12x9	13x9	14x9	15x9	16x9	17x9	19x9	21x9	22x9	24x9	26x9	27x9	30x9	32x9	34x9	36x9	38x9	41x9	43x9
Friction	EQUIVALENT DUCT SIZES		3×8	4x8	5x8	7x8	8x8	9x8	10x8	11x8	13x8	13x8	14x8	16x8	17x8	19x8	20x8	22x8	24x8	26x8	28x8	30x8	32x8	34x8	37x8	39x8	42x8	45x8	48x8	51x8
Edna	EQUIVA			5x7	6x7	8x7	9x7	10x7	11x7	12x7	14x7	15x7	17x7	18x7	20×7	22×7	24x7	26x7	28x7	31x7	33×7	36x7								
FO				5x6	7x6	9x6	10x6	12x6	13×6	15x6	16x6	18x6	20x6	22x6	25x6	27x6	30xe	32x6												
SIZES			4x5	6x5	8x5	11x5	13x5	15x5	16x5	19x5	21x5	23x5	26x5													0 1	n are	sed.		
I DOC.		4x4	5x4	8x4	11x4	15x4	17x4	20x4													1					Ducts over 4 to 1	imensio	mally u		
EQUIVALENT DUCT SIZES - For Equal Friction	Standard Stack or Riser	10x31/4	10x31/4	10x31/4	12x31/4	14x31/4																				Ducts	ratio in dimension are	not normally used.		
72	Area Square Inches	121/2	20	28	38	50	57	63	71	78	98	95	104	113	123	133	143	154	165	176	189	201	214	227	240	254	269	283	298	314
	Actual Round Pipe	4.0,,	5.0,,	6.0	7.0.7	8.0,,	8.5"	9.0,,	9.5	10.0	10.5	11.0,,	11.5"	12.0.	12.5"	13.0	13.5	14.0	14.5	13.0	15.5	10.0	10.0	17.0"	17.5	18.0.	18.5	19.0"	19.5	20.0.
	Commercial Round Pipe Diameter	4.,	2,,	9,,9	7	8,,	,,6	,	10,,			12"				. 14"				16"				18,,				20,,		

5 Ft. and 10


lipe-In 30",

Angle Boot

Snap Connector End Boot Jniversal Boot


No. No. No. No. No.

PERIMETER 4", 5", 6" RADIAL SYSTEMS




First Figure of Part Number Indicates Pipe Size

Every Fitting Designed Friction Free



CUSTOM RECTANGULAR TO ROUND DUCT



Rect. to Round Fittings not included. Prices on request. Square to Round

Transitions - flat on top or bottom - left or right hand.

> Starting collars Standard Duct

Plenums

5. Side Angle Elbows

7. Square to Round

Anqular Takeoffs.

Round Pipe


Adjustable Elbows

Side Take-off

USE CO-LOK PREFABRICATED PACKAGED DUCT

LABOR SAVING - PRECISION FIT - FRICTION FREE MATERIALS

CUSTOM RECTANGULAR DUCT




Plenums

- Starting collars
- Standard Duct Wall stacks - single and two way
- Flat elbows 45° 90° Side andle elbo
- Side angle elbows 45° 90° Turndowns all types
 - Transition elbows
- 9. Reversible elbows
 10. Transitions flat on
 top or bottom as
 required left or
 right hand.
- 3-Way Branch "Y" Branch
- 13. Risers Plain or Transitional left hand, right hand or on centre.

PRECISION FIT - FRICTION FREE SYSTEMS

METHOD OF MEASURING BASEMENT FOR REPLACEMENT HEATING SYSTEMS

- Measure inside dimensions of basement from wall to wall, both length and width.
- Measure from both walls to center of beam and give width and depth of beam.
- 3. Measure from nearest wall to center of chimney opening.
- 4. The wall from which number three measurement was taken will be the point from which all measurements marked #4 will be taken. #4 measurement is measured from that wall to the inside of joist closest to the register opening it is desired to locate.
- 5. Measure from the inside of joist nearest to the opening to the edge of opening
- 6. Measure from beam to edge of opening nearest beam. The beam will be the point from which all #6 measurements are taken.
- 7. Measure the opening size of the register box or stack.
- 8. Get diameter of flue opening.
- Be sure to give ceiling height of basement, i.e. from floor to lower edge of joists, and joist centers, sizes and depths, for those joist spaces occupied by register boxes or stacks.
- Return Air. Measure all return air openings in the same manner as you did the warm air and give size, type and whether return air on second or first floor.
- 11. Using the same measuring points as 4 & 6, measure any water or gas pipe or other obstructon which may interfere with the heating layout.
- 12. If furnace is already installed give make, model and cabinet size, also using same measuring points as 4 & 6, measure furnace location.
- Show basement stair location, measurement and direction of rise in relation to center beam.
- 14. If sending measurements in for layout & heat loss, be sure that measurements and locations of all rooms, windows and doors are clearly sketched and the type of construction and insulation are indicated. This will enable us to process the layout in the minimum amount of time and eliminate any inconvenience to you or your customers.



Friction Free

HOW TO ADJUST A SYSTEM FOR CONTINUOUS AIR CIRCULATION

- Make sure that thermostat has been located so that it is not affected by heat sources other than room temperature. Adjust thermostat to its closest practicable differential setting. If close setting of differential is not possible, recommend replacement.
- See that warm air registers and return air faces are open. If system has been balanced, leave dampers set, for present.
- 3. Check filters. Filters should be reasonably clean.
- 4. Adjust blower speed and controls. The blower should run so that there is a 90°F temperature rise through the furnace. Insert the thermometer in the extended plenum or a short branch duct to avoid the radiant heating effect in the bonnet.
 Air volume need only be sufficient to adequately supply run.
 - Air volume need only be sufficient to adequately supply run having most resistance. High register velocity is not desirable or necessary with C.A.C. Set blower control "cut out" as low as practicable, usually from 85° to 110°. Set blower control "cut in" at minimum differential, approximately 15° higher than "cut out".
- Set Limit Control "cut out" at 250°, or follow furnace manufacturer's instructions.
- Adjust diffusers so that air is properly diffused upward, blanketing the windows and outer walls. If limit control cannot be set independently of blower control, recommend new instrument.
- 7. Adjust dampers to properly balance system for the revised air delivery. Set thermostat to produce "comfort zone" for occupants. This is usually 70° and 75°. Changes in setting, up or down, should be made 1° at a time until satisfactory. For further explanation of the principles involved in C.A.C. refer to Manual 6, published by the National Warm Air Heating and Air Conditioning Assoc. If outside air is introduced into the system, do not attempt to set for CAC during periods when outdoor temperature is above 50°.

GOOD SOUND ADVICE TO THE TRADE

May we suggest that before attempting any specific heating design you first obtain a set of NATIONAL WARM AIR HEATING & AIR CONDITIONING MANUALS.

These Manuals are the basis on which all Heating systems must be designed if they are to meet the requirements of City Engineers and Municipal By-Laws, Central Mortgage & Housing Corporation, Veterans Land Association and most other governing bodies.

Continue-Flo Heating Products Limited will be pleased to supply any one of the following Heating Design Manuals, published by the National Warm Air Heating Association, at the net price plus a postage and handling charge of 50c.

	ENGLISH MANUALS	Net
		Price
Manual-	-A-Canadian Residential Forced Warm Air Design Manual (2nd edition)	\$2.50
	Warm Air Heating & Air Conditioning Digest	1.88
No: 1.	How to make a comfort survey (4th edition)	.94
No: 2.	How to check Frame House construction (4th edition)	.94
No: 3.	How to figure Heat Losses (6th edition)	1.88
No: 3.	Simplified, Calculating Heat Losses (No Longer Available)	lable
No: 4.	Warm Air Perimeter Heating (6th edition)	
No: 5.	Code & Manual for Gravity Systems (5th edition)	
No: 6.	Manual for Continuous Air Circulation (3rd edition)	1.56
No: 8.	Yardstick for Winter Air Conditioning Systems (5th edition)	1.88
No: 9.	Manual for Air Conditioning Systems beyond 120,000 Btu (7th edition)	1.56
No: 9S	Supplement to Manual No: 9 (1st edition)	.63
	Soft Cover 3-ring Binder for ManualsTHE ABOVE COMPLETE SET OF MANUALS	3.75
	IN BINDER	25.65

JOIN — N.W.A.H. and O.H.A.

AND SUPPORT THESE ORGANIZATIONS TO THE FULLEST EXTENT

TO MAKE YOUR INDUSTRY A BETTER ONE.

ALL OF THE ABOVE MANUALS ARE AVAILABLE FROM CONTINUE-FLO



"Fully Approved"

THE MOST ACCEPTABLE TAKEOFF
APPLICATION IN CANADA

Pre-Fabricated Pre-Engineered

USE "SLIP-LOK" TAKEOFFS CONTINUE-FLO PERIMETER FITTINGS

Friction Free Streamlined

4 PC. 90° ELBOWS



Size	P	rice
4"	\$.25
5"		.33
6"		.39
7"		.42
8"		.49

Net

3 PC. 45° ELBOWS





ECONOMY PIPE CONNECTOR

.... .14 6"18

DAMPER


	-	-	
Size		Net rice	Sui.
4"	\$.12	29
5"		.13	
6"		.15	430

DRAW CONNECTOR

COMBINATION - BASEMENT BOOT & REGISTER OR GRILLE PACKAGE



5" 6"



420	Each				and Register
Net		or	Grille Re	ady to Ass	emble.
Size Price				Register	Grille
4"\$.16				Net Price	Net Price

\$.16		Net Price	Net Pric
1	.18	No. 413 — 4"	\$1.15	\$.86
	.22	No. 513 — 5"	1.27	.94
		No. 613 — 6"	1.32	1.00

9". 10" PERRIMETER FITTINGS AVAILABLE. PRICES ON REQUEST.

Pre-Fabricated Pre-Engineered


USE "SLIP-LOK" TAKEOFFS CONTINUE-FLO PERIMETER FITTINGS


Friction Free Streamlined

4" 5" 6" 7" 8"

END BOOT

UNIVERSAL BOOT





STACK HEAD

90° ANGLE BOOT



	Net
Size	Price
4"	 \$.69
5"	 .81
6"	 .92
7"	 2.05
8"	 2.28






SHORT WAY TOP TAKE OFF LONG WAY TOP TAKE OFF



	Ne	t
Size	Pric	е
4"	\$.3	5
5"	4	0
6"	5	2
7"	1.4	5
8"	1.6	0



Size		Net ice
4"	 \$.35
5"		.40
6"		.52
7"	 1	.45
8"	 1	.60

STRAIGHT TAKE OFF



Size	P	rice
4"	\$.35
5"		.40
6"		.52
7"	1	1.45
8"	1	1.60

Net





CO-LOK GALVANIZED FURNACE PIPE

30" Lengths - Nested 10 Lengths per Bundle

DEALER NET

		Ligh	t Wt.	28 C	ia.	26	Ga.	24	24 Ga.		
		Per	1/2	Per	1/2	Per	1/2	Per	1/2		
	Size	Len.	Len.	Len.	Len.	Len.	Len.	Len.	Len.		
Wine.	3"	.44	.29	POA	POA	POA	POA	POA	POA		
	4"	.46	.30	.46	POA	POA	POA	POA	POA		
-	5"	.51	.33	.56	.49	.77	.50	1.03	.76		
*	6"	.56	.38	.68	.49	.78	.53	1.16	.77		
The second secon	7"	.66	.43	.76	.53	.93	.57	1.19	.78		
The same	8"	.73	.50	.92	.70	1.17	.72	1.49	1.05		
*	9"	1.03	.68	1.21	.92	1.66	.95	2.10	1.38		
3	10"	1.19	.75	1.38	.95	1.90	1.13	2.35	1.43		
	12"	1.34	.87	1.72	1.10	2.06	1.30	2.70	1.66		
3	14"	1.58	1.03	1.90	1.30	2.38	1.47	3.12	1.96		
	16"		P	RICE	ON A	APPLIC	CATIO	N			
	18"		I	RICE	ON A	PPLIC	ATION	1			

PRICE ON APPLICATION GALVANIZED ADJUSTABLE ELBOWS

Our 45° Elbows are 3-piece and adjust easily



			DE.	ALEF	NET			
		nt Wt		Ga.	26 Ec	Ga. ich	24 C Ea	
	90°	45°	90°	45	90°	45°	90°	45°
3"	.23	.19	.28	.23	.37	.30	.44	.37
4"	.25	.23	.34	.28	.44	.37	.48	.45
5"	.33	.25	.40	.30	.53	.40	.64	.48
6"	.39	.29	.47	.35	.63	.47	.76	.56
7"	.42	.34	.51	.41	.67	.54	.81	.66
8"	.49	.36	.60	.43	.81	.58	.96	.70
9"			.85	.62	1.14	.84	1.36	1.00
10"			.99	.70	1.32	.96	1.58	1.14
12"			1.29	.91	1.72	1.21	2.06	1.45
14"			1.83	1.29	2.43	1.72	2.92	2.06
16"			PRICE	ON	APPLI	CATIC	N	
18"			PRICE	ON	APPLI	CATIC	N	
20"			PRICE	ON	APPLI	CATIC	N	

PRICES ON APPLICATION



16" to 20" Elbows Available

19

STORAGE PROBLEMS?



PIPE IS NESTED AND BANDED

Size				Net	Size				Net
4"	x	5	ft.	 \$15.70/c	7"	x	5	ft.	\$30.00/c
									33.00/c
6"	x	5	ft.	 22.44/c					

FEATURES

WIDE RANGE OF DIAMETERS

IN 30" AND 5' LENGTHS
4" - 5" - 6" - 7" - 8" DIAMETERS
AVAILABLE IN 30" & 5 LENGTHS
NESTED OR CARTONED
7, 8, 9, 10, 11, 12, 14, 15, 16, 18,

. 8, 9, 10, 11, 12, 14, 15, 16, 18, 20" DIAMETERS IN 30" LENGTHS NESTED FORM ONLY

- ★ SAVES SPACE
 IN STOCK ROOM SIMPLIFIES STOCK
 CONTROL
- NO DAMAGE
 IN SHIPPING AND STOCKING
- * RETARDS LOSS THROUGH OXIDIZATION
 WHEN CARTONED

* SIMPLE ASSEMBLY

ANOTHER QUALITY PRODUCT MANUFACTURED BY

PRICES ON CARTONED PIPE AVAILABLE ON

REQUEST

COMPLETE WARM AIR HEATING & AIR CONDITIONING SUPPLY HOUSE 1254 EAST PLAINS ROAD, BURLINGTON, ONT.

GALVANIZED TAPERED ELBOWS



			Adjustable -	- 90° 4	
Siz	ze			28 Ga. Net	26 Ga. Net
8"	to	7"		\$.96	P.O.A.
9"	to	8"		1.18	P.O.A.

CO-LOK GALVANIZED CRIMPED ELBOWS


90°		45°		
Size	(2	7 gauge) A Doz.	(28 gauge) B Doz.	
3"	Net	\$ 4.63	\$ 2.95	
4"	"	5.16	4.35	
5"	"	7.64	6.59	
6"	"	11.13	6.71	
7''	"	11.39	6.83	
8"	"	12.59	9.17	



CO-LOK GALVANIZED TEES


Size	Lt. Wt. Net	28 Ga. Net	26 Ga. Net
3" x 3" x 3" open	.54	P.O.A.	P.O.A.
4" x 4" x 4" open	.60	P.O.A.	P.O.A.
5" x 5" x 5" open	.86	P.O.A.	P.O.A.
6" x 6" x 6" open	.86	P.O.A.	P.O.A.
7" x 7" x 7" open	.90	P.O.A.	P.O.A.
8" x 8" x 8" open	_	P.O.A.	P.O.A.

BOILER ELBOWS AND BOILER TEES



ALL SIZES AVAILABLE.

PRICE ON APPLICATION.





"CO-LOK" DAMPERS

BETTER because ..

FASTER
INSTALLATION
POSITIVE LOCK
LOWER COST
EASILY ADJUSTED
FACILITATES
STOCKING



MORE CONVENIENT BY THE CARTON!

CLEARLY IDENTIFIED CARTONS OF FIFTY IN 4, 5 AND 6 IN. DIAMETERS



SIZES

8"	x	8"
	ro	
28"	x	8"

- 1. 30 RUNNING FT. CO-LOK DUCT
- 2. SUFFICIENT "S" CLEATS
- 3. SUFFICIENT DRIVE CLEATS
- 4. SUFFICIENT DUCT HANGERS

CO-LOK "BUTTON-LOK" DUCT

Duct Size	Quant per Pack		Net per Package	Net per Foot Nested and Banded
8 x 8	30-foot po	cka.	\$14.40	\$.45
8 x 10		"	16.20	.51
8 x 12	"	"	19.10	.59
8 x 14	"	"	21.25	.66.
8 x 16	"	11	23.05	.72
8 x 18	"	"	24.50	.77
8 x 20	"	11	27.35	.85
8 x 22	"	"	29.50	.92
8 x 24	"	11	31.00	.97
8 x 26	"		32.75	1.03
8 x 28		"	35.30	1.09



ELGEN SILENT DUCT SAVES up to 60% on Production COSTS


Pre-assembled
METAL & MATERIAL
IN ONE UNIT

Code No.	Туре	Description	Length	Price Gauge Per Linear of Metal Ft.
SDC-4-100 SDC-4-50 SDC-4-25	Canvas	(No. 10 — 18-20 Oz.) U.L. App'd.	100 Ft. Coils 50 Ft. Coils 25 Ft. Coils	24 Gauge .49 24 Gauge .49 24 Gauge P.O.A.
SDC-6-100 SDC-6-50 SDC-6-25	Canvas	"	100 Ft. Coils 50 Ft. Coils 25 Ft. Coils	26 Gauge .49 26 Gauge .49 26 Gauge F.O.A.
SDA-4-100 SDA-4-50 SDA-4-25	Asbestos	Heavy Grade, Non Porous, 1/16" Thick	100 Ft. Coils 50 Ft. Coils 25 Ft. Coils	24 Gauge .69 24 Gauge .69 24 Gauge P.O.A.
SDA-6-100 SDA-6-50 SDA-6-25	Asbestos		100 Ft. Coils 50 Ft. Coils 25 Ft. Coils	26 Gauge .69 26 Gauge .69 26 Gauge P.O.A.

ELGEN VANE RUNNERS

#BVR — Galvanized — for Coils per carton — 50 lbs.	single and double blades — in it per carton.	100 ft.
1 — 4 coils\$.29 ft. 10 — 14 coils\$.27 ft.
5 — 9 coils	.28 ft. 15 & more	.26 ft.

STANDARD 2" COLLAR



CANVAS CONNECTION

Std. Extended Length 6"




AVAILABLE IN ANY SIZE PRICES

ON REQUEST

PRICES AVAILABLE ON REQUEST FOR COLLARS LONGER THAN 2".

GALVANIZED RECTANGULAR DUCTS



NET DEALER PRICES Per Ft.

			1111	I DIII	ENLIE .	IIIOL	0 1 01				
			103/4	oz.			2	8 ga.		26	ga.
	(8"	10"	12"	14"	16"	18")	(20"	22"	24")	(26"	28")
5"	.38	.41	.48	.53	.62	.69	.77	.81	.89	.95	.99
6"	.39	.45	.51	.59	.66	.72	.78	.85	.92	.97	1.03
7"	.41	.48	.55	.62	.69	.77	.81	.87	.95	.99	1.06
8"	.45	.51	.59	.66	.72	.77	.85	.92	.97	1.03	1.09
9"	.48	.57	.63	.72	.77	.82	.88	.95	.98	1.06	1.11
10"		.59	.67	.77	.79	.85	.92	.97	.99	1.09	1.16
12"			.72	.79	.84	.92	.98	1.03	1.05	1.11	1.18
14"				.87	.92	.97	1.03	1.09	1.11	1.16	1.24

QUANTITY DISCOUNTS ON REQUEST




DUCT ENDS	Price Per lb.
31/4" x up to 14"	\$.26
Up to 8" x up to 12"	.29
Up to 8" x up to 20"	.32
Up to 8" x up to 30"	.43
Up to 10" x up to 30"	.49



	"S"	AND	DRIVE	CLEATS		Vet
					Per	lb.
"S"					\$.28
Drive	·					.24

RECTANGULAR FLAT ELBOWS

BE SURE
INFORMATION
IS CORRECT



IN ORDER TO AVOID DELAYS

DEALER NET PRICE

6"	RADII	US TH	IROAT	SUP	PLIED	UNL	ESS	OTHER	WISE		IFIED Price
			103/4	oz.		na.		28 ga.	31	26	ga.
	(8"	10"	12"	14"	16"	18")	(20"	22"	24")	(26"	28")
5"	1.22	1.37	1.54	1.70	1.86	2.07	2.23	2.49	2.70	2.97	3.28
6"	1.33	1.43	1.59	1.75	1.96	2.11	2.39	2.70	2.86	3.13	3.45
7"	1.45	1.54	1.69	1.86	2.07	2.23	2.49	2.75	2.97	3.28	3.60
8"	1.54	1.65	1.75	1.96	2.11	2.39	2.70	2.86	3.13	3.45	3.81
9"	1.65	1.69	1.86	2.07	2.22	2.49	2.70	2.97	3.28	3.60	3.98
10"		1.71	1.96	2.22	2.39	2.70	2.86	3.13	3.45	3.81	4.19
12"			2.15	2.49	2.60	2.97	3.13	3.44	3.81	4.19	4.61
14"			2.35	2.70	2.86	3.24	3.45	3.81	4.19	4.61	5.03
		QI	JANTI	TY D	ISCOU	NTS (ON F	REQUES	T.		



Duct Riser

IN VIEW OF ALL THE VARIOUS SIZES AVAILABLE PRICES WILL BE GIVEN ON REQUEST.

RECTANGULAR SIDE ANGLE ELBOWS

BE SURE
INFORMATION
IS CORRECT




IN ORDER TO AVOID DELAYS

NET DEALER PRICE

6"	RADI	US TH	ROAT	SUP	PLIED	UNLE	SS O	THERV	VISE S	SPECII	FIED
			103/4	oz.			2	8 ga.	1	26	ga.
	(8"	10"	12"	14"	16"	18")	(20"	22"	24")	(26"	28")
5"	1.54	1.70	1.80	2.01	2.23	2.44	2.70	2.97	3.28	3.55	3.81
6"	1.70	1.75	1.96	2.12	2.33	2.60	2.86	3.13	3.39	3.66	4.02
7"	1.75	1.86	2.01	2.23	2.44	2.70	2.97	3.28	3.49	3.81	4.23
8"		1.96	2.12	2.33	2.60	2.86	3.13	3.45	3.66	4.02	4.45
9"		2.01	2.23	2.44	2.70	2.89	3.28	3.49	3.81	4.23	4.66
10"			2.33	2.60	2.86	3.13	3.45	3.66	4.02	4.45	4.87
12"				2.86	3.08	3.45	3.66	4.02	4.45	4.87	5.40
14"					3.45	3.66	3.95	4.45	4.87	5.40	5.89

QUANTITY DISCOUNTS AVAILABLE ON REQUEST.

RECTANGULAR DUCT OFFSETS



Duct Offset

IN VIEW OF ALL THE VARIOUS SIZES AVAILABLE PRICES WILL BE GIVEN ON REQUEST.

PLENUMS


PLENUM ELBOW

			1 1	PIAOIAI PPD	O VV
Height		Net Price Per in.	Height		Net Price Per in.
up to	30	of Girth	up to	A A	of Girth
18"	2	043	18"		057
24"		050	24"		063
30"		057	30"		077
36"		063	36"		087
40"		073	40"		100
over	40"	089	over	40"	113

All Plenum Elbows supplied with a 6" radius throat and radius back unless otherwise specified.

STREAMLINED STARTING COLLARS





		-1100
8" x	8"	
8" x	10"	1.64
8" x	12"	1.71
8" x	14"	1.82
8" x	16"	1.93
8" x	18"	2.03
8" x	20"	2.14
8" x	22"	2.31
8" x	24"	2.41
8" x	26"	P.O.A.
8" x	28"	PO X

OTHER SIZES MADE TO YOUR SPECIFICATIONS.

PRICES ON REQUEST.

TOP TAKE OFFS (T.T.O.)

Size			Net Price
31/4"	x	10"	\$1.40
			1.50
31/4"	x	14"	1.50
6"	x	10"	P.O.A.
6"	x	12"	P.O.A.



ALUMINUM PIPE AND ELBOWS

		DEALER N	VET			
	Pack Per	Pipe Per	Elbows Adjustable	Elbows Crimped		
Size	Bundle	30" Length	900 450	900 450		
3"	5 Lengths	\$.66	\$.32 \$.30	\$.30 \$.28		
4"	5 Lengths	.79	.43 .39	.41 .38		
5"	10 Lengths	.92	.57 .45	.47 .44		
6"	10 Lengths	1.05	.54 .50	.52 .49		
7"	10 Lengths	P.O.A.	P.O.A. P.O.A.	P.O.A. P.O.A		
8"	10 Lengths	P.O.A.	P.O.A.	P.O.A.		

.020 Aluminum. Other sizes available on request.

ALSO AVAILABLE IN STAINLESS STEEL. PRICES ON REQUEST.

ALUMINUM TEES



					Net Price
3	x	3	x	3	\$1.28
4	x	4	x	4	1.47

Other sizes available. Prices on application.

ALSO AVAILABLE IN STAINLESS STEEL. PRICES ON REQUEST.

CLEARFLOW DRYER VENTING EXHAUST KIT (ALL ALUMINUM)

	Cat. No.	Net Price	Cat. No.	Net Price
	3"	3"	4"	4"
Kit, 2 elbows, hood and 6 feet pipe	36F	\$4.25	46F	\$5.06
Kit, as above but with 8 ft. pipe	38F	4.86	48F	5.80
Kit, as above but with 4 ft. pipe	34F	3.65	44F	4.32
Hood only	3H	1.78	4H	1.99
Alum. window pane replacement flanged to suit pipe (12" x 18")	3R	.41	4R	.41
Alum, switch boxes for banking two dryers with one kit	3SW	2.54	4SW	2.54
Lint catcher	3LC	2.16	4LC	2.43

GALVANIZED REGISTER BOXES SINGLE OR DOUBLE



All Sizes Available.

Prices On Application.



TRANSITIONS AND TRANSITIONAL RISERS



All Sizes Available.

Prices On Application.



GALV. BULLHEADS AND TRANSITION REVERSIBLE ELBOWS




All Sizes Available.

Prices On Application.



GALV. FLOOR BOXES AND 3-WAY STACK ELBOWS




All Sizes Available.

Prices On Application.



GRAVITY DAMPERS AND CONE COLLARS



All Sizes Available.

Prices On Application.



GALVANIZED STACK PIPES



Pittsburg Lok	L	Net Price		
	10"	12"	14"	
31/4"	.37	.43	.48	
Button-Lok				
31/4"	.37	.43		

GALVANIZED STACK ELBOWS

(Flat)



	N	et Price	
31/4"	.86	.96	1.07

GALVANIZED STACK ELBOWS

(Side Angle)



	I			
31/4"	1.28	1.50	1.50	

GALVANIZED STACK HEADS



Size	Net P	rice
6"x10"x31/4"x10"	\$.80
6"x12"x31/4"x12"		.86
6"x14"x31/4"x14"		.92

GALVANIZED REVERSIBLE STACK ELBOWS



	Left, Right or Centre	
Size	Net Pri	ce Each
31/4"x10"		\$1.39
31/4"x12"		1.50
31/4"x14"		1.78

Other Sizes of Fittings on this Page Are Available Prices on Application.

"CO-LOK" BLACK PIPE

Black Riveted Tapers Medium Weight

Size Net	Each
4" to 3" & 3" to 4"	.45
5" to 3"	.45
5" to 4"	.45
6" to 3"	.45
6" to 4"	.45
4" to 6"	.45
4" to 7"	.45
4½" to 7"	.45
5" to 7"	:45
6" to 7"	.45
7" to 6"	.45

Black Stove Pipes

Siz	е	Net	per	100
3B			22	.50
4B			25	.20
5B			28.	40
6B			32.	15
6C			27.	90
7B			34.	80
7C			29.	95

Black Stove Pipe Elbows 90° and 45°

Size

Net Doz.

I	П				
뢽					
BATT		1			
1	· No	j	4		
	100	de	i iii	-	


F	7	
	1	
1		
	1	
1		

Black Co-Lok Half Lengths

Siz	е	Net	per	100
6B			23	.60
7B			24	.40

3B 2.50 4B 3.55 5B 4.15 6B 4.60 6C 3.90 7B 5.55 7C 4.35

Black Self-Made Taper Pipes



Black Riveted Tees Medium Weight



Size	Net	Each
3"x3"x3"		.56
4"x4"x4"		.58
5"x5"x5"		.63
6"x6"x6"		.66
7"x7"x7"		.73
7"x7"x6"	P	.O.A.
7"x7"x4"	P	.O.A.
7"x7"x3"	P	.O.A.



Black Riveted Pipe

Size	е	Net	per 100
3"			P.O.A.
4"			P.O.A.



Black Self-Made Tees Medium Weight

Size		Ne	et	Each
6"x6"	B		P	.O.A.
7"x7"	B		P	.O.A.



GALVANIZED TAPERS

			NEI	PRICE
15"	L	ong	Lt. Wt.	28 Ga.
6"	to	5"	\$.53	P.O.A.
7"	to	6"	.53	P.O.A.
8"	to	7"	.64	P.O.A.
9"	to	8"	P.O.A.	P.O.A.
10"	to	9"	P.O.A.	P.O.A.

GALVANIZED REDUCERS



	Size	•		
5"	to	4"		P.O.A.
		5"		P.O.A.
		6"		P.O.A.
			the party of the p	

GALVANIZED INCREASERS

SAME SIZES AND PRICES AS THE REDUCERS SHOWN ABOVE.

THE ONLY DIFFERENCE IS THAT THE CRIMP
IS ON THE REVERSE END.

GALVANIZED STOPPERS



Size	Net	Size	Net
3"	\$.47	7"	\$.55
4"	 .49	8"	 .57
		9"	 .65
		10"	 .90

GALVANIZED FLAT COLLARS



Size	Net	Size	Net	
3"	\$.20	7"	\$.20	
4"	 .20	8"	 .20	
		9"	 .20	
6"	.20	10"	 .23	

NOTE: When ordering Collars or Stoppers, state if large or small end.

33



MUSHROOM CAPS

	Net		Net
	Price		Price
Size	Each	Size	Each
3"	\$.81	6"	\$1.07
4"	.92	7"	1.24
5"	.92	8"	1.34

"H" VENTILATOR



Size	е	28 Ga.	26 Ga.	24 Ga.
3"		\$2.10	_	_
4"		2.10	C370 5	_
5"			Pric	ces
6"				
7"			0	n
8"			Applie	cation

REVOLVING VENTS AND CHIMNEY BASES



ALL SIZES AVAILABLE.
PRICES ON APPLICATION.



Revolving Vents
All designs
Prices on Application

Custom Chimney Bases Fabricated to your Specifications

GALVANIZED CASING BOOTS

ALL SIZES AVAILABLE.


PRICES ON APPLICATION.

GALVANIZED FURNACE CASINGS AND CONE TOPS

ALL SIZES AVAILABLE.

PRICES ON APPLICATION.

3-WAY TRANSITIONAL FITTINGS





Y-B	an	ch


Std. Branch


		Y-B	ranch				5	id. bid	nen		
				DEA	LER N	ET PR	ICES				
			103/4	oz.			1	28 ga.		26	ga.
	(8"	10"	12"	14"	16"	18")	(20"	22"	24")	(26"	28")
5"	1.90	2.12	2.33	2.54	2.80	3.07	3.39	3.71	4.08	4.51	4.87
6"	2.01	2.17	2.39	2.65	2.92	3.18	3.60	3.81	4.19	4.61	5.03
7"	2.07	2.23	2.44	2.75	2.97	3.28	3.71	3.98	4.29	4.77	5.19
8"	2.12	2.29	2.54	2.81	3.07	3.39	3.71	4.08	4.51	4.93	5.36
9"		2.39	2.65	2.92	3.18	3.49	3.87	4.23	4.72	5.14	5.61
10"		2.44	2.75	3.03	3.34	3.66	3.89	4.40	4.82	5.30	5.78
12"			2.86	3.18	3.49	3.81	4.23	4.66	5.09	5.57	6.10
14"				3.34	3.66	4.02	4.40	4.87	5.30	5.79	6.31

QUANTITY DISCOUNTS ON REQUEST.

Above sizes indicate largest opening of fittings. For Splitter or Volume Damper add 1.44

JOIST LINING





NET PRICES - REGULAR SONOAIRDUCT Stock 9 Foot Lengths

Inside Diam. & Wall Thickness	Min. No. of Ft. for Quan. Price	Quantity Price per Linear Ft.	Less than Quan Price per Lin. Ft
4"x.150" 5"x.150" 6"x.175" 8"x.200" 10"x.225" 12"x.225" 14"x.250"	2718 ft. 2196 ft. 1584 ft. 1242 ft. 882 ft. 738 ft. 576 ft.	\$.17 .215 .285 .423 .572 .696	\$0.20 .25 .34 .51 .71 .88

All other sizes available — Catalogue and prices on request.

GALVANIZED

INSTALLATION FITTINGS FOR SONOAIRDUCT


for every application

also



Special Fittings Fabricated to Your Specifications.

Collar Cap Used to Plug Opening when Pouring Concrete, etc.







Sonoairduct Collar-Cut Right Into Duct

Special Tee for Sonoairduct Systems


No. 42 AIR CONTROL FLOOR DIFFUSER




Open. Size (Inches)	Overall Dimen. (Inches)	Width of Flange (Inches)	Free Area (Sq. In.)	No. per Carton	Ship. Wgt. per Carton	Net Prices Metalescent
10x4	113/8x53/8	7/8	32.33	10	25	\$2.15
12x21/4	133/8x35/8	7/8	20.30	10	21	2.15
12x4	133/8x53/8	7/8	38.94	10	30	2.31
12x6	133/8×73/8	7/8	60.24	10	40	2.42
14x21/4	153/8x35/8	7/8	23.75	10	25	2.38
14x4	153/8x53/8	7/8	45.55	10	35	2.92
14x6	153/8×73/8	7/8	70.47	10	46	3.08




Curved air flow vanes are set at the correct angle to deliver a perfect fan-shaped air pattern. If an air pattern other than factory setting is required, vanes may easily be adjusted with long nose pliers.



Adjusto-Stop is easily set with a screw driver to balance system.




Dial operator works easily with a touch of the toe, opens valves with a smooth counter-action that gives an even flow of air across the face. Wafer-thin valves reduce resistance. Deep side margins hold diffuser in place.



Opposed-action valve spreads the air stream evenly over the diffuser face and directs the air upward in a vertical pattern.

NEW NO. 150 SERIES ECONOMY FLOOR DIFFUSERS



NET PRICES — SERIES NO. 150

Size	Net Price Each	Free Area (Sq. In.)	No. Per Carton	Ship. Wgt. Carton
12 x 21/4	\$1.35	18	33	45 lbs.
14 x 21/4	1.45	21.5	30	48 lbs.
10 x 4	1.60	28	24	42 lbs.
12 x 4	1.70	34	22	46 lbs.
14 x 4	1.80	40	20	48 lbs.

NO. 20 SERIES REGISTERS AND GRILLES REGISTERS



NO. 20 SIDEWALL


	INC. LO DID		
Size (Duct) Length by Height	Chamel. Beige Net Price	No. in Carton	Wt. per Carton
8x6	\$1.75	10	20
10x6	1.85	10	24
12x6	1.97	10	28
14x6	2.10	10	32



INSTANT	THE REAL PROPERTY.	44444	IIIII	
		Ш		
				8


	HO. ZZ DILD	DDOILL	
Size (Duct) Length by Height	Chameleon Beige Net Price	No. in Carton	Wt. per Carton
8x6	\$1.90	10	25
10x6	1.95	10	29
12x6	2.00	10	33
14x6	2.15	10	38

GRILLES



NO.	21	&	NO.	21-H*	SIDEWALL
Charles .					

Size (Duct) Length by Height	Chamel. Beige Net Price	No. in Carton	Wt. per Carton
8x6	\$1.10	20	28
10x6	1.15	20	33
12x6	1.26	20	38
14x6	1.35	20	43
24x6	1.95	10	23
30x6	2.35	10	29



NO. 23 & NO. 23-H* BASEBOARD

Size (Duct) Length by Height	Chamel. Beige Net Price	No. in Carton	Wt. per Carton
8x6	\$1.20	20	38
10x6	1.26	20	43
12x6	1.32	20	48
14x6	1.40	20	55
24x6	2.15	10	30
30x6	2.38	10	38

No. 50 SERIES GRAVITY BASEBOARD REGISTERS

DEALER NET PRICES




Class No.	Size (Duct) Lgth. by Height	"M" Metal- escent (l) Net	No. in Carton	Proj. from Wall at Base
521/4	●10x 8	\$2.20	10	21/4"
521/4	●12x 8	2.64	10	21/4"
531/4	12x 9	3.30	10	31/4"
531/4	13x11	5.30	5	31/4"
551/4	•13x11	5.78	5	51/4"

No. 600 SERIES VISION-PROOF GRILLES For Doors, Partitions and Return Air Intakes



Style 600 Grille (no frame) fits any Standard-thickness door. Opening is finished with wood trim.







Style 610 Grille (frame one side) is dimensioned for 13%" - thick door, fits any standard-thickness door. Opposite side finished with wood trim.

Prices on Page 49.

Style 611 Grille (frame one side) is dimensioned for $134^{\prime\prime}$ - thick door. Opposite side finished with wood trim.

Style 610 Grille (frame one side) with extra 610F Frame is dimensioned for 1%" - thick door, frames both sides of opening.

Style 611 Grille (frame one side) with extra 611F Frame is dimensioned for 1% - thick door, frames both sides of opening.

Air Control Vision-Proof Grilles are sight-proof, practically light-proof, and reduce noise transmission — an ideal combination for ventilating use to insure privacy, or for return air grille installations where complete concealment of opening and reduction of noise are desired.

"AIR CONTROL" NO. 180 SERIES BASEBOARD PERIMETER DIFFUSERS Beige Prime Coat Finish

Nos. 188 & 189 with built-in rotary damper



Nos. 180 & 182 (without damper)



Nos. 188 & 189 (with rotary damper)					Nos. 180 & 182 (without damper)				
Size	Net	Free Area (Sq. In.)	Wt. per Carton	No. per Carton	Size	Net Price	Free Area (Sq. In.)	Wt. per Carton	No. per Carton
No. 188 4 ft.	\$4.75	29.36	24	4	No. 180 4 ft.	\$4.05	29.36	22	4
No. 189 2 ft.	3.45	14.68	23	8	No. 182 2 ft.	2.89	14.68	22	8

Nos. 186 & 187 Return Air Grilles





No. 181 Connector



No. 181 Connector					
Net Price	Wt. per Carton No. per Carton				
\$.17	3 20				

	Nos. Return	186 & 18 Air Gril	37 lles		
Size	Net Price	Free Area (Sq. In.)	Wt. per Carton	No. per Carton	
No. 186 4 ft.	\$4.29	58.72	21	4	
No. 187 2 ft.	2.99	29.36	21	8	



No. 170 SERIES BASEBOARD PERIMETER DIFFUSER

NET PRICES

MODEL	No. 170 Baseboard Perimeter Diffuser	No. 17 Return Air Grille			
WIDTH	24"	24"			
NET PRICE EACH	\$3.32	\$2.60			
NUMBER Per CARTON	8	8			
SHIPPING					

271/2 1bs.

231/2 lbs.

34 SQ. IN. FREE AREA WIDE AIR PATTERN AIR SWEEP STYLING TWO-TONE FINISH

No. 171 RETURN AIR GRILLE

Exactly the same as the No. 170 diffuser, but with no damper. Offers the same excellent appearance, the same generous free area, the same installation ease as the No. 170.

NO. 15 SIDEWALL DIFFUSER

WEIGHT


(per carton)



"E" FRAME



NO. 16 OUT-OF-THE-WALL DIFFUSER



No. 15 SIDEWALL DIFFUSER

Open. Size	Net Price	Free Area (Sq. In.)	Wt. per Carton	No. per Carton
10x6	\$2.47	41	25	10
12x6	2.62	49	30	10

"E" FRAME

10x6	\$1.03	18	20
12x6	1.20	18	20

No. 16 OUT-OF-THE-WALL DIFFUSER

10x6	\$3.95	41	22	5
12x6	4.15	49	25	5

No. 15 SIDEWALL DIFFUSER

"E" FRAME

No. 16 OUT-OF-THE-WALL DIFFUSER

AIR CONTROL NO. 210 SERIES REGISTERS

No. 210 SIDEWALL







Size† (Duct) Length by Height	Net Price Prime* Coat	No. in Carton	Wt. per Carton	Net Price Prime* Coat	No. in Carton	Wt. per Carton	Actual Free Areas (Square Inches)
8x4	\$1.58	10	15	\$1.69	10	17	18
8x5	1.64	10	17	1.76	10	19	23
8x6	1.76	10	19	1.88	10	21	29
10x4	°1.64	10	18	°1.76	10	20	23
10x5	1.76	10	20	1.88	10	22	31
10x6	°1.81	10	22	°1.93	10	24	38
10x8	1.93	10	26	2.05	10	28	52
12x4	°1.76	10	20	°1.88	10	22	29
12x5	1.93	10	23	2.05	10	25	38
12x6	°2.00	10	26	°2.12	10	28	46
12x8	2.12	10	32	2.30	10	34	64
14x4	°1.81	10	22	°1.93	10	24	34
14x5	2.00	10	26	2.12	10	28	45
14x6	°2.12	10	29	°2.30	10	31	55
14x8	°2.30	10	36	°2.48	10	38	76
24x4	2.48	5	17	2.66	5	19	58
24x5	2.60	5	19	2.78	5	21	75
24x6	3.09	5	22	3.33	5	24	92
24x8	3.57	5	27	3.87	5	29	127
30x4	3.02	5	21	3.26	5	24	72
30x5	3.26	5	24	3.50	5	27	94
30x6	3.75	5	28	4.05	5	31	115
30x8	4.23	5	35	4.54	5	38	159

OVERALL DIMENSIONS of the face (all types) equal to List Size (Duct Opening) plus 11/4".

^{*}Beige prime coat (P.C.) is standard finish. Other finishes available on special order.

*COMMUNITARID STATES — Other sizes available, refer to factory for die

[†]STANDARD SIZES — Other sizes available, refer to factory for die limitations.

[°]STANDARD SIZES as recommended by National Warm Air Heating & Air Conditioning Association.

AIR CONTROL NO. 210 SERIES GRILLES

No. 29 SIDEWALL



No. 27 BASEBOARD With 7/8" Projection



Size† (Duct) Length by Height	Net Price Prime* Coat	No. in Carton	Wt. per Carton	Net Price Prime* Coat	No. in Carton	Wt. per Carton	Actual Free Areas (Square Inches)
8x4	\$.97	20	13	\$1.09	20	16	18
8x5	1.03	20	15	1.15	20	18	23
8x6	1.09	20	17	1.21	20	21	29
10x4	1.03	20	16	1.15	20	19	23
10x5	1.09	20	18	1.21	20	22	31
10x6	°1.15	20	20	1.28	20	24	38
10x8	1.21	20	24	1.33	20	27	52
12x4	1.09	20	18	1.21	20	22	29
12x5	1.21	20	21	1.33	20	25	38
12x6	°1.28	20	24	°1.40	20	28	46
12x8	1.33	20	30	1.52	20	32	64
14x4	1.15	20	21	1.28	20	25	34
14x5	1.28	20	24	1.40	20	28	45
14x6	°1.33	20	28	°1.52	20	32	55
14x8	1.45	20	35	1.64	20	39	76
24x4	1.57	10	16	1.76	10	21	58
24x5	1.64	10	19	1.82	10	23	75
24x6	1.93	10	22	°2.18	10	26	92
24x8	2.24	10	28	2.49	10	31	127
30x4	1.88	10	20	2.12	10	25	72
30x5	2.05	10	23	2.30	10	28	94
30x6	2.37	10	27	°2.66	10	32	115
30x8	2.66	10	33	2.97	10	39	159

OVERALL DIMENSIONS of the face (all types) equal to List Size (Duct Opening) plus $11_4^{\prime\prime}$.

^{*}Beige prime coat (P.C.) is standard finish. Other finishes available on special order.

[†]STANDARD SIZES — Other sizes available, refer to factory for die limitations.

 $^{^{\}circ}\text{STANDARD}$ SIZES as recommended by National Warm Air Heating & Air Conditioning Association.

No. 265 SERIES REGISTERS AND GRILLES



No. 265 REGISTER

Size	NET PRICES Metalescent No. 265 Registers	Free Area (Sq. In.)	No. Per Carton No. 265	Weight Per Carton No. 265	Overall Sizes Length & Height No. 265
10 x 6	\$3.03	37	10	27	151/4" x 65/8"
12 x 6	3.27	45	10	30	
14 x 6	3.33	54	10	33	



No. 262 GRILLE

Size	NET PRICES Metalescent No. 262 Grille	Free Area (Sq. In.)	No. Per Carton No. 262	Weight Per Carton No. 262	Overall Sizes Length & Height No. 262
14 x 6	\$1.82	54	10	21	15½" x 65/8"
24 x 6	2.61	93	5	16	25½" x 65/8"
30 x 6	3.21	116	5	19	31¼" x 65/8"

No. 333 RETURN AIR GRILLES

NET PRICES-No. 333 GRILLES

	Size (width x height)	Net Price Prime Coat	Free Area (Sq. in.)		Shpg. Wt. (Per case)
	10 x 10	\$1.94	68	10	23
	12 x 10	2.16	82	10	27
	12 x 12	2.37	99	10	31
	14 x 10	2.37	95	10	31
	14 x 12	2.57	116	10	35
	14 x 20	3.70	189	5	31
Low-cost, attractive grilles with	18 x 12	2.97	148	5	25
exceptionally large free areas.	18 x 18	4.27	218	5	33
Popular for centralized returns in residential systems, excel-	20 x 10	3.00	137	5	21
lent for the large capacities	20 x 20	4.70	275	5	39
required in commercial work.	24 x 10	3.27	162	5	28
One-piece, heavy-gauge steel construction with rugged angle	24 x 12	3.70	202	5	32
frame to add stiffness and	24 x 14	4.18	232	5	36
strength (also available with-	24 x 18	5.08	310	5	42
out frame on special quantity	30 x 10	3.94	206	5	31
orders). Full-depth frets, set at 22° angle, conceal opening.	30 x 12	4.36	266	5	38

No. 41	RETURN	AIR	FAC	ES	Shpg.
		Metales.	Free	No.	Wt.
	Size	Net	Area	Per	(Per
	(Open		(Sq. In.)	Case	Case)
and the second second	4x12	\$1.33	35	20	38
	4x14	1.69	42	20	45
	4x30	3.87	95	10	46
	6x 8	1.09	36	20	40
	6x10	1.21	45	20	44
	6x12	1.45	56	10	25
	6x14	1.88	64	10	30
	6x24	3.63	112	10	46
	6x30	4.11	141	5	30
	8x10	1.33	63	10	25
Land Harrist Control of the Control	8x12	1.57	75	10	31
	8x14	2.00	88	10	37
	8x24	3.87	152	5	30
	8x30	4.36	193	5	37
	9x12	1.82	85	10	35
	10x12	2.06	94	10	38
	10x14	2.42	110	10	45
	10x14	4.11	192	5	37
	10x24 10x30	4.54	241	5	44
	10x30	3.03	134	10	53
		4.54	232	5	43
le de la company	12x24			5	51
	12x30	4.84	290		
	14x16	3.75	179	10	62
	14x24	4.96	270	5	50
	14x30	5.57	338	5	58
	16x30	6.66	388	5	65
	18x24	5.81	346	5	63
	18x30	7.38	439	5	72
	20x24	6.04	386	5	69
A Maria Cara	20x30	7.47	488	5	79
	24x24	7.85	464	5	82
	24x30	9.68	584	5	93
No. 40	FLOOR	REGI	STER	S	Shpg.
140. 10	110011	Metales.	Free	No.	Wt.
	Size	Net	Area	Per	(Per
Cinnen	(Open		(Sq. In.)	Case	Case)
\ E	4x12		34	10	35
	4x14		40	10	40
	6x 8	1.88	35	10	32
	6x10	1.94	45	10	38
N EEEE	6x12	2.18	54	10	44
N EEEE	==\ 6x14	3.09	63	10	50
	==\ 8x10		61	10	45
A STATE OF THE STA	8x12		74	10	53
	8x14		87	10	60
	9x12		84	10	56
	10x12		92	10	60
	10x14		109	5	35
	10X14	2.11	100	9	00

CEILING DIFFUSERS NO. 70 & 71

NO. 70 FLUSH TYPE

NO. 71 SD TYPE





Open. Size	Net Price (each)	Free Area sq. in.	Wt. per Carton	Net Price (each)	Free Area sq. in.	No. in Carton	Wt. per Carton
6"	\$1.40	10.4	10	\$1.57	14.2	10	10
8"	1.64	19.8	15	1.82	26.9	10	15
10"	2.00	31.9	22	2.18	43.3	10	23
12"	2.37	46.7	30	2.61	63.4	10	30
14"	2.85	64.7	40	3.27	87.3	10	40

No. in Carton - 10

DAMPERS





Open Size	No. 78 for Flush & S.D. Types Net Price Each	No. in	Wt. per Carton (lbs.)	No. 75 Net Price (each)	No. in Carton	Wt. per Carton (lbs.)
6"	\$2.49	10	11	\$.67	10	4
8"	2.54	10	13	.85	10	5
10"	3.03	10	18	1.03	10	6
12"	3.73	10	22	1.21	10	7
14"	4.39	10	30	1.40	10	9

SQUARE DIFFUSERS, DAMPERS, FRAMES

No. 90 SQUARE DIFFUSERS No. 91 DAMPERS No. 92 FRAMES







Opening Size	#90 NET PRICE (each)	Free Area (Sq. in.)	No. per Car- ton	Wt. per Car- ton (lbs.)	#91 NET PRICE (each)	No. per Ctn.	Wt. per Ctn. (lbs.)	#92 NET PRICE (each)	No. per Ctn.	Wt. Per Ctn. (lbs.)
6"	\$3.30	28.6	10	20	\$2.49	10	12	\$.97	10	41/2
8"	4.03	57.1	10	27	2.54	10	14	1.19	10	51/2
10"	4.79	84.6	10	35	3.03	10	19	1.40	10	7
12"	5.57	124.1	5	24	3.73	10	24	1.61	10	8
14"	7.05	162.6	5	27	4.39	10	32	1.82	10	10
18"	14.98	262.5	1	7	6.66	10	44	3.21	10	131/2

No. 90 Diffusers finished in satin beige prime coat. Furnished complete including sponge rubber gasket.

No. 334 RETURN AIR GRILLE



An ideal return air grille, designed especially for toe space in kitchens, bathrooms and other places where installation space is limited.

Heavy gauge rugged construction with ample free area. Finished in beige prime coat.

Size (Open.)	Size (Over.)	Net Price Prime Coat Each	Free Area (Sq. In.)	No. Per Case	Shpg. Wt. (Per Case)
14x23/4	15½x35/8	\$.91	29	20	15

AIR-CONTROL VISION-PROOF GRILLES

Size* Width by Height	No. 600 Grille (Without Frame) NET	Weight Per Unit	No. 610 or 611 Grille (With Frame) NET	Weight Per Unit	No. 610F or 611F Frame Only NET	Weight Per Unit	Free Area (Approx.)
8 x 6 8 x 8	\$3.70 3.99	1¾ 2¼	\$4.60 5.03	2½ 3¼	\$.91 1.03	1/2 3/4	28 sq. in. 38 sq. in.
10 x 4 10 x 6 10 x 8 10 x 10	3.70 3.99 4.48 4.66	1½ 2 2 ³ / ₄ 3¼	4.60 5.03 5.63 5.81	2½ 3 4 4½	.91 1.03 1.09 1.16	3/4 3/4 3/4 1	24 sq. in. 36 sq. in. 48 sq. in. 60 sq. in.
12 x 4 12 x 6 12 x 8 12 x 10 12 x 12	3.99 4.48 4.84 5.15 5.69	1½ 2¼ 3 3¾ 4½	5.03 5.63 6.05 6.41 7.14	2½ 3¼ 4¼ 5½ 6¼	1.03 1.16 1.21 1.28 1.45	3/4 3/4 1 1 1	29 sq. in. 44 sq. in. 58 sq. in. 73 sq. in. 87 sq. in.
14 x 4 14 x 6 14 x 8 14 x 10 14 x 12 14 x 14	4.48 5.03 5.32 5.69 6.36 7.02	1 ³ / ₄ 2 ³ / ₄ 3 ¹ / ₂ 4 ¹ / ₂ 5 ¹ / ₄ 6	5.63 6.29 6.66 7.14 7.96 8.78	2 ³ / ₄ 3 ³ / ₄ 4 ³ / ₄ 5 ³ / ₄ 6 ³ / ₄ 7 ³ / ₄	1.16 1.28 1.33 1.45 1.61 1.76	3/4 1 1 1 1 1 ¹ / ₄ 1 ¹ / ₄	34 sq. in. 50 sq. in. 68 sq. in. 85 sq. in. 102 sq. in. 119 sq. in.
16 x 4 16 x 6 16 x 8 16 x 10 16 x 12 16 x 14 16 x 16	4.66 5.15 5.69 6.17 6.84 7.69 8.66	2 3 4 5 5 ³ / ₄ 6 ³ / ₄ 7 ³ / ₄	5.81 6.36 7.14 7.74 8.54 9.63 10.84	3 4½ 5½ 6½ 7½ 8¾ 9¾	1.16 1.28 1.45 1.57 1.69 1.94 2.18	1 1 1 1¼ 1¼ 1¼ 1¼ 1½	38 sq. in. 58 sq. in. 77 sq. in. 97 sq. in. 117 sq. in. 135 sq. in. 155 sq. in.
20 x 4 20 x 6 20 x 8 20 x 10 20 x 12 20 x 14 20 x 16 20 x 18 20 x 20	5.32 5.81 6.36 7.14 7.81 9.14 10.35 11.68 13.01	2½ 3¾ 4¾ 6 7¼ 8¼ 9¼ 10½ 11¾	6.66 7.26 7.93 8.95 9.75 11.44 12.95 14.59 16.28	3 ³ / ₄ 5 5 ¹ / ₄ 6 ³ / ₄ 9 10 ¹ / ₄ 11 ¹ / ₂ 13 14 ¹ / ₂	1.33 1.45 1.57 1.82 1.94 2.30 2.61 2.90 3.27	1 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1¾ 1¾	48 sq. in. 73 sq. in. 97 sq. in. 121 sq. in. 145 sq. in. 169 sq. in. 194 sq. in. 218 sq. in. 242 sq. in.
24 x 4 24 x 6 24 x 8 24 x 10 24 x 12 24 x 16 24 x 18 24 x 20 24 x 24	6.17 7.02 7.69 8.17 9.02 11.98 13.50 15.00 18.34	3½ 5 6½ 7¾ 9 11¾ 13 14½ 17	7.74 8.78 9.63 10.23 11.25 15.00 16.89 18.76 22.94	4¾ 6½ 8 9½ 11 13¾ 15¼ 16¾ 20	1.52 1.76 1.94 2.06 2.24 3.03 3.39 3.75 4.60	11/4 11/4 11/4 11/2 11/2 11/2 13/4 13/4	58 sq. in. 87 sq. in. 117 sq. in. 145 sq. in. 174 sq. in. 232 sq. in. 264 sq. in. 290 sq. in. 348 sq. in.
30 x 4 30 x 8 30 x 10 30 x 12 30 x 24	7.81 9.80 10.65 11.68 23.66	6½ 10 11¼ 12¾ 22¾	9.75 12.29 13.31 14.59 29.59	7¾ 11¾ 13¼ 15 26	1.94 2.49 2.66 2.90 5.93	1½ 1¾ 1¾ 1¾ 1¾ 2¼	73 sq. in. 145 sq. in. 182 sq. in. 218 sq. in. 436 sq. in.

^{*} Opening Size Required:

Style 600 requires same size opening as listed size. Styles 610 and 611 require 5/16" wider opening than listed size.

AIR CONTROL MULTI-TROL Double Deflection Registers

4 Way Directional Control With Opposed Action Shallo-Valve



Style VHV

Style VHV - Registers have adjustable vertical front bars, adjustable horizontal second row bars and vertical louvered Shallo-Valve.

This combination of two rows of adjustable airfoil bars plus the Shallo-Valve gives complete control of the air in both planes plus

exacting volume control. The smooth opposed action of the Shallo-Valve louvers distributes the air flow over the entire face. Valve is operated from the face with attractive key — may be removed or snapped permanently in place. Both rows of bars are easily adjusted with adjusting key furnished.



Style HVV

Style HVV - Registers are similar to Style VHV. Have adjustable horizontal front bars, adjustable vertical second row bars and vertical louvered Shallo-Valve.

Single Deflection Registers

Two-way Directional Control with Opposed Action Shallo-Valve

Style VOV - Registers feature adjustable vertical front bars and vertical louvered Shallo-Valve.

One row of sturdy adjustable air foil bars gives positive two-way air deflection in one plane. Shallo-Valve insures exacting volume control. Its smooth opposed action louvers distribute the air flow over



Style VOV



Style HOV

the entire register face. Valve is operated from the face with an attractive key which may be removed or snapped permanently into place. Bars can be easily adjusted to desired angle of deflection with the adjusting key furnished.

Style HOV — Registers are similar to Style VOV except that they have adjustable hori-


zontal front bars and a vertical louvered Shallo-Valve.

Refer to Page 52 For Prices


Complete Air Control Register Catalogue Available on Request.

AIR CONTROL MULTI-TROL Double Deflection Grilles

Four-Way Deflectional Air Control



Both horizontal and vertical air control is assured with this combination of two rows of air foil bars for four-way deflection. Streamlined bars are spaced at just the right distance, both horizontally and vertically, for maximum performance and attractive appearance. Both front and back bars can be easily adjusted to the required deflection with a furnished adjusting key.





Style VH



Style HV

Single Deflection Grilles Two-Way Directional Air Control


Style VO - Grilles feature adjustable vertical front bars, easily ad-

justable for any desired air pattern on a horizontal plane. These Air Control Single Deflection Grilles give complete two-way



Style VO

air control. A single row of specially designed air foil bars deflect air with a minimum of resistance. Bars are sealed into margins and cannot pull out, yet are easily adjusted to the desired angle of deflection with a furnished adjusting key. Formed construction gives them greater strength and pleasing appearance.





Refer to Page 52 For Prices


Complete Air Control Register Catalogue Available on Request.


AIR CONTROL

PRICES — MULTI-TROL REGISTERS AND GRILLES


	VHV	VOV	VH	VO		VOVX	VX
	and	and	and	and		and	and
	HVV	HOV	HV	НО		HOVX	HX
	Net	Net	Net	Net		Net	Net
Size	Price	Price	Price	Price	Size	Price	Price
8 x 4	\$5.59	\$4.03	\$4.03	\$2.47	10 x 6	\$ 4.85	\$ 2.96
10 x 4	6.15	4.42	4.42	2.73	10 x 8	5.27	3.19
10 x 6	6.70	4.85	4.85	2.96	12 x 6	5.24	3.22
12 x 4	6.70	4.85	4.85	2.96	12 x 8	5.85	3.58
12 x 5	6.99	5.04	5.04	3.09	12 x 12	6.83	4.23
12 x 6	7.28	5.24	5.24	3.22	18 x 6	6.63	4.10
14 x 4	7.28	5.24	5.24	3.22	18 x 12	8.84	5.46
14 x 5	7.84	5.66	5.66	3.45	18 x 18	12.87	7.93
14 x 6	8.10	5.85	5.85	3.58	24 x 12	10.89	6.67
16 x 5	8.39	6.05	6.05	3.71	24 x 18	16.32	10.01
16 x 6	8.62	6.25	6.25	3.84	24 x 24	22.17	13.59
20 x 5	9.23	6.67	6.67	4.07	30 x 12	14.11	8.65
20 x 6	9.79	7.06	7.06	4.33	30 x 18	20.54	12.61
20 x 8	10.63	7.67	7.67	4.68	30 x 24	28.60	17.55
24 x 5	10.89	7.87	7.87	4.81	36 x 18	24.80	15.21
24 x 6	11.48	8.26	8.26	5.07	36 x 24	35.27	21.62
24 x 8	12.58	9.07	9.07	5.56	36 x 30	47.55	29.16
24 x 10	13.69	9.88	9.88	6.05			
24 x 12	15.08	10.89	10.89	6.67			
30 x 6	14.53	10.47	10.47	6.44	Note Only	Standar	d Sizes
30 x 8	16.22	11.70	11.70	7.15	Are	Shown	
30 x 10	17.88	12.91	12.91	7.90			
30 x 12	19.57	14.11	14.11	8.65			
36 x 8	19.86	14.30	14.30	8.78	Write For	A Cor	nplete
36 x 10	22.07	15.93	15.93	9.75	Са	taloque	
36 x 12	24.31	17.52	17.52	10.76			


AIR CONTROL MULTI-TROL Fixed Deflection Registers





Style VOVX — has vertical face bars; Style HOVX, horizontal. Face bars are set straight out. Solidly anchored to frame, they can't come loose. Vertical Shallo-Valve provides positive air volume control and is easily adjusted, with a removable key, through the face of the register. Margin provides l-inch overlap beyond duct size.





Style VX — has vertical face bars, set straight out; Style HX, horizontal face bars, set $22\frac{1}{2}$ ° angle (available straight out if specified). Both are excellent matching grilles for use with Multi-Trol registers. Face bars are solidly anchored to frame — can't pull out. Margin provides 1-inch overlap beyond duct size.

Refer to Page 52 For Prices

Complete Air Control Register Catalogue Available On Request.

CONTINUE-FLO MODEL CFO-A-T-400

TRUSS CONSTRUCTION FLOOR DIFFUSER
WITH DAMPER AND BALANCING SET SCREW
Net



	Siz	e	Per Carton	Carton Lots
21/4	x	10	20	\$1.10
21/4	x	12	20	1.10
21/4	x	14	20	1.10
4	x	10	20	1.10
4	x	12	20	1.35

No.

Price

Each

Net

Price

Each

\$.78

.78

.78

.78

Attractively finished in a blending brown hammerloid enamel.

CONTINUE-FLO MODEL CFO-A-S-410

STAMPED FLOOR DIFFUSERS WITH DAMPER



4 x 12 20 .87


NOTE—This is α project model Floor Diffuser and is available in carton lots only.

WOOD REGISTER FACES

Size	Net Price Each	(Approx. 62% Free Area)	Size	Net Price Each
6"x10" 6"x12" 6"x14" 6"x30" 8"x10" 8"x10" 8"x12" 8"x12" 8"x30" 10"x12" 10"x14" 10"x16"	.55 .68 .89 1.24 .68 .73 .77 1.16 1.63 .77	Fabricated from MMMMMMMM MMMMMMMM MMMMMMMM MMMMMMM	12"x14" 12"x15" 12"x16" 12"x18" 12"x20" 12"x22" 12"x24" 12"x30" 14"x14" 14"x16" 14"x18" 14"x18"	41.00
10"x18"	1.10 1.28 1.32 1.57 1.84 .89	Prime Canadian Hardwoods	14"x24" 14"x30" For odd siz Please enqui Prices on Requ	ire

THERMO-BASE REGISTERS

SUPER THERMO-BASE — THERMO "30" DIFFUSERS



STANDARD THERMO-BASE UNIT	Weight per Unit	Dealer Net Prices (Sales Tax Inc.)
8 ft.	14 lbs.	\$10.40
5 ft.	9 lbs.	7.60
3 ft.	5 lbs.	4.56
Balancing Damper	1 lb.	1.20
SUPER THERMO-BASE UNIT		
8 ft. Units Only	26 lbs.	21.60
Balancing Damper	1 lb.	1.60
THERMO "30" DIFFUSER	3 lbs.	3.40
Balancing Damper	1 lb.	1.20
Thermo-"30" Diffuser with		
damper attached	4 lbs.	4.60
EXTRA END CAPS		.88

CONNECTORS — Consisting of R. & L. end caps welded and partition cut out for making continuous run where greater length with one feed is required.

55

CARNES ROUND CEILING DIFFUSERS



Model EJ



Model OSL



Model EH

CARNES SQUARE CEILING DIFFUSERS



Model KS-40 4-Way Throw



Model KS-30 3-Way Throw



Model KM-2 Blow "Inline" Diffuser

CARNES POWER ROOF AND SIDE WALL VENTILATORS



Model BE



Model WD



Model AX

We are distributors for the complete line of Carnes Diffusers, Registers, and Power Ventilators, for commercial and industrial applications. Catalogues of specifications and prices will be forwarded on request.



EXCLUSIVE: completely removable . . . completely washable design



PERMANENT - WASHABLE

, wring and replace the mi

	DEALER
SIZE	NET
8 x 16 x 1	\$2.53
10 x 20 x 1	2.86
14 x 25 x 1	4.35
15 x 20 x 1	3.63
16 x 20 x 1	3.63
16 x 25 x 1	4.35
20 x 20 x 1	4.35
20 x 25 x 1	5.06
25 x 25 x 1	5.83

ALL AIR FILTER SIZES Other Sizes Available.
Prices on Request.

built-in germ killing power!

DUSTOP AIR FILTERS

	Net Pr	ice Ea.				Net Pri	ce Ea.
Size	1"	2"	Siz	е		1"	2"
		1.10 1.24				 	1.49
		1.37					1.58
		1.37	20	x	281/2	 1.31	
			12	x	24	 1.04	
16 x 25	 .92	1.37	20	x	24	 1.16	

Quantity Discount

12 - 23: 15%

24 - 47: 20%

49 or more: 25%

RP ALUMALOY EZ KLEEN AIR FILTER

(Permanent Type)

Stock	Size	Act. Dimensions Tolerance — 1/6"	Net	Std. Pkg.	Std.	Cap. @ 350	Resiste in H	
No.	Size	Tolerance -/16	Price	Wt.(lbs.)		F.P.M.	F.P.M.	H20
9801	20x25x1	193/4 x 241/2 x 1/8	3.24	11.5	6	1000		
9802	20x20x1	19% x 19% x 7/8	2.77	9.5	6	800	150	.011
9803	16x25x1		2.77	10	6	800	200	.019
9804	16x20x1		2.52	8	6	640	300	.041
9805	15x20x1		2.52	8	6	600	350	.055
9806	10x20x1		1.98	6	6	400		
9101	20x25x2		5.65	16	6	1000		
9102	20x20x2		4.93	13	6	800	-150	.022
9103	16x25x2		4.93	13.5	6	800	200	.036
9104	16x20x2		4.22	11	6	640	300	.074
9105	15x20x2		4.22	11	6	600	350	.101
9106	10x20x2		3.50	8	6	400		
411		HANDI-KOTER	1.26	17	12			




MODEL	NET PRICE	MODEL	NET PRICE
85S — LO BOY	\$260.00	85V — LO BOY	\$270.00
105S — LO BOY	275.00	105V — LO BOY	285.00
130S — LO BOY	300.00	130V — LO BOY	315.00
160S — LO BOY	340.00		
200S — LO BOY	415.00		
130S — LO BOY 160S — LO BOY	300.00 340.00		

The New CONTINUE-FLO Deluxe Series OIL FIRED FURNACES



- MINNEAPOLIS-HONEYWELL CONTROLS
- . "ARMCO" STEEL WELDED FURNACE BODY
- PRE-CAST REFRACTORY CHAMBER
- . GREATER ACCESSIBILITY FOR CLEANING
- "WHISPER-QUIET" BELT DRIVE BLOWER
- BEAUTIFULLY STYLED FINISHED IN DAWN GREY AND FLORAL PINK
- . DESIGNED FOR MAXIMUM EFFICIENCY
- . TOTALLY ENCLOSED STEEL BASE
- e 20-YEAR WARRANTY





CABINET DIMENSION

		DEPTH	SEPTH HEIGHT W.A. OPENING R.A. OPENIN	IGHT W.A. OPENING		PENING R.A. OPENING		PIPE	
MODEL	WIDTH	B	C C	D	E	F	D	DIA.	
CFO: 85-5	24	431/20	39	22	22	141/2	22	7	
CFO-105-5	24	491/2	42	22	24	19	22	8	
CFO-130-5	251/2	51	46	231/2	26	19	231/2	8"	
CFO-160-5	28	581/2	471/2	28	261/2	23	261/2	9"	
CFO-200-5	281/2	621/2	471/2	321/2	27	23	27	9"	
CFO- 85-V	24	531/2	39	22	22	141/2	22	7"	
CFO-105-V	24	591/2	42	22	24	19	22	8~	
CFO-130-Y	251/2	61	46	231/2	26	19	231/2	8.	



ENGINEERING SPECIFICATIONS

MODEL	CFO-85-5	CFO-105-5	CFO-130-5	CFO-160-5	CFO-200-S	CFO-85-V	CFO-105-V	CFO-130-V
Output Bonnet BTU Hr.	85,000	105,000	130,000	160,000	195,000	85,000	105,000	130,000
Output Register BTU Hr.	72,000	89,000	111,000	135,000	165,750	72,000	89.000	111,000
Std. Filter Dimensions	(1) 16x20x1	(1) 10x20x1 16x20x1	(2) 16x20x1	(1) 12x24x1 16x24x1	(2) 16x24x1	(1) 16x20x1	(1) 10x20x1 16x20x1	(2) 16x20x1
Belt Size, Inches	36	40	43	52	46	36	40	43
Blower Size. Inches	9	10	12	15	15	9	10	12
Blower Capacity CFM	750	950	1175	1450	1850	750	950	1175
Blower Motor H.P.	1-4	1.4	1/3	1/3	1 2	1.4	1.4	1 3
Oil Nozzie Size	.85x80	1.00x80	1.20x80	1.50x80	1.75x80	85x80	1.00x80	1.20x80
Heat Exchanger	Armco	Armeo	Armco	Armco	Armco	Armco	Armco	Armco
Heating Surface, Sq. Ft.	36	38	42	46	50	36	38	42
Approx. Shipping Wgt., Ibs.	389	428	488	573	621	417	464	520



CONTINUE-FLO HEATING PRODUCTS LIMITED


Model	Capacity	Net Price
STARFIRE 85S-F	85,000 B.T.U.	\$215.00
STARFIRE 105S-F	105,000 B.T.U.	227.00
STARFIRE 130S-F	130,000 B.T.U.	252.00
STARFIRE 160S-F	160,000 B.T.U.	288.00
STARFIRE 200S-F	200,000 B.T.U.	345.00

The New CONTINUE-FLO STARFIRE Oil Fired Furnace

Built to Last a Lifetime — Every Feature Spells Quality!

- TOP QUALITY CUSTOM-RATED OIL BURNER
 "ARMCO" STEEL WELDED FURNACE BODY
 PRE-CAST REFRACTORY CHAMBER
 GREATER ACCESSIBILITY FOR CLEANING
 TOTALLY ENCLOSED STEEL BASE
 "WHISPER-QUIET" BELT DRIVE BLOWER
 BEAUTIFULLY STYLED FINISHED IN
 DAWN GREY AND SKY BLUE
 DESIGNED FOR MAXIMUM EFFICIENCY
 5-YEAR WARRANTY





		CAI	BINET DIM	ENSION	S				7
		DEPTH	HEIGHT .	W.A.	OPENING	R.A. OPEN	IING	FLUE	
MODEL V	HTDIV	B	C C	D	E	F	D	DIA.	
CFO- 85-5-F	24	431/2	39	22	22	141/2	22	7	2000
CFO-105-S-F	24	491/2	42	22	24	19	22	8	1000
CFO-130-S-F	251/2	51	46	231/2	26	19	231/2	8	
CFO-160-S-F	28	581/2	471/2	261/2	28	23	261/2	9	1000
CFO-200-S-F	281/2	621/2	471/2	321/2	27	23	27	9	
MODEL		CFO-85-S-F	CFO-16		CFO-130-S-F	CFO-160-S-F		O-200-S-F	
Output Bonnet BTU/Hr.		85,000	105.0		130,000	160,000		95,000	
Output Register BTU/Hr.		72,000	89.0		111,000	135,000	_	65.750	
td. Filter, inches		(1) 16x20x1	(1) 10:		(2) 16x20x1	(1) 12x24x (1) 16x24x		16x24x1	
elt Size, inches		36	40		43	52		46	
lower Size		9"	10	*	12"	15"		A 15	2 2
lower Cap. Cu. Ft. Min.		750	95	0	1,175	1.450		1,850	
ower Motor H.P.		1/4	1/4	_	1/3	1/3	10.0	1/2	
il Nozzle Size		.85x80°	1.00x	80°	1.20x80°	1.50x80°		.75×80°	- 20 20
leat Exchanger		Armco	Arm	co	Armco	Armco		Armco	
eating Surface, Sq. Ft.		36	31	В	42	46		50	
Approx. Shipping Weight	(the)	389	42	R	488	573		621	10000

CONTINUE-FLO V-100 "CUSTOMLINE" SERIES GAS FURNACES



BUILT WITH ARMCO ALUMINIZED STEEL



THE V-100 "CUSTOMLINE" LO-BOY Continue-Flo's Customline Lo-boy is the answer to limited space where headroom is unavailable. Neat in appearance, with lifetime construction and "WHISPER-QUIET" operation, the Lo-boy assures maximum comfort and trouble-free, economical operation.

THE V-100 "CUSTOMLINE" HI-BOY Continue-Flo's Customline Hi-boy — designed as a space-saver unit where limited floor space is available. Beautiful in appearance, it is engineered to give the utmost in heating satisfaction and economy.

CANADA'S FINEST GAS-FIRED FURNACES C.G.A. and C.S.A. Approved

GOOD LOOKS — The most compact line of Gas-Fired Forced Air Heating Units in Canada — beautifully styled — α decorative, space-saving asset, adding to the appearance of any basement or utility room.

The appearance is accentuated by the soft pastel shades of dawn gray and floral pink.

SAFETY FACTOR — The burner is so designed as to be the ultimate in safety, allowing smooth, uninterrupted pilot flame lighting — "WHISPER-QUIET!" ON and OFF operation. The most modern in controls assures positive lighting and 100% shut-off in any emergency.

Faultless, pre-tested construction, matched with foolproof safety, gives you Canada's finest Gas Heating Furnace.

CONSTRUCTION — "BUILT TO LAST A LIFETIME" — welded steel body and heat exchanger fabricated from ARMCO prime aluminized steel and encased in 22-gauge satin finish automobile steel. Furnace is built on a steel base, hermetically sealed, eliminating completely any dirt or foreign matter entering the furnace or air stream in circulating areas. Steel angle iron skids eliminate the necessity of grouting and allow for complete air circulation under the entire furnace. Less noise — more efficiency. 20-YEAR WARRANTY.

COMFORT — ECONOMY — Extensive pre-testing and field tests assure incomparable comfort and economy with "WHISPER-QUIET", uninterrupted, trouble-free operation, provided by the most modern design in heat exchanger, which allows approximately 64 square inches of extra heating surface per section, assuring phenomenal economy never before available.

PLUS ...



WHAT 20-YEAR WARRANTY MEANS TO YOU

That you can feel confident and happy in the knowledge that only quality materials and skilled work-manship are employed in the construction of your furnace, enabling Continue-Flo to back their product with this 20-year warranty.

CONTINUE-FLO "CUSTOMLINE" GAS FURNACES

THE HEART of the Continue-Flo Gas Furnace—
the exclusive "PLUS INPUT" Heat Exchanger design...



ENGINEERING SPECS

			ENGINE	ERING SPECS.				
MODEL	V-70-H	У-90-Н	V-120H	V-150-H	V-70-L	V-90-L	V-120-L	V-150-L
BTU/HR INPUT	70,000	90,000	120,000	150,000	70,000	90,000	120,000	150,000
BTU/HR OUTPUT	56,000	72,000	96,000	120,000	56,000	72,000	96,000	120,000
STANDARD FILTER (INCHES)	(1) 16X25X1	(1) 16X25X1	(1) 20X25X1	(1) 25X25X1	(1) 10X16X1 (1) 14X16X1	(1) 10X16X1 (1) 14X16X1	(1) 14X16X1 (1) 16X16X1	(2) 16X20X1
NO. OF BURNERS	3	3	4	5	3	3	4	5
BELT SIZE	40	40	44	49	36	36	39	43
BLOWER SIZE	A 9/7	A 9/7	A 10/8	A 12/8	A 9/7	A 9/7	A 10/8	A 12/9
BLOWER CFM	650	775	1050	1300	650	775	1050	1300
BLOWER PULLEY DIA. (INCHES)	6	6	7	8	6	6	7	8
MOTOR H. P.	1/4	1/4	1/4	1/3	1/4	1/4	1/4	1/3
MOTOR PULLEY	3X1/2 VS	3X1/2 VS	3X1/2 VS	3X5/8 VS	3X1/2 VS	3X1/2 VS	3X1/2 VS	3X5/8 VS
HEAT EXCH			A	R	М	С	0	
SHIPPING WT.	190	190	240	285	190	195	235	270
			CABIN	ET DIMENSIONS				
WIDTH	15 1/2"	15 1/2"	18 1/2"	21 1/2"	15 1/2"	15 1/2"	18 1/2"	21 1/2"
DEPTH	27"	27"	27"	29"	44"	44"	44"	47"
HEIGHT	49"	49 ⁿ	53"	57"	32"	32"	32"	32"
WA OPENING	. 14X17	14X17	17X17	20X19	14X16 1/2	14X16 1/2	17X16 1/2	20X17 1/2
RA OPENING	16X25	16X25	20X25	25X25	14X14	14X14	17X14	20X16

FOR SPECIFICATIONS, GAS FURNACE UNITS

FLUE DIA



THE MONARCH HI-BOY C.G.A. — APPROVED — C.S.A.



THE MONARCH LO-BOY

10-YEAR WARRANTY

ALWAYS AVAILABLE FOR IMMEDIATE SHIPMENT

THE CONTINUE-FLO MONARCH SERIES

A NEW MEASURE OF VALUE IN THE GAS-FIRED FURNACE FIELD!

The "MONARCH" gas-fired units are made from the finest materials available, and Continue-Flo has fabricated into this fine modern equipment features that are not available in any other makes, even at higher prices. Field-tested under all conditions, the home owner will be more than satisfied with the efficient, trouble-free comfort-giving operation.

Model No. Width

QUALITY FEATURES AT ECONOMY PRICES

- 1. "WHISPER-QUIET"
- 2. Custom Made for Lifetime Operation
- 3. Economy beyond compare
- 4. Canada's most compact units
- 5. 10-year Warranty

W.A.

- 6. C.S.A.-C.G.A. approved
- 7. Beautifully finished in dawn grey and floral pink

R.A.

SPECIFICATIONS CABINET DIMENSIONS Height

Depth

V- 70-H 151/2 V- 90-H 151/2 V-120-H 181/2 V-150-H 211/2 V- 70-L 151/2 V- 90-L 151/2 V-120-L 181/2 V-150-L 211/2	27 27 29 44 44 44	49 49 53 57 32 32 32 32	14x17 11 17x17 2 20x19 2 14x16½ 1 14x16½ 1 17x16½ 1	6x25 5 6x25 5 0x25 6 5x25 6 4x14 5 4x14 5 7x14 6 0x16 6
	ENGINEERI	NG SPECIFIC	ATIONS	
Model	V-70-H	V-90-H	V-120-H	V-150-H
BTU/Hr. Input BTU/Hr. Output	70,000 56,000	90,000 72,000	120,000 96,000	150,000 120,000
Standard Filter Inch	(1) 16x25x1	(1) 6x25x1	(1) 20x25x1	(1) 25x25x1 5
No. of Burners	3 40	3	44	49
Belt Size Blower Size	A-9	A-9	A-10	Narrow A-12
Blower CFM	650	775	1050	1300
Blower Pulley Motor H.P.	6 1/4	6	1/4	1/3
Motor Pulley	3x1/2 Adj.	3x1/2 Adj.	3x½ Adj. PRIME STEEL	3x5/8 Adj.
Heat Ex. Shipping Weight	190	STANDARD 190	240	285
Model	V-70-L	V-90-L	V-120-L	V-150-L
BTU/Hr. Input	70,000	90,000	120,000 96,000	150,000 120,000
BTU/Hr. Output Standard Filter	56,000 (1) 10x16x1	72,000 (1) 10x16x1	(1) 14x16x1	(1) 16x20x1
Inch	(1) 14x16x1	(1) 14x16x1	(1) 16x16x1	(1) 16x20x1 5
No. of Burners Belt Size	3	3 36	4 39	43
Blower Size	A-9	A-9	A-10	Narrow A-12
Blower CFM	650 6	775 6	1050	1300
Blower Pulley Motor H.P.	1/4	1/4	1/4	1/3
Motor Pulley	3x1/2 Adj.	3x1/2 Adj.	3x1/2 Adj. PRIME STEEL	3x5/8 Adj.
Heat Ex. Shipping Weight	190	195	235	270

Flue

Dia.

CONTINUE-FLO SERIES "SR" Oil-Fired Lo-Boy Conversion Furnaces



Realizing the value and the potential of the replacement market for forced warm air furnaces, Continue-Flo is pleased to provide for you, our Dealer, the opportunity of buying our quality Continue-Flo furnaces for this application. These units are available in capacities from 85,000 to 200,000 B.T.U. per hour and are our Deluxe "S" models less burner, controls, humidifier and accessories. Furnaces for this purpose are designated by the letters "SR". As we have no control over the firing device used the warranty on these models is 5 years from date of installation and each furnace will bear a sticker to this effect.

CONTINUE-FLO SERIES "HB" Oil-Fired Hi-Boy Furnaces



We, at Continue-Flo, know you will be pleased that we now have a complete line of oil-fired hi-boy furnaces in capacities from 85,000 to 160,000 B.T.U. You are assured of efficient, trouble-free operation as we have built into this equipment all of the quality and features that have made our Lo-Boy series so highly regarded from coast to coast.

ENGINEERING DATA

Continue-Flo Oil Fired Hi-Boy Units

EFFECTIVE DATE: APRIL 15th, 1959

CABINET DIMENSIONS

Model Number	Width	Depth	Height	W.A. Opening	R.A. Opening	Flue Pipe Dia.
CFO-85-HB	231/2	301/4	583/4	281/4×221/8	16x20	7
CFO-105-HB	233/4	30	653/4	283/8×221/8	20x25	8
CFO-130-HB	241/4	32	70	23½x31	25x25	8
CFO-160-HB	261/2	343/4	701/2	33x251/4	25x25	9

SPECIFICATIONS

	Dr LCII	CATIONS		
Model	CFO-85-HB	CFO-105-HB	CFO-130-HB	CFO-160-HB
Output Bonnet BTU/hr.	85,000	105,000	130,000	160,000
Output Register BTU/hr.	72,000	89,000	111,000	135,000
Std. Filter Inches	1-16 x 20	1-20 x 25	1-25 x 25	1-25 x 25
Blower Size	A-9	A-10	A-12	A-15
Blower Cap C.F.M.	900	1,100	1,900	2,200
Blower Motor HP	1/4	1/4	1/3	1/3
Oil Nozzle Size	.75 x 80°	1.00 x 80°	1.20 x 80°	1.35 x 80°
Heat Exchanger	Armco	Armco	Armco	Armco
Approx.' Shipping Wgt.	423	456	522	571

CONTINUE-FLO SERIES "CF" Oil-Fired Counter-Flow Furnaces



Through the unceasing effort of our engineering and development department, we are pleased to make available to you, our Dealer, a complete range of oil-fired counter-flow furnaces in capacities from 85,000 to 130,000 B.T.U.

Quality, which is the basis for a sound, successful business, is the focal point of our entire production.

You can therefore expect, and will receive, efficient, trouble-free operation from this equipment.

ENGINEERING DATA Continue-Flo Oil Fired Counter-Flow Units

CABINET DIMENSIONS

				W. A.	Plenum	R. A. I	lenum	Flue
Model	w.	D.	H.	W.	D.	W.	D.	Dia.
CFO-85-CF CFO-105-CF CFO-130-CF	23 23 24½	30½ 30½ 32	59 66 70	16 16 17½	24½ 24½ 26	21½ 21½ 23	28 28 29½	7" 8" 8"

Model No.

Output-Bonnet. BTU/Hr. Output-Register. BTU/Hr. Std. Filters.

Belt Size Blower Size.
Blower Capacity.
Blower Motor H.P.
Nozzle Size.
Heat Exchanger. Heating Surface-Sq. Ft.

CFO-85-CF	CFO-105-CF	CFO-130-CF
85,000	105,000	130,000
72,000	89,000	111,000
1-10x16x1	1-10x16x1	(2)
1-20x16x1	1-20x16x1	20x16x1
36	38	45
9"	10"	12"
900 C.F.M.	1,100 C.F.M.	1,900 C.F.M.
1/4	1/4	1/3
.85x80°	1.00x80°	1.20x80°
ARMCO		
36	38	42

CONTINUE-FLO HEAVY DUTY OIL-FIRED




Winter Air Conditioning IInits

MANY OUTSTANDING FEATURES

- RESIDENTIAL
- COMMERCIAL
- INDUSTRIAL



FOR COMFORT AND **ECONOMY**



CONTINUE-FLO OIL-FIRED HEAVY DUTY FURNACES

FEATURES

- Attractive cabinet with gracefully rounded corners, finished in smooth baked hammerloid enamel. Chrome hardware.
- 2 Heavy gauge heat exchanger of modern design, adds more radiating surface, and increases efficiency.
- Pre-Heater of tubular construction, preheats the return air. This reduces flue gas temperature, and saves fuel...
- Burner and all controls enclosed, and out of reach of children; but readily accessible for maintenance.
- 5 Stainless steel combustion chamber directs heat to all surfaces, including the bottom.
- The rubber mounted oversize fan unit produces abundant air volume at slower speeds, affording WHISPER QUIET operation.


SPECIFICATIONS AND DIMENSIONS


Oil Model No. †	Car	nnet pacity TUH	Nozz GP Oil	H	Ca	Fan pacity FM	Fan Sizes	Fan Motor HP	Heating Surface sq. ft.		Filters Size & No.		
SWP4	25	0,000	2.2	5		2,850	15	1/2	81	1	1×20×2		
SWP5	35	0,000	3.0	0	:	3,850	15	3/4	130	1	1x20x2 8		
SWP6	500	0,000	4.50)		5,250	18	1	190	11	1×20×2 10		
SWP7	800	0,000	7.50)	9	0,000	22	2	240		pplied		
SWP8	1,250	0,000	11.50)	14	,100	25	3	440	1	pecial Order Only		
	-			P	leni	ıms							
Oil Model No.	Length	Width	Height		Length	Width	Spacer	Smoke Collar Dia.		ed	Ship- ping Weight lbs.*		
CFO-P4	75	33	57	2	24	25	7	10	12x1 35'	2	790		
CFO-P5	85	44	65	3	32	32	9	12	12x1 35'	12x15 35'			
CFO-P6	97	53	74	3	8	40	8	12	12x1: 35'	12x15 35'			
CFO-P7	114	65	88	4	2	50	15	14	15x15 40'	5	3200		
CFO-P8	135	72	99	4	8	48	15	14	15x15 40'		5200		

NOTE: First five sizes supplied with burners enclosed in casing and oil units with stainless steel hearths. Larger sizes supplied with external burners and burner covers and oil units with refractory hearths.

Detuct 50 lbs. for gas fired units.

CONTINUE FLO OIL-FIRED HORIZONTAL SUSPENDED FURNACE





SPECIFICATIONS AND DIMENSIONS


SW53A	275,000	2,750	.30	3/4	15	550	2.75	96	32	35	62	165/8	11	28	31	10	49	5	-	-	850
SWS4	350,000	3,500	.35	1	15	530	3.00	105	39	48	58	46	15	29	38	12	191/2	8	-	481/2	1550
SWS5	500,000	5,000	.40	11/2	18	490	2 x 2.25	118	43	56	71	531/2	15	33	46	14	223/4	8	-	513/4	2200
SWS6	750,000	7,500	.50	2	22	440	2 x 3.50	153	52	60	137	571/2	23	42	50	15	21	8	71	571/2	320
WS7	1,250,000	16,000	.75	5	30	365	2 x 5.50	192	72	84	176	811/2	18	62	74	16	32	8	89	80	440

Space Saving
Practical
Efficient

For

HOMES - GAS STATIONS GARAGES - RESTAURANTS FACTORIES - WAREHOUSES AIRPLANE HANGARS







Nº 11765	ould any provided provided urvai: a except insporte- ithin 10	ory pre-	staliation er. terns of	itted		
No.	and workmandip. She in Clauses A., B and C. in Clauses A., B and C. in virtum have been obtaination without charge similation without charge shing price except freight; vertex of the constraint of the constrain	limit the warm air teer upt where furnace fact	injeck. Inys from the date of inserve the purchase items to the purchaser, in any manner, the	roducts Lim	Source of President.	
Sactor.	The Gross owered for the security is revented to the option to to be for the defect in marked as welcomed, much security drough selection to the control of the security of th	CONDITIONS There is no the control of the control	Amenican. 1. The firence and be fined with a Burner, approved and supplied by Continue-De Menica Enders Limited. 2. The firence is not be more with the best and it is equally included in manifestion. 3. The firence is not been more flowed to the size of its enders of the many firence within at days from the size of installation of the size of the si	Continue-Flo Heating Products Lemited HABITON, ONTABO	DAR.	
Aurnare Warranty	original user to be free till be mande of such defe- ered and further provided etc. Such etc. and in 10 year charging a proportionar has been used. a year from the diseas- tionate part of the curr- tionate part of the curr- ation charges prepaid.	CONDITIONS The lines were horselved by a competer as formed busing class, the lines of correct house are formed busing class, as specified by The National Board of Fire Underwriters and Canadian 3th The formers on such a base busing for the Condition of the Condition of Canadian 3th which could be the Condition of the Conditio	Associations was be fined with a Bureat, approved and supplied by Continue P.D. Henting J. Tet furness are so the new from the size of the original burbalistics. A furnishment of the size of the size of the original burbalistics. A furnishment of the size of the size of the original burbalistics. A furnishment of the size of	Joutinue-Flu	**************************************	
Furna	and is warranted to the p defects replacement to the statistical near the defect of the statistical near of the statistical near of the statistical near of Mild Steel within the marriage a proportion charging a proportion charging a proportion charging as proportion charging as proportion charging as proportion chargen as per used.	lied by a competent and each in the correct locat Board of Pire Underw on fived over its litted a life according to the m	h a Burner, approved a tree from the site of line sets Limited, Hamilton, are involved during the guaranteed by other m nited does not authoria.			
	is the last exception of the content is wearened to the circuits and the content of the content	CONDITION CONDITION CONDITION CONDITION Provided by a competent and licenal basing provided by The National Basing of Provided Provided Basing provided by The National Basing of Provided Provided Basing The former some not not have been fred over the lited maximum repeting the beautiful system was installed seconding to the minimum repeting	The fittings must be fixed with a Burner, approved and amplied by Goal The fittings must be fixed with a Burner, approved and a fitting burneling of the fitting burneling of the fitting burneling of the property fitting of the fitt	Dwner's Name	littee dress clel No.	
	The furnace part of the out to the out to ou	1. Furnace 2. The line 2. See Spre 2. Wired. 3. The bes	Americalion, 5. The furnace 6. The furnace 7. All informat 10 Continues 8. We shall m Controls, motor Controls, motor Controls, fils werranty.	Owner's Name	Dealer's Name Dealer's Address Dealer's Address Furnace Model No. Furnace Serial No.	

Nº 11765	
GUARANT	EE STUB
Owner's Name	Dealer's Address
Address of Installation	Purnace Model No.
Date Installed	Purnace Serial No.
Dealer's Name	

No.522

20 Year Warranty

LO-BOYS	B.T.U.	NET PRICE
DELUXE:— (Exposed Burner)	BONNET OUTPUT	60 Cycle
CFO — 85-S	85,000 B.T.U.	\$260.00
CFO — 105-S	105,000 B.T.U.	275.00
CFO — 130-S	130,000 B.T.U.	300.00
CFO — 160-S	160,000 B.T.U.	340.00
CFO — 200-S	200,000 B.T.U.	415.00
LO-BOYS		
DELUXE: (With Vestibule)		
CFO — 85-V	85,000 B.T.U.	270.00
CFO — 105-V	105,000 B.T.U.	285.00
CFO — 130-V	130,000 B.T.U.	315.00
HI-BOYS		
DELUXE:— (Exposed Burner)		
CFO — 85-H	85,000 B.T.U.	265.00
CFO — 105-H	105,000 B.T.U.	275.00
CFO — 130-H	130,000 B.T.U.	305.00
CFO — 160-H	160,000 B.T.U.	345.00
COUNTER FLOW		
DELUXE:— (Exposed Burner)		
CFO — 85CF	85,000 B.T.U.	270.00
CFO — 105CF	105,000 B.T.U.	280.00
CFO — 130CF	130,000 B.T.U.	310.00
CFO — 160CF	160,000 B.T.U.	360.00

CONTINUE-FLO — FESS RUBBER MOUNTED OIL BURNER AND MINNEAPOLIS HONEYWELL CONTROLS SUPPLIED WITH DELUXE SERIES

NOTE: Above prices include Furnace complete with Humidifier; Oil Burner; Room Thermostat; Constant Ignition Protectorelay; Combination Fan and Limit Control; Nozzle; Tank Gauge; Steinen Deluxe Draft Stabilizer and Oil Filter.

A Cover for the Burner on Models CFO-160-S and CFO-200-S can be obtained at an additional cost of \$15.00

STARFIRE "SFR" SERIES FOR OIL FIRING 5-Year Warranty

The "SFR" MODEL furnace is intended for use where a Dealer is replacing a customer's existing oil-fired furnace and wishes to remove the oil burner from the existing oil-fired furnace and install it in the "SFR" model furnace.

As we have no control over the firing device that will be installed in this equipment the furnace will bear α 5-year warranty from the date of installation.

The furnace will also bear a sticker assuring the Dealer and the customer that this furnace is sold for the express purpose above mentioned.

Model Numbers	B.T.U. Bon. Output	Net Price 60 Cyc.	Model Numbers	B.T.U. Bon. Output	Net Price 60 Cyc.
CFO— 85SFR	85,000	\$116.00	CFO-160SFR	160,000	\$189.00
CFO-105SFR	105,000	125.00	CFO-200SFR	200,000	246.00
CFO—130SFR	130,000	152.00			

NOTE: Above prices include furnace less burner, Humidifier, and Accessories, but include Combustion Chamber, Blower and Blower Motor.

Optional Equipment Available at Additional Cost.

Furnacestat—LA412A\$11.86	Waite-Skuttle No. 711 \$8.48	
Comb. Fan & Limit Control	Auto-Flo. No. 150 9.95	
L498B 14.08	Thermostat—T86 9.95	
Draft Regulator Steinen—	Protectorelay-RA816A 30.97	
No. 678 (6" - 8") 3.76	The second of th	
No. 789 (7" - 9") 4 38		

CONTINUE-FLO STARFIRE SERIES OIL FIRED FURNACES

TOP QUALITY AT LOWER PRICES — FIVE YEAR WARRANTY A Nationally Accepted Custom Unit Available in 3 Models

Model	Capacity	Net Price 60 Cyc. One Furnace
85-SF	85,000 B.T.U.	\$215.00
105-SF	105,000 B.T.U.	227.00
130-SF	130,000 B.T.U.	252.00
160-SF	160,000 B.T.U.	288.00
200-SF	200,000 B.T.U.	345.00

Featuring Continue-Flo "B" Burner and General Controls.

Package Includes: Furnace, Oil Burner, Controls, Humidifier, Tank Gauge,
Draft Stabilizer, Oil Filter.

CONTINUE-FLO HEAVY DUTY SERIES OIL FIRED FURNACES

Model	B.T.U. Bonnet Output	Net Price 60 Cycle
CFO - P4	250,000 350,000	\$ 608.00 813.00
CFO — P5 CFO — P6	500,000	1231.00
CFO — P7	800,000 1,250,000	1980.00 2782.00

ABOVE PRICES INCLUDE:
Furnace complete with Bracket Mounted Oil Burner; Honeywell Room
Thermostat; Combination Fan and Limit Control, and Protectorelay; Humidifier; Tank Gauge; Draft Corrector and Oil Filter; Fibre Glass Air Filters;
two toned streamlined Casings, Stainless Steel Combustion Chambers up
to and including CFO-P5.

From Size CFO-P4 to CFO-P8 — two Blower Motor sizes are shown above. Above prices include the smaller motor. If higher static pressures than normal are required, the larger motor shown can be supplied at an additional charge.

NOTE: 1. HONEYWELL ELECTRIC CONTROLS supplied on units numbers CFO-P6, CFO-P7, and CFO-P8.

 Refractory combustion chambers and detachable burner vestibules supplied on units numbers CFO-P5, CFO-P6, CFO-P7, CFO-P8.

THESE UNITS CARRY A ONE YEAR WARRANTY AGAINST DEFECTS IN MANUFACTURING.

DOMESTIC AND SMALL COMMERCIAL

6 MODELS — designed to be "hung" or "suspended" from root or ceiling, allowing use of full floor area—may also be used in "crawl" spaces under homes, cottages, etc., or "stowed away" in attic spaces—complete with oil burner, all Honeywell Controls, enamelled steel casings, hanging ring bolts, fans, drive and motor and air filters, humidifiers standard on first 3 models only. Two stage oil pumps standard on all equipment.

MODEL NUMBER	B.T.U. BONNET OUTPUT	DEALER NET PRICE
CFO — 85-SUSP.	85,000	\$275.00
CFO — 105 SUSP.	105,000	285.00
CFO — 130 SUSP.	130,000	320.00
CFO 145 SUSP.	14 5,000	395.00
CFO — 175 SUSP.	175,000	440.00
CFO - 210 SUSP.	210,000	495.00

CONTINUE-FLO SUSPENDED SERIES OIL FIRED FURNACES INDUSTRIAL AND COMMERCIAL

8 MODELS — designed to be "hung" or "suspended" from roofs or ceilings, allowing use of full floor area — may also be used in "crawl" spaces under homes, cottages, etc., or "stowed away" in attic spaces — Complete with oil burner, all Honeywell controls, enamelled steel casings, hanging ring bolts. Fans, drive and motor — air filters supplied on Models 1 - 2 - 3 only and at extra cost if required on special order on larger models. Motorized flue gas exhauster available on any model at extra cost and special order. Humidifiers standard on Models 1 and 2 — can be supplied at extra cost on larger models.

Model Number	B.T.U. Bonnet Output	Net Price 60 Cycle \$ 658.00
CFO — S3 — A CFO — S4 CFO — S5	275,000 350,000 500,000	\$ 658.00 815.00 1251.00 1906.00
CFO — S6 CFO — S7	800,000 1,250,000	2659.00

CONTINUE-FLO V-100 "CUSTOMLINE" SERIES Gas Fired Furnaces 20 Year Warranty

Lo-Boy			Net
Model	B.T.U.	B.T.U.	Price
Number	Input	Output	60 Cycle
V-70-L	70,000	56,000	\$155.00
V-90-L	90,000	72,000	155.00
V-120-L	120,000	96,000	171.00
V-150:L	150,000	120,000	202.00
Hi-Boy			Net
Model	B.T.U.	B.T.U.	Price
Number	Input	Output	60 Cycle
V-70-H	70,000	56,000	\$152.00
V-90-H	90,000	72,000	152.00
V-120-H	120,000	96,000	167.00
V-150-H	150,000	120,000	198.00

CONTINUE-FLO V-100 "MONARCH" SERIES Gas Fired Furnaces 10 Year Warranty

Lo-Boy			Net
Model	B.T.U.	B.T.U.	Price
Number	Input	Output	60 Cycle
V-70-L	70,000	56,000	\$148.00
V-90-L	90,000	72,000	148.00
V-120-L	120,000	96,000	164.00
V-150-L	150,000	120,000	192.00
Hi-Boy			Net
Model	B.T.U.	B.T.U.	Price
Number	Input	Output	60 Cycle
V-70-H	70,000	56,000	\$145.00
V-90-H	90,000	72,000	-145.00
V-120-H	120,000	96,000	160.00
V-150-H	150,000	120,000	188.00

NOTE: Above prices include Furnace and are complete with Gas Burner with 100% Safety Shut-off Control and High Limit. Completely wired, and include Combination Fan Control, equipped with Summer Switch.

Humidifiers Not Included - Add \$7.00 for Humidifier

CONTINUE-FLO GAS-FIRED FURNACES Large Lo-Boy — Counterflow and Gravity

	B.T.U. Input	B.T.U. Bonnet Output	Net Price 60 Cycle
Counterflo Models CFG — CF90	90,000	72,000	\$155.00

NOTE: Above price includes furnace complete with Gas Burner and Controls, completely wired with Fan Motor.

Gravity	Models
---------	--------

CF — 85 GP	85,000	63,750	\$123.75
CF — 120 GP	120,000	90,000	136.25

NOTE: Gravity prices include furnace complete with Burner, Controls and Gas Diverter — shipped knocked down.

CONTINUE-FLO SECTIONAL SUSPENDED Gas Fired Furnaces

			Net Pr	ice 60 Cyc.
Suspended Furnace				Ceramic
Model	B.T.U./Hr.	B.T.U./Hr.	Shipping	Deluxe
Number	Input	Output	Weight	Models
CFG — 60-2S	60,000	42,000	210 lbs.	\$167.50
CFG — 75-2S	75.000	60,000	210 lbs.	167.50
CFG — 90-2S	90.000	72,000	210 lbs.	167.50
CFG — 100-3S	100,000	80,000	280 lbs.	186.25
CFG — 112-3S	112,500	90,000	280 lbs.	186.25
CFG — 125-3S	125,000	100,000	280 lbs.	183.00
CFG — 140-4S	140,000	112,000	350 lbs.	223.00
CFG — 164-4S	164,000	131,000	350 lbs.	238.00
CFG — 180-6S	180,000	144,000	380 lbs.	318.00
CFG — 215-6S	215,000	172,000	490 lbs.	348.00
CFG — 250-6S	250,000	200,000	490 lbs.	368.00

Humidifiers Not Included — Add \$7.00 for Humidifier Suspended Units complete with Self Energizing Controls.

BONUS FEATURES AT NO EXTRA COST:

- May be used as a UNIT HEATER or as a SUSPENDED FURNACE with ductwork, without any changes to the unit.
- 2. Fully pre-wired controls and motors.
- 3. Entirely pre-assembled at factory.

ALL UNITS CARRY A ONE YEAR WARRANTY AGAINST DEFECTS IN MANUFACTURING

These Units are All C.G.A. Approved

CONTINUE-FLO OIL BURNERS

			Blast Tub	e Net	Price
Model	Style	Capacity	Length	60 cy.	25 cy.
55-J	Pedestal	.75 to 2.50	11"	\$110.25	POA
55-J	Pedestal	.75 to 2.50	17"		P.O.A.
52-A 52-A	Pedestal	2.50 to 5.00			P.O.A.
52-A	Pedestal	2.50 to 5.00			P.O.A.
02-A	Pedestal	2.50 to 5.00	23"	125.50	P.O.A.



Above Prices Include Honeywell Controls As Follows:

T-86 Thermostat; RA-816 Protectorelay; L-419 Airstat or L-409 Aquastat.

Dual Frequency Controls and Transformer supplied with 25 cycle burner. Model 55-J Burners have single nozzle. Model 52-A Burners have twin nozzles.

Accessory Kit Available: Tank Gauge; Draft Regulator; Ventalarm; Fill and Vent Cap.

Threadless — S6.50

Model Style Capacity Length 60 cy. 25 cy.

54-A Pedestal 4.00 to 10.00 17" \$282.00 P.O.A.

State Firing Rate

Twin Nozzles supplied on above Model.





Model "J" Flange Mount

Above Price Includes Honeywell Controls As Follows:

2 only P-404 Pressuretrőls; R-816 Protectorelay; Draft Adjuster & Oil Filter.

Available with R-887 Relay; C7003A Photocell; 2 P-404 Pressuretrols;

Draft Adjuster and Oil Filters, ADD \$84.50 P.O.A.

Available with R-114 Relay; C57 Protectostat; 2 P-404 Pressuretrols; Draft Adjuster and Oil Filter, ADD P.O.A. P.O.A.

If Flange Required for any of these Burners Please advise when ordering.



Model "B" Burner

Dual Frequency Controls and Transformer supplied with 25 cycle burner.


If 24" Blast Tube required ADD \$7.05 to prices below.

Mat Dries

				Mer	FILLE
Model	Style	Cap.	B.T. Lgth.	25 cy.	60 cy.
"B"	Flange or Pedestal	2.00 G.P.H.	up to 16"	P.O.A.	\$112.50
"J"	Pedestal	3.00 G.P.H.	16"	P.O.A.	P.O.A.

Above Prices Include: T-86 Thermostat; RA-816 Protection Relay; L-419 Airstat or L-409 Aquastat. The following Accessories are also included: 1 only Tank Gauge; 1 only Oil Filter; 1 only Draft Regulator.

FLOOR FURNACES HALLMAC — Oil Fired



50E MODEL

The 50E model must be ignited manually and operates from pilot flame to high fire according to the room thermostat. Electric control automatically adjusts air flow to oil flow to give complete, clean combustion of oil.

MODEL 50-E

SPECIFICATIONS No. 1

	50E
FUEL:	No. 1 Stove Oil
FUEL CONSUMPTION:	
On High Fire	30 CC per min.
On Low Fire	3 CC per min.
OUTPUT AT REGISTER:	50,000 BTU
GRILLE DIMENSION:	24" x 40"
FLOOR OPENING REQUIRED:	241/4" x 401/4"
SMOKE PIPE SIZE:	6 inches
SMOKE PIPE CENTRE TO FLOOR	o menes
LEVEL:	26 inches
CASING DIMENSIONS:	26 inches
Width	24 inches
Length	40 inches
Depth	32 inches
SHIPPING WEIGHT:	185 Lbs.

HALLMAC - OIL FIRED

	22.22.		BTU Output	Net Price
50E	Pot	Burner		\$137.50




	I-bUL	F-/UE
Fuel	Nos. 1 or	2 Fuel Oil
	(Furne	ice or
	Stove	Oil)
Fuel Consumption:		
On High Fire	. 2/5 GPH	3/5 GPH
On Low Fire		
Output	.52,000 BTU	70,000 BTU
	(Both at th	
Grille Dimensions	. 28"x38"	28"x38"

77


SPECIFICATION

HALLMAC - KEMAC	OIL FIRED	N	et Price
F60			\$175.00
F60E			187.50
F70E	70,000		195.00

GAS FLOOR FURNACES



Model 750



Model 535

$\begin{array}{c} {\rm HALLMAC \ --- \ GAS \ FIRED \ SELF \ ENERGIZING \ CONTROLS} \\ 100\% \ \ {\rm SAFETY \ SHUT-OFF} \end{array}$

					Net Prices
#750	Input	70,000	Output	50,000	
					116.50
# 000	mput	00,000	Output	30,000	110.30




WHISPER-QUIET—Model CF-3000 GAS CONVERSION BURNER



FOR '59

CGA APPROVED FIII.I.Y WARRANTED

"UPSHOT" TYPE



EASY TO INSTALL — Telescopic design with clamping device and adjustable legs makes Continue-Flo Burners adaptable to all makes of furnaces. SAFE — Automatic Gas Safety Pilot recycles automatically under low pressure conditions. Automatically controlled. Ignition assured at all times. Automatic Self Generating Electric Gas Valve prevents flow of gas to main burner when pilot is not lit. Noiseless operation.

ECONOMICAL — Cast Iron Manifold and Venturi Tube and Brass Orifice guarantees maximum efficiency, scientifically designed. Burns every cc. of either Propane or Natural Gas, and only the exact amount needed to give you the temperature you want.

SELF ENERGIZING CONTROLS - Gives you heat always, even when electrical power fails.

SMART APPEARANCE - Modern streamlined cabinet in Floral Pink and Dawn Grey enamel. Improves the appearance of any heating plant of any basement.

CDECIFIC & TIONS

Control Type of Minimum Maximum	
Model Size Gas Input—BTU Input—BT CFG 3000 A ½" Natural 75,000 150,000 CFG 3000 A ½" Propane 75,000 250,000 CFG 3000 B ¾" Natural 120,000 250,000	

"CONTINUE-FLO" INSHOT - GAS BURNER


Model	Control Size	Type of Gas	Minimum Input- BTU	Maximum Input- BTU	Net Price
CFG-5000A CFG-5000A CFG-5000B CFG-5000B	3/4"	Natural Propane Natural Propane	120,000	250,000	\$67.50 73.75 71.25 77.50
	· T		D	ama nilat	lighto

Above Prices Include: Runner flame pilot light Thermostat, Self-Energizing Controls and AIRSTAT or Surface Mounting AQUA-STAT.


NOTE: Burners supplied in 8" and 16" lengths.
Please specify when ordering. Burners are
adjustable up and down and in and out.



SELF-DRILLING SHEET METAL SCREWS



2 PACKS . . . 2 PRICE RANGES . . . HEAVY BRIGHT ELECTROPLATED FINISH



IN ORDERING be sure to specify SPEE-D Self-Drilling Screws — as well as pack nur

NET PRICES-SPEE-D SELF-DRILLING SCREWS



box: 10 hoxes per carton: 10 cartons per ship-	
ping container	
	0
	ECONOMY PACK - L000

PACE	Screw Size	Weight (lbs.) Per Container	Bright Electroplated
1	6 x 3/8	39	\$.83 per gross)
	7 x 1/2	47	.95
	8 x ½	57	1.02
1	10 x 1/2	63	1.15
n	6 x 3/4	26	4.86 (per 1,000
"	7 x 1/2	32	5.42
1.	8 x 1/2	39	5.81
U	10 x 1/2	44	6.68

REXDALE

Cartridges — Grey or Black	Net	\$.40	
	Mat	\$1.70	

STERNSON STOVE AND FURNACE CEMENT #7 and #30

	#7 Net	#30 Net		#7 Net	#30 Net
1 lb.	.20	.20	2½ lb	.35	.35
5 lb.	.50	.50	20 lb.	2.00	



PRENCO COMPONENTS


OIL TANK GAUGE

Model 1958 - "Crystal Dome"

Length of Gauge	Net Price
24"non standard	
32"—non standard	
36"—non standard	\$1.36 each
44"—standard	
46"—non standard	
	24"—non standard 32"—non standard 36"—non standard

"GUARDIAN" Oil Burner Couplings





Regular, Splined, Jaw Nylon and EJ Molded Rubber Jaw Couplings have pump-end bores of 3_8 ", 5/16", and 7/16". For 5_8 " add — and for 1_4 " add — to the List Price per coupling. Other special bores, prices on request.

Regular Coupling	ıgs	Net
13/4" thru 23/8"		\$1.35
2½" thru 37/8"		1.28
4" thru 47/8"		1.34
5" thru 57/8"		1.43
6" thru 67/8"		1.62
7" thru 77/8"		1.76
Nylon Jaw Cou	plings	Net
2" thru 27/8"		
Z IIII Z /8		\$1.19
3" thru 3½"		1.23
3" thru 3½" 35%" thru 37%"		1.23
3" thru 3½" 35/8" thru 37/8" 4" thru 47/8"		1.23 1.31 1.38
3" thru 3½" 35/8" thru 37/8" 4" thru 47/8" 5" thru 57/8"		1.23 1.31 1.38 1.59
3" thru 3½" 35%" thru 37%" 4" thru 47%" 5" thru 57%" 6" thru 67%"		1.23 1.31 1.38 1.59 1.73
3" thru 3½" 35/8" thru 37/8" 4" thru 47/8" 5" thru 57/8"		1.23 1.31 1.38 1.59

Aluminium	Bushings	Only
		N.

						Net
1/2" x 7/	16",	1/2"	x	5/16",	7/16"	
x 5/16"						.36

GUARDIAN STANDARD ASSORT.



Get This Complete Service Kit 97% of today's requirements can be met with this handy kit. Get one. Use it and keep it filled. Be ready for those extra profits on replacements!

Net Price\$25.80 8 Regular Couplings: 2, 2½, 3, 3½,

4, 4½, 5, 5½". All ½ Shaft Diameter.

6 Splined Couplings: 3, $3\frac{1}{2}$, 4, $4\frac{1}{2}$, 5, $5\frac{1}{2}$. All 7/16 Shaft Diameter.

14 Assorted Shaft Bushings

STOCK BORES: Regular Couplings—1/2"x1/2", 1/2"x7/16", 1/2"x5/16". Splined Couplings—7/16"x5/16" pump
Nylon Jaw Couplings—7/16"x5/16" pump
A.B.C. Replacement—1/2"x7/16", 1/2"x5/16"

Splined	Couplings	Net
3" thru 4" thru 5" thru 6" thru 7" thru	4 ⁷ / ₈ "	1.38

Splined Couplings: Available in either Aluminium Silent Tension or Nylon. Be sure to specify on order — if no notation we will furnish with Aluminum Sleeve. Maximum length in Nylon—6" overall.

Regular Couplings: Be sure to specify motor shaft and pump shaft with overall length requirements.

GUARDIAN ECONOMY ASSORT.




4 Regular Couplings: 3, 3½, 4 & 4½". All ½ Shaft Diam.

4 Spline Couplings: 3, 3½, 4 & 4½". All 7/16 Shaft Diam. 5—7/16 x 5/16 Bush.

Net Price\$14.25

FELTON FURNACE CLEANING BRUSHES





No. 9x3" dia. x 4 Ft.	e
Handle Each \$.4	15
No. 9x3" dia. x 5 Ft. Handle Each .5	0
Brush Part on Both is 4" Long	

No. 8 — Boiler Brushes	3
1½", 1½", 1¾", 2"	Price
Diameter Each	\$1.65
Price is less handle.	



Hard Spiral Flue Brush

Model	Size	Net Price
No. 1	11/2"	\$1.55
No. 1	2"	1.55
No. 1	21/2"	1.65

Scratch Brush

	Overall	Net Price		
No.	Lens	11100		
1777	13-15/16"	.40		



ALL OTHER TYPES OF BRUSHES AND SCRAPERS AVAILABLE. PRICES ON APPLICATION.

DUPLEX TANK BUSHINGS



Style — 40	0-0.E.M.
Size	Net
223/223/	#1 OF

2x3/8x3/8	 \$1.35
$2x^{1/2}x^{1/2}$	 1.50

FILL BOXES Style — 66—O.E.M. Flush Type — with Brass Cap 11/2 .. 21/2

FILL BOXES Style — 60G—O.E.M. Grey Iron Hinge Type

Size											Net
11/2											\$.95
2										 	1.10
21/2		 								 	1.86
3											2.40
4										 	3.50

FILL BOXES Style — 21—O.E.M. Hinge Type With Hasp

Size	Net
2	 \$3.50
21/2	 5.95
3	 7.75

2.35

CHIMNEY THIMBLES (6" LONG)

C	UIIMINET IUI	MAIDEED (P FC	ONG)
	5"		
A Sharman	Size 7" 8" 9" 10" 10"		Net Price .60 .66 .70
Ø)	Size 3" 4" 5" 6"	ON SMOKE P	
	7" — 8" s 7" end c	addle	Net Price Each .71
	"O.K." S' Size 6" Wall 7" Wall 6" Floor 7" Floor	O.K	Net Price Each .88 .1.03 .99
	Coils, 1/4 lb	TOVE PIPE W	Net Price



MARSH GAUGES

Without Recalibrator

TYPE 1 - PRESSURE

2" 21/2" 31/2" 41/2" 21/2" 31/2" 41/2" 2" Dial 2.74 3.11 3.93 4.96 3.93 4.29 5.10 6.15 Net



TYPE 2 - VACUUM

21/2" 31/2" 41/2" 2" 21/2" 31/2" 41/2" Dial 2" 3.11 3.93 4.96 3.93 4.29 5.10 6.15 Net 2.74

TYPE 3 - COMPOUND

2" 21/2" 31/2" 41/2" 21/2" 31/2" 41/2" 2" Dial 3.33 3.70 4.60 5.48 4.52 4.89 5.77 6.67 Net

ALL ABOVE GAUGES ARE D.P. PATTERN - DRAWN PLAIN BLACK CASE - SLIP RING WITH BOTTOM CONNECTION.



ELECTRIC SWITCHES

SERVICE ELECTRIC TYPE


- Quick Break 60 amp. Side Operating and larger.
 - Mechanism.
- Soderless Lugs. Cover Hinged At Side.
 - Finished In Grey Enamel.

With Recalibrator



Poles Blades Cat. No. Amp. Volts 2. 1 P.O.A. 115/230 96211 30 3 2 P.O.A. 96311 30 115/230 POA. 115/230 3 2 97312 60

INLAND SAFETY DOOR CLOSER



Size	Net	Each
3/16"		\$1.60
1/4"		1.67
5/16"		1.74
3/8"		1.80

PLAIN ASBESTOS PAPER Net (10# STOCK) Per C lb. 22.50 50 lb. roll 36" wide 22.50 50 lb. roll 18" wide ASBESTOS PAPER STRIPS Net Price Net Price Per Strip Per Bundle 4.95 2" wide (9 per bundle)58 CORRUGATED ASBESTOS PAPER Net Per roll 11.95 36" wide (approximately 28 yds. per roll) LAPAGE COLD WATER PASTE APAGE For pasting Asbestos Paper Net Net POWDERED ASBESTOS CEMENT An Ideal Boiler Covering Net 4.75 Per Bag. 100 lbs. Per 10 lb. Packages 1-5 Pkgs. 1.10 ea. 6 Pkgs. or more 1.00 ea. ASBESTOS MILLBOARD Net per sheet 1.64 36" x 48" x 1/8" per sheet 3.25 36" x 48" x 1/4" .89 per sheet 36" x 48" x 1/6" per sheet 2.40 36" x 48" x 3/6" ASBESTOS BOOT WRAP Net Price Per Bundle 1/4" x 1" x 24" (10 strips per bundle)80 ASBESTOS ROPE TWISTED STYLE - NO. 71 Net Pr. Per Lb. Size 1/4" \$1.53 1/2" - Packed in 25 Lb. Cartons -

CONTINUE-FLO CHIMNEY CLEAN-OUTS (SOOT DOORS) Net Price 6" x 9" Outside Measurement 1.10 each 9" x 9" Outside Measurement 1.87 each CONTINUE-FLO CAST IRON BLAST GATES Net Price Size Each 3" \$1.40 4" 1.70 5" 2.07 6" 2.53 DAMPER REGULATOR SETS Net Price \$.54 3.24 2.60 FURNACE CHAIN Net Price Per foot \$.05 Per 100 Foot Coil 3 30 ROUND HEAD STOVE BOLTS Net Price Net Price Per 100 Dia. Length Per 100 Dia. Length \$.82 1/4" x 1" 3/16" x 3/4" \$1 25 1/4" x 11/2" 1.46 3/16" x 1½" 1.01 1/4" x 2" 1.73 1/4" x 3/4" 1.18 TINNER'S RIVETS Net Price Net Price Tinned Tinned Size per M Size per M lb. \$1.00 4 lb. P.O.A. 6 lb. P.O.A. 11/2 lb. 1.28 lb. P.O.A. 8 lb. P.O.A. 10 lb. 3 lb. P.O.A. POLYKEN JOINT TAPE Regular No. 113 Net Per Roll Size 2" wide x 30 yds. per roll \$2.00

CONTINUE-FLO OIL BURNER VALVE



With 3/8 Pipe connection for Filter & 1/2" pipe connection for tank.

		Net Price			
INLET	OUTLET	1-49	50 & Over		
1/2	3/8	1.10	1.00		



PEMBERTHY OIL BURNER VALVE

With 3/8 Pipe connection for Filter & 1/2" pipe connection for tank.

	Prices		Prices
1-24	 \$1.25	50-99	\$1.10
25-49	 1.20		

CONTINUE-FLO FIROMATIC VALVE

Shuts the valve automatically in excessive heat. Net Price

INLET OUTLET 1-49 50 & Over \$2.05 3/8" F.I.P. 3/8" F.I.P. P.O.A.

BALL CHECK VALVES MORRISON

Horizontal	Fig. No.	Size	Dealer Net Each
	A-3403	1/4"	\$6.72
	A-3403	3/8"	6.72
- Housing	A-3403	1/2"	8.10
	A-3403	3/4"	11.16
Fig. A-3403 Screwed	A-3403	1"	15.62
Vertical	Fig. No.	Size	Dealer Net Each
	A-3404	1/4"	\$4.28
	A-3404	3/8"	5.09
150	A-3404	1/2"	7.67
1	A-3404	3/4"	10.53
STATE AND ADDRESS OF THE PARTY		1"	14.63

BRONZE SWING CHECK



	Dealer Ne	
Fig. No.	Size	Each
A-3440	1/4"	\$3.81
A-3440	3/8"	3.81
A-3440	1/2"	4.31
A-3440	3/4"	4.89
A-3440	1"	6.48



BRASS FOOT VALVES No. 3819

Size		1/2"	3/4"	1"
Net	Price	2.33	2.51	3.33

OIL TANK PIPE FITTING KITS

				Kit
SIDE TANK	PIPE	FITTING	KIT	 \$13.25
END TANK	PIPE	FITTING	KIT	 13.25

These kits contain all the fill and vent pipe, fill and vent caps, elbows and nipples required for either an eight or ten block basement. The pipe is all cut and threaded and ready for installation. Guaranteed to save you money, much labor and money.

LEGS FOR OIL STORAGE TANKS

4 pc. 11/4 x 7" Pipe Threaded One End Net Price Per Set \$1.70



BELTS AND PULLEYS "Better-Grip" Pulleys

Not Por

Not Fresh

The same of the sa							Eden
Adjustable	Pulleys—Cast	Iron-31/4"	O.D.	x	1/2"	Bore	\$ 31.40
Adjustable	Pulleys-Cast	Iron-31/4"	O.D.	x	5/8"	Bore	 1.50

"Better-Grip" F.H.P. "V"-Belts

Belt No.	Out. Circum. Inches	Top Width	Net Each
	30	1/2"	\$.93
4L300	31	1/2"	.94
4L310		1/2"	.95
4L320	32	1/2"	.97
4L330	33		.99
4L340	34	1/2"	1.01
4L350	35	1/2"	
4L360	36	1/2"	1.03
4L370	37	1/2"	1.04
4L375	37.5	1/2"	1.06
4L380	38	1/2"	1.06
	39	1/2"	1.09
4L390	40	1/2"	1.11
4L400		1/2"	1.14
4L410	41	1/2"	1.15
4L420	42		1.17
4L430	43	1/2"	
4L440	44	1/2"	1.19
4L450	45	1/2"	1.21
4L460	46	1/2"	1.23
4L470	47	1/2"	1.24
4L475	47.5	1/2"	1.25

Rajah

TERMINALS For OIL-BURNERS



RAJAH PAT, HAND CHIMPING TOOL







Code No.	Net Price Each	Net Price Per 100 Pcs.	Code No.	Net Price Each	Net Price Per 100 Pcs.
C/T S/S R/2 B/T S/F	.11 .13 .06 .06	\$10.01 12.92 5.44 5.44 9.83	10/32 Stud R/A/C S-SOS R-SOS AS-SOS	.09 .11 .35 .27 .38	\$ 8.97 10.29 34.97 26.19 37.04 11.23
A/C/T	.12	11.60	Terminal Crin	iping Tool	11.23



TANKIT REPAIR KIT Net

Standard Tankits (Strap-On) \$4.20 Giant Tankits

P.O.A. (Strap-On) These Kits will stop leaks in exposed fuel gasoline oil and tanks.

TANKTEX WATER FINDER PASTE

"ZIPP" CLEANING SOLVENT

Spray On - Wipe Off



Non Inflammable -Non Conductive.

Size		Net
16 oz.		
Spray	Can	\$2.50

"YPZ" HAND CLEANER

An Economical Waterless Cleaner



	Siz	е			1	Vet	
	14	oz.	Jar		\$.40	
100	2	lb.	Tin			.77	
	5	lb.	Tin		1	.67	
	25	lb.	Pail	2	23	lb.	
	50	lb.	Pail	2	20	lb.	

"MAGNA-BAR"

This special alkaline alloy metal bar eliminates varnish and sludge in fuel oil tanks and reduces corrosion. Net Model

and the same	gai.	200	ior	aara	Star	10-15
\$3.71						
	nder-	. u	gal.	550	For	10-20
4.46				Tanks	und	gro
404	nder-	. u	gal	1000	For	10-30

4.84 ground Tanks

SHEET METAL SCREWS Type A — Pan Head

Gauge	Length	Net Price	Per Gross Socket	Gau	ige	I	ength	Price	Per Gross Socket
No. 6 No. 8 No. 8	x 3/8" x 3/8" x 1/2" x 5/8"	\$.64 .71 .76 .81	\$.66 .74 .78 .80	No. No. No. No.	10 10 10	x x x	1/2" 5/8" 3/4"	\$.94 .87 .90 .95	\$.98 .90 .92 .98 1.08

SHEET METAL SCREWS—BULK PACK Type A — Pan Head

	Net Price Slotted-M	Net Price Socket-M
No. 8x1/2"	\$3.70	\$4.50
No. 8x3/4"	4.16	5.05
No. 10x1/2"	4.28	5.20

IN LOTS OF 15,000 ONLY.

DAHL STEEL SUSPENSION STRAP

Size	Ft. Per Coil	Net Price Per Coil
1/2" (With 15 Time	25 Ft.	\$1.20
3/4" Saving Clips)	25 Ft.	1.34
3/4" (With 50 Clips)	100 Ft.	3.12

FUSIBLE LINKS

160° MELTING POINT Net Price \$.60



Tubing is Soft Wall 3/8 .032" Thick. 1/2

COPPER TUBING

All Sizes Are Shown in OD — Tube available in 50 foot and 100 foot Coils from stock at current copper tube prices.

Please Write For Current Prices.

CONTINUE-FLO FUEL OIL TANKS

Size
100 gallon
150 gallon
200 gallon
250 gallon
500 gallon
1000 gallon



SIZE

1/8

3/16

Now With Handles On Each End Of Tank For Easy Handling (At Current Prices)

All Continue-Flo Tanks are underwriter's approved, and carry a Reinbursement leak policy. Please Enquire.



OIL BURNER NOZZLES

Nozzles Packed 12 Per Box Always Available From Stock



STEINEN


MONARCH

UNDER 7	5 G.P.H.	UNDER 1.00 G.F	P.H.
	Net Hollow or Solid Spray	Net Hollow o Solid Spro	r Special
1-11	\$1.55	1-11 \$1.52	\$1.63
12-23	1.47	12-23 1.37	1.47
24 and over	1.40	24 and over 1.30	1.40
.75 G.P.H. A	AND OVER	1.00 G.P.H. AND	OVER
1-11	\$1.30	1-11 \$1.35	\$1.45
12-23	1.23	12-23 1.25	1.31
24 and over	1.17	24 and over 1.16	1.26



TELESCOPING INSPECTION MIRRORS

	Price
Steinen—Complete with handle and 41/4 Round Mirror	\$4.50
Steinen—Spare Mirror, 2" x 4½" or 4½" Round	1.75
Monarch—3½" Round or ½" x 3½" Rectangular	3.85
Monarch—Extra Mirror Only — Round or Sq.	.85




NOZZLE KITS & CABINETS

4.85

.85

3.15 Monarch—#48 — Holds 48 Nozzles 3.85 Monarch-#24 - Holds 24 Nozzles 2.89 Monarch—Cabinet — 5 Drawers with Trays — Holds 480 Nozzles 19.60




Steinen	 9.80
Delevan	 10.45

MONARCH SLIDE-CHART

#50 — A very convenient calculator printed on both sides

STEINEN IGNITION ELECTRODE ASSEMBLIES



Standard	Assemblies
----------	------------

Standard Insulators

Cat.				
No.	Size	Net Price	Size	Net Price
E-20	4" 5" 6"	\$.71 .73 .81	4" 5" 6"	\$.51 .52 .57
E-30	4" 4½" 5" 6"	.67 .68 .68 .75	4" 4½" 5" 6"	.44 .45 .45 .52
E-40	4" 4½" 5"	.71 .73 .73	4" 4½" 5" 6"	.52 .51 .52 .52 .57
E-50	4"/2" 5" 4"/2" 6" 4"/2" 6" 4"/2" 6" 6"	.81 .67 .68 .68 .75	4" 4½" 5" 6"	.57 .44 .45 .45 .52
E-60	4" 4½" 5" 6"	.68 .68 .68	4" 4½" 5"	.45 .45 .45

Prices Above Are All Net Prices.
Steinen Catalogue #E-55 Available Upon Request.

WIRE JUMPER

OIL BURNER IGNITION CABLE

25 ft. rolls Net Price per ft. \$.11

SOLD IN ANY NUMBER OF FEET REQUIRED.



Essential for testing controls on the job.

NET PRICE

DRAFT REGULATORS STEINEN



							Ne	et Prices
Model No.		Si	ze				1-11	or more
567	6"-For	5",	6"	&	7"	pipe	 \$3.20	\$3.04
678	7"-For	6",	7"	E	8"	pipe	 3.76	3.56
789	8"-For	7",	8"	&	9"	pipe	 4.38	4.18
	9"-For							

Also Available — 12"—32" Commercial
As Follows

COMMERCIAL MODELS 12" THRU 32"

N	Iodel No.	Basic Size	Pipe Dia.	Length of Collar	Shipping Weights— Lbs.	Net Price Each
	1200 1400 1600 1800 2000 2400 2800 3200	12" 14" 16" 18" 20" 24" 28"	11" 13" 15" 17" 19" 23" 27" 31"	123/4" 147/8" 17" 19" 21" 251/2" 30" 34"	10 14 21 ³ / ₄ 28 ¹ / ₂ 38 ¹ / ₂ 56 118	\$11.05 19.95 24.62 28.95 36.75 55.12 105.65 131.25

UL Approved—all models 12" thru 32" bear Underwriters' Laboratory Approval.

FIELD



	Price
6"M	\$ 3.60
7''M	4.70
Draft control with collar 8"M	5.10
Draft control with condi	5.35
10"M & MG2	8.75
12"M & MG2	10.40
16"M & MG2 (14" to 17")	24.40
20"M & MG2 (16" to 21")	36.90
24"M & MG2 (22" to 25")	55.40

NOTE — Field Scotty Draft Controls (on tee pipe) and Field MG double acting draft controls are also stocked. Write for literature and prices.

PRENCO



Complete Unit Part # Sleeve #	Size	For Flue Pipe		Price piece
Classes enly	unon roa	uest at extra	charac	

Sleeves only upon request at extra charge

4316 Complete 4316-14 Sleeve	6" 6"	4''—6''	\$1.54 .39
4317 Complete		7''—8''	1.68
4317-14 Sleeve 4319 Complete	9"	9"—11"	2.70
4319-14 Sleeve	9		

Net

BLACK PIPE AND BLACK MALLEABLE FITTINGS

A11	Prices	Are	Net	Price	Per	Unit	Except	Pipe.	which	is	Priced	Per	100	Feet.
TTTT	111000	1716	TACI	TITCE	TCT	OTITE	Trycebi	TIPE	WILLCIL	12	TILLEU	TOT	100	T CCI.

	1/4"	3/8"	1/2"	3/4"	1"	11/4"	11/2"	2"
Elbows 90°	.15	.15	.15	.18	.23	.40	.55	.78
Reducing Elbows 90°		.20	.21	.26	.33	.54	.67	.93
Elbows 45°	.19	.19	.15	.20	.25	.48	.60	.84
Street Elbows 90°	.21	.21	.18	.26	.30	.53	.64	.96
Street Elbows 45°	_	.22	.26	.38	.45	.66	.83	1.25
Bushings	.17	.17	.18	.22	.26	.33	.42	.56
Couplings	.16	.17	.19	.21	.32	.42	.52	.73
Reducing Couplings	_	.15	.17	.19	.30	.43	.52	.79
Caps	.11	.11	.14	.19	.23	.29	.41	.50
Plugs	.07	.08	.09	.10	.12	.16	.21	.29
Tees	.21	.21	.21	.26	.34	.65	.83	1.18
Reducing Tees	_	_	.32	.42	.54	.87	.99	1.55
Unions Lip Type	.58	.58	.61	.68	.88	1.22	1.49	1.86
Crosses	_	_	_	.57	.70	.97	1.22	2.01
Pipe — Plain End		13.20	14.91	19.45	27.71	36.46	44.31	58.11

BLACK IRON NIPPLES:

Dia	Close	2"	3"	4"	6"	
3/8"	.08	.08	.09	.10	.13	
1/2"	.08	.09	.10	.12	.16	
3/4"	.10	.11	.12	.14	.18	
1"	.14	.15	.17	.20	.25	
11/4"	.18	.19	.21	.25	.32	
11/2"	.21	.23	.26	.30	.39	
2"	.27	Not Made	.33	.39	.50	

Not Price

	Met Files
TANK LEGS: 11/4 x 7 — Threaded One End — Set of 4 Legs	\$1.70
QUANTITY DISCOUNT BLACK MALLEABLE FITTINGS Mixed Order of 100 or More	P.O.A.
QUANTITY DISCOUNT BLACK PIPE Mixed Order of 500 Feet	P.O.A.
— All Prices Subject To Change Without Notice -	_
OIL LINE CEMENT	
C & H — ½ Pt. Tins	Net Price .60 Tin
GAS LINE CEMENT	
Tremco Permanent Type A — 1/2 Pt. Tins	Net Price


REFRACTORY PRODUCTS





A. P. Green Acto Combustion Chamber:

Size G.P.H.	Height	Weight	Net Price Each
.75—1.00	13"	43 lbs.	\$ 8.20
.75—1.00	16"	65 lbs.	10.25
1.00-1.25	14"	83 lbs.	11.13
1.00-1.25	16"	93 lbs.	11.56
1.25—1.50	14"	88 lbs.	11.27
2.00-2.50	14"	98 lbs.	15.26



.75-1.00	13"	43½ lbs.	\$5.53
.75-1.00	16"	48 lbs.	6.65
1.00-1.25	14"	47 lbs.	6.16
1.00-1.25	16"	62 lbs.	7.42
1.25-1.50	15"	63 lbs.	6.72
1.50-2.00	15"	67 lbs.	8.19



A. P. Green Baffle Brick:

Dia.	Weight	Net	Price	Eα.
10"	22 lbs.		\$	4.50
13"	29 lbs.			4.50



A. P. Green Insulating Firebrick:

25 bricks per box-Brick Size: 9x41/2x21/2" Weight **Net Per** Code Per Box Carton Straights Degrees 56 lbs. \$ 8.05 G-20 2000 70 lbs. 9.70 G-23 2300 12.20 G-26 2600 76 lbs. G-28 2800 88 lbs. 16.75



A. P. Green "Sairset" High Temp. Cement:

Size	Net Each
2½ lb. Tin	\$.50
5 lb. Tin	.85
20 lb. Pail	3.00
50 lb. Pail	5.80
100 lb Drum	10.15



ITEM	Net Per Bag
Vermiculite - 22 lb. bag	\$2.15
Rock Wool - 25 lb. bag	2.05

AUTOMATIC HUMIDIFIERS



QUANTITY PRICES AVAILABLE.
PRICES ON REQUEST

SKUTTLE

Net Price

No. 711 Project Model with 5 Plates \$8.48

No. 300 Deluxe with 15 VAPORGLAS Plates

17.44

No. 450 with 10 NEW TYPE plates for Counter-flow Floor furnaces or Standard Forced Air 10.30

No. 600B with 5 VAPORGLAS Plates (Accomodation For 20)

10.00

REX

No. 51 All Stainless steel with 5 Porosil Plates...... 11.26

No. 54 All Copper with 5 Porosil Plates

No. 53 Project Model with 5 Plates

10.71


AUTO-FLO

No. 150 with 5 Heavy Plates Quantity Discount

9.95

GENERAL.


No. 800 List Price
Net Price
8.50



Prices on request.

HUMIDIFIER PARTS AND ACCESSORIES

AUTO-FLO POWER HUMIDIFIERS



\$1.35 Box

1.22 Box

1.16 Box

1.10 Box

60 and Over

1 - 11 Boxes

Boxes

59 Boxes

- 23

12

24

GENERAL ELECTRIC MOTORS



Belted Fan Motors Types KH and KC, Protected, Single-Phase KH - Split-Phase 1/6 to 1/3 H.P., 1725, 1425, RPM,

110 Volts Capacitor Start 1/2, 3/4 H.P., 1725 RPM, 110/220 Volts

Quiet, Sleeve-bearing, Resilient-base — 60, 25/60, 25 Cycles

NET PRICE ROTATION MAKE H-P \$21.50 1/4 CW/CCW G.E. 23.50 CW/CCW G.E. 1/3 Prices on Request As above 25 Cycle

G.E. Oil Burner Motor Type KH, Split-Phase; 1/8 to 1/4 HP; 1725, 1425 RPM 60, 25 Cycles 110 volts CONSTANT SPEED

Sleeve-bearing — Two-lug (NEMA N) Flange-mounted 'NET PRICE ROTATION H.P. MAKE \$20.50 CW/CCW G.E. 1/6 19.50 CW/CCW G.E. 1/8 CW/CCW As above 25 Cycle Prices on Request G.E.

ALL SIZES AND TYPES AVAILABLE - DATA SHEETS AND PREVAILING PRICES ON REQUEST.

LELAND ELECTRIC MOTORS

Belted Fan Motor

KL, Split-Phase, 1/6 to 1/3 H-P, 1725, 1425 RPM, 110 Volts

- Induction Run motor specially Capacitor Start designed for Belted Fan application

NET PRICE ROTATION MAKE H-P \$22.06 CW/CCW 1/4 Leland 25.62 1/3 CW/CCW Leland Prices on Request As above 25 Cycle Leland

Oil Burner Motor


Type KS, Split-Phase, 1/8 to 1/4 H-P; 1725, 1425 RPM 110 Volts 60, 25 Cycles

CONSTANT SPEED

Sleeve-bearing — Two-lug, Flange-mounted H.P. ROTATION NET PRICE MAKE \$21.56 1/6 CW/CWW Leland 21.56 1/8 CW/CCW Leland As above 25 Cycle Prices on Request

ALL SIZES AND TYPES AVAILABLE — DATA SHEETS AND PREVAILING PRICES ON REQUEST.

ORDERING DIRECTIONS: Order fractional horsepower motors for belted fans and blowers by specifying type, frame size, horsepower, speed (rpm), voltage and frequency. We will determine the proper model number from your description.



Leland



OIL BURNER PUMPS

Webster

		TT ODDIO.	•		
Rotation Looking at Model Shaft End	Rotation Looking at Shaft End	Maximum Nozzle Capacity	Shaft Dia.		PRICES old pump Rebuilt
IRA-111 CW IRB-111 CCW IRC-111 CCW IRC-111 CCW	Left Right Left Right	7 gph. 7 gph. 7 gph. 7 gph.	7/16" 7/16" 7/16" 7/16"	\$19.50 19.50 19.50 19.50	\$10.50 10.50 10.50 10.50
TWO-STAGE 2RA-111 CW 2RB-111 CCW 2RC-111 CCW 2RD-111 CW 2RD-111 CW	Left Right Left Right	8.5 gph. 8.5 gph. 8.5 gph. 8.5 gph. 39 gph.	7/16" 7/16" 7/16" 7/16" 7/16"	24.00 24.00 24.00 24.00 37.40	10.50 10.50 10.50 10.50 10.50





INGLIS

Single Stage

Hub Me Old Number	New Model	Flange I Old Number	Mounted New Model	Looking al	Noz. Port Max. cooking at Nozzle Shaft End Cap.	Net Prices New
SIRC-200 SIRC-201 SILC-200 SILC-201	J4BA200 J4BD200	SIRC-100 SIRC-101 SILC-100 SILC-101	J4BA100 J4BD100	CW CCW CCW	Left 8 gph. Right 8 gph. Right 8 gph. Left 8 gph. 20.5 gph.	\$18.75 18.75 18.75 18.75 23.25

TWO-STAGE

New Model	Rotation Looking at Shaft end	Nozzle Port Looking at Shaft end	Maximum Nozzle Capacity	Net Price New
H4BB-100 H4BA100 H4BD-100 H4BC-100	CW CCW CCW	Left Right Right Left	8 gph. 8 gph. 8 gph. 8 gph. 20.5 gph.	\$24.00 24.00 24.00 24.00 29.60

Shaft Dia. 7/16" - List Price With Old Pump Rebuilt \$10.50

Prenco "Whistler" Part #4401



A sound signalling device and Air Vent, individually boxed, with outside threads $1\frac{1}{4}$ " and 2" Pipe.

#4401 Whistler \$1.50 each

ALLANSON TRANSFORMERS

TRANSFORMER Replacement Kit #2378

Cycle 421-237



#2378 Kit-60 cycle \$30.25 Allanson Transformer Kit contains 2 Transformers, 4 Interchangeable Plates, 4 Rajah adapters, and 2 Contact Buttons, for replacement on majority of transformer models. Individual parts may be re-ordered for stock.

#421-237	Trans.		13.75
	Trans.		13.75
#421-165	Plate		.75
#421-176	Plate		.75
#421-177	Plate		.75
#433-65	Plate		.75
#420-87	Adapte	rs ea	.08
#520-65	Buttons	ea	.12

We Can Supply All Your Transformer Needs For All Burners.

60	Cycle		\$13.75
25	Cycle		P.O.A.
ALLA	NSO	N TRANSFO	RMER


433-65

421-176

B B 520-65

WARRANTY

DATING CODE



Cvcle 421-238 A A A A 420-87



DAIL	110 00
Month	Year
A-January B-February C-March D-April E-May F-June G-July H-August I-September J-October K-November L-December	A-1945 B-1946 C-1947 D-1948 E-1949 F-1950 G-1951 H-1952 I-1953 J-1954 L-1955 L-1956

The warranty on Allanson oil burner transformers extends for a period of two years from the date of manufacture on all transformers that have been manufactured since and including January of 1956. On any transformers dated or coded previous to that time, the period of warranty is one year.

WE CARRY IN STOCK HUNDREDS OF DIFFERENT TYPES OF ALLAN-SON TRANSFORMERS. SPECIFY CATALOGUE AND TYPE NUMBER. IMMEDIATE DELIVERY FROM STOCK.

FIBERGLASS — AEROCOR For Use As DUCT WRAP or DUCT LINER SERIES PF-330

DESCRIPTION: Fiberglas Aerocor* Series PF-330 is a light weight, resilient thermal and acoustical insulation, bonded with a thermosetting resin, thermal and acoustical insulation, bonded with a thermosetting resin. Three standard types are available:
PF-334 at a density of .5 lbs./cu. ft.
PF-336 at a density of .75 lbs./cu. ft.
PF-336 at a density of 1.0 lbs./cu. ft.
Each of these densities are available in standard thicknesses of ½" and 1" and widths of 36" and 72".
Made-to-order thicknesses may be obtained in the standard widths at no extra charge. For complete description see Fiberglas literature.

SLIT WIDTHS: Aerocor' is available on a made-to-order basis in slit widths, utilizing the full standard widths shown below. Add \$1.85 per 1000 sq. ft. to computed net price for slitting and packaging on one continuous tube. Add \$3.25 per 1000 sq. ft. to computed net price for slitting and packaging on individual tubes and wrapped separately.

PACKAGING: Standard stock packaged in compression packaged rolls on 2" I.D. tubes and wrapped, ends enclosed, with heavy kraft paper. Made-to-order packaged in rolls as specified for standard stock or in corrugated paper cartons.

MINIMUM QUANTITY: Standard stock — one roll of any thickness, width and density. Made-to-order — see accompanying table. All prices are Dealer Net — Sales Tax Included — F.O.B. Hamilton, Ontario. STANDARD STOCK SIZES

DESIED MET

DUCT	THICKNESS (Inches)	WIDTH (Inches)	ROLL LENGTH (Feet)
34	1/2	36 ₺ 72	200

PRODUCT	(Inches)	(Inches)	(Feet)	Per 1000 Squ. Feet
PF-334	1/2	36 & 72 36 & 72	200 100	\$ 31.15 62.30
PF-335	1/2	36 & 72 36 & 72	200	42.00 84.00
PF-338	1/2	36 & 72 36 & 72	200 100	56.35 112.70
		MADE-TO-ORDER		
PF-334:	11/2	36 & 72 36 & 72	200 100	\$ 46.73 93.45
PF-335	2 3/4 11/2	36 & 72 36 & 72 36 & 72	100 200 100	124.60 63.00 126.00
PF-336	3/4	36 & 72	100	84.53 169.05
PF-338	1½ ½ ½ 1	36 & 72 36 & 72 36 & 72 36 & 72	100 100 100	84.00 168.00 252.00

SPECIAL "AEROCOR" FACINGS

DEALER NET PRICES PER THOUSAND SOUARE FEET

PRODUCT	THICKNESS (Inches)	K-30	AL-1	RF-1	V-4
PF-334	1/2" 1" 2"	58.73 94.77 166.86	68.45 104.49	146.61 218.70	138.51
PF-335	1"	119.88	129.60	171.72	163.62
.75 PF-336	1"	153.09	162.81	204.93	196.83

FACING WIDTHS AND TYPE:

	TYPE	WIDTH
K-30 AL-1 RF-1	(30-30-30 DUPLEX KRAFT PAPER) (.001 ALUMINIUM FOIL) (REINFORCED FOIL)	24", 36", 48" 36"
V-4	(.004 ALUMINIUM VINYL FILM)	26", 52"

MINIMUM ORDER:

STANDARD (LISTED ABOVE) 2,000 BOARD FEET SPECIAL

3M — ADHESIVE NO. 4 — IN 1 GALLON CONTAINERS
ONLY

DEALER NET \$6.60 GAL. SPECIAL

CHEMICAL AIDS

KLEEN-SPRAY

SOOT DESTROYER

Rapidly removes soot deposits from any coal or oil-fired

heating equipment.

For Oil-Fired types

SOOT

DESTROYER

For Coal Furnaces

Fires should be at maximum heat. Spray generous amount of "Kleen-Spray" on hot coals. Leave furnace door and dampers open slightly for a few minutes after spray application, then resume normal heating.

If soot formation is excessive use Kleen-Spray Soot Destroyer at least 3 times per week.

Dispensing Containers Spray directly on open flame until "Kleen-Spray" igniles.

Kleen-Spray Soot Destroyer is packed in a specially constructed container for purposes of producing of no a few minutes.

Kleen-Spray Soot Destroyer is packed in a specially constructed container for purposes of producing of the spray, safe to use, and a must for every home. DIRECTIONS

Apply "Kiten-Spray" gently . . . For use in all types of Domestic oil and Coal Burners, Heaters, Cook Stoves and Fireplaces.

KLEEN-SPRAY SOOT DESTROYER	STOCK	SCER	DOZEN PER CASE	SHIPPING	PRICE EACH
Removes soot in oil and coal furnaces.	650	21 oz.	1	20 lbs.	\$1.15

Store container in dry place.

QUANTITY PRICES ON REQUEST

LIQUID KLEEN-FLO FUEL OIL CONDITIONER

	Size	Dozen per case	Shipping Weight	Net each	Net per case
4	oz. (can)	6	22 lbs.	\$.24	\$16.80
16	oz. (can)	2	25 lbs.	.74	17.60
32	oz. (can)	2	50 lbs.	1.27	30.40
128	oz. (can)	1/2	45 lbs.	4.65	27.78

Also Available in 5 - 10 - 25 and 45 Imp. Gallon Drums.

Net

NEUTRODA OIL ABSORBER

6 - 11 cans .. Each 1.50 12 cans (1 case)

Price 1 - 5 cans Each \$1.60

or more Each 1.45 Package

Completely removes oil spills leaving the floor clean.

OYLTITE-STIK



DYLTITE-STIK.

Stops Oil Leaks Instantly

Six Sticks to Unit

Net Price \$ 1.50 Stick

9.00 Unit 216.00 Gross

NU-VAC

Value unexcelled



Industrial Vacuum Cleaners No Blow Outs

No Bag To Empty or Clean No Power Loss

from Clogging

Comes complete with 10' hose, paper filter bag 30" Paw tool, cloth filter bag and Cage Universal Motor 25/60 Cycle



Weighs only 25 lbs.

F.O.B. Hamilton

Sales Tax Included

Flame-Proof Bags Dealer Net Price

Dealer Net Price Prices on accessories are also Dealer Net Prices, sales tax included f.o.b. Hamilton

SPECIAL TOOL EQUIPMENT FOR WET AND DRY WORK SUCH AS CARPETS, RUG SHAMPOOING, AUTOMOBILES, WALL CLEANING AND WATER PICKUP.

TOOLS		FILTERS
Bare Floor (fabric, felt, or bristle shoes. Please		Cloth
specify	\$16.65	— a
 replacement shoes 		— a
(fabric or felt)	3.60	Asse
- replacement shoes		Flame
(bristle)	5.00	Filte
Carpet	11.10	Nu-Ma
Furnace — paw	3.89	with
Radiator	2.22	strin
Rug Shampoo Pick-Up	11.10	Nu-ma
Squeegee	16.65	only
— replacement blades	10.00	Nu-Ma
(set of 5)	3.33	with h
Upholstery 4"	4.44	strin
Upholstery 4"	5.00	Nu-Ma
Upholstery 7" with bristle	0.00	only
shoe	6.39	Draw
— replacement bristle	2.22	Rubbe

ADAPTER OR CONNECTOR \$1.11

ILLIO	
Cloth Filter Bag\$5.0 — and cage7.2	0 eα. 2 eα.
— and gasket 2.7 Assembled	8 ea. 14.43
Flame-Resistant Paper Filter Bag	.84
Nu-Matic Filter Bag (large) with ball and draw string	4.44
String Nu-matic Filter Bag (large) only	3.89
Nu-Matic Filter Bag (small) with ball and draw	
string Nu-Matic Filter Bag (small)	4.15
only Draw String	3.60 .34 .34
Rubber Ball	.04

DOYLE VACUUM CLEANER

DOYLE MODEL 15

Complete with C-8516 general cleaning tool, #24 crevice tool (24") and 10 ft. of C-8532 hose (10 ft. C-8540 hose optional—no extra charge). $1\frac{1}{2}$ " size only.

Net Dealer Price

Model 15-D Deluxe finish, on dolly (pictured)

\$198.50

103

DOYLE MODEL 10

Complete with C-8516 general cleaning tool, #24 crevice tool (24") and 10 ft. of C-8532 hose. (10 ft. C-8540 hose optional...no extra charge).

11/2' size only. Net Dealer Price


Model 10 on casters (pictured) \$162.50





2A300

OIL FILTERS GENERAL FILTERS





	1	Net Pric	е
FILTER REFILLS	1-23	24-71	72 & over
1A-30	.59	.54	.41
2A-710	.79	.75	.70

The standard of the industry. Leader in numbers of installations. A general for every filtering job.

Easily installed. Easy to change.





2A-700 for average needs

GENERAL TANK GAUGE

Fits 44" Tank



Quanti	ty	Net Price
1-12	***************************************	1.23
13-24		1.20
25-Up		1.17

OIL FILTERS



FUEL FILTER PF-2002

PUROLATOR

For Better Heating Eliminates Nozzle & Line Clogging One Size for All Flow Rates

FILTER Net Price 1-9 10-29 30 & Up PF-2002 2.23 2.12 2.00 Refill PF-200 .75 .69 .66

FILTER REFILLS

A PUROLATOR REFILL TO FIT ANY FILTER MADE OUANTITY DISCOUNTS AVAILABLE — PRICES ON REQUEST



PM-200





1-A-25 Replace with P16F



Phoenix Replace with P13F



Replace with P17F



PF200 to fit PF2002

New Part	Old Part	Replaces	Filter Application	Net Prices
P-11-F	P-11F	I-C-1	Cuno	\$.98
P-13-F	P-13-F	OF13	Phoenix OF1	.95
P-15-F	P-15-F	C1210	Fram	.95
P-18-F	P-18-F	C-30	Firomatic	.99
PM-20	PM-20	PM-20	Purolator PM-200	.98
PM-22	PM-22	C-20	Firomatic	.85
P-25-F	P-25-F	FF-23	AC Fuel	
P-26-F	_	62946DA	I.H.C.	Prices On
P-27-F		6261	I.H.C.	Application
T-41	T-41	2A311	General 2A300	
PF-61			York	\$1.00
PF-62			Filter King A & Al	1.00
PF-64	P-21-F	C1124	Fram F1124	1.00
PF-66	P-14-F	AS-6 & BG	Com. Fulflo	1.10
PF-68	P-23F	FB-8-B8	Com. Fulflo	1.70
PF-69	P-12F & P-17F	AS-4 & B4	Com. Fulflo	1.00
PF-69-1	B-10F	S313	Eddington S252	1.10
P-70-F	P-10-F	Type B	Aero	1.10
PF-70	P-10-F	2A710	General 2A700	1.10
P-71	P-71	P-703	Purolator P-703	1.10
PF-71	P-14-F	OF4	Gilbarco	1.10
P-91	P-91	P-91	Purolator P-901	1.75
PF-200	PF-200	PF-200	Purolator PF-2002	.75
PF-202	P16F	S314	Eddington S254	.75
PF-202-1	P16F	F300	Auto Flo CF300	.75
PF-202	P16F	1A30	General 1-A-25A	.75
P-70-F	P70F	P70F	Purolator P-701	1.15

The Refills listed above are all Micronic refills manufactured by Purolator, engineered to fit each type of filter as shown. Individually boxed with the right fitting gaskets, tags etc.

Micronic Filtering refills to last longer — Filter finer — Avoid callbacks — install Purolator Refills once every season. Stock an assortment in every service truck and your Service Stock Room.

Refills may be assorted for quantity price.



MILLERS FALLS **SUPER SHW**

NO. 550 SUPER SAW



It's tough, it's rugged and it's USEFUL! Millwrights, electricians, plumbers, carpenters, installation men—in fact, all tradesmen tackling tough jobs hail the Super Saw as one of their most basic and most useful tools.

Slice through the toughest cutting jobs in wood, metal and compositions with this heavy-duty "husky" from Millers Falls! Rugged, vibration-free reciprocating mechanism takes the most grueling continuous-duty punishment without a grow!!

Complete Kit includes SUPER SAW, Steel Carrying Case, 12 Assorted Blades, Tube of Lubricant, Blade Wrench. Shipping weight, 18 lbs.

> NET PRICE \$118.50 each



Contour cutting heavy steel plate is handled quickly and easily by rugged No. 550 SUPER SAW with power to spare.

NO. 5528 FLUSH CUT ATTACHMENT FOR 550 SUPER SAW



Cuts flush with any surface in any position. Reversible for right or left—hand flush—cuts. Exclusive rocker-type shoe for easier plunge cuts.

NET PRICE

Direct drive SUPER SAW attachment with Millers Falls No. 1234 ball bearing drift for power unit. Packed in steel carrying case with assortment of blades, tube of lubricant, blade wrenches. Ship. wt., 16 lbs.

NET PRICE \$97.70 each

NO. 5526 DIRECT DRIVE SUPER SAW KIT (complete with drill)



SPECIFICATIONS

- MOTOR: Universal AC-DC, 25/60 cycles
- VOLTAGES: 115 or 230
- AMPERES: 5.0 at 115 volts
- · HORSEPOWER: 1/2
- HOUSING: Lightweight, die cast aluminum
- FINISH: Silver-Gray enamel

- · BEARINGS: Grease sealed ball bearings throughout
- STROKES PER MINUTE: 2500
- LENGTH OF STROKE: 19/32"
- NET WEIGHT: 71/2 lbs.
- . OVERALL LENGTH: 161/4"
- CORD: 10 feet, 18-gauge, 3 conductor with molded plug

SUPER SAW BLADES

Blades Priced and Shipped in Units of 10 Per Pkg.
Prices Subject to Change Without Notice
Fits other types of reciprocating saws as well.



SAW BLADES FOR WOOD AND COMPOSITION (10 Blades per pkg.) Not Price

	Teeth	Cutting		Price Pkg.
Model	per in.	depth in.	Saw Blades for Baseboard	\$2.72
1-14	14	21/2	Saw Blades for Double Floors	2.72
2-10	10	7.44	Saw Blades for Finer Cuts	2.72
2-18	18	21/2	Saw Blades for 2 x 4 Plates	3.66
4- 8	8	41/2	Saw Blades for 2 x 4 Plates	3.66
4-10	10	41/2	Saw Blades for Finer Cuts	3.66
4-18	. 18	41/2	Saw Blades for 2 x 6 Plates	4.27
5-10	10	53/4	Saw Blades for Recessed Cuts	6.77
6-10x12"	10	11	Saw Blades for Finer Cuts	6.77
6-18x12"	18	11	Saw Blades for Remov. Sid. etc.	12.79
6-18x18"	18	17		6.77
7	7	5	Saw Blades for Key Hole cuts	8.58
8	7	11	Saw Blades for Key hole cuts	5.86
S-1	7	21/4	Saw Blades for Cont. or Irreg. Cuts	3.00
S-2	7	35/8	Saw Blades for Cont. or Irreg. Cuts	6.38
CITE O	10	23/4	Saw Blades for Rock., Tran. etc	12.84
ST-2	10	2.9/4		
	SAW B	LADES FOR		
T-1-18	18	3	Saw Blades for Fast Cutting	\$4.27
			16 to 18 ga	\$4.Z/
T-1-24	24	3	Saw Blades for Fast Cutting 20 to 24 ga	4.27
m 1 00	00	3	Saw Blades for Fast Cutting	
T-1-32	32	3	over 24 ga	4.27
ST-1-14	14	13/8	Scroll Blade for 1/8" material	4.27
ST-1-18	18	13/8	Scroll Blade for 16 to 18 ga	4.27
ST-1-24	24	13/8	Scroll Blade for 20 to 24 ga	4.27
ST-1-24	32	13/8	Scroll Blade for over 24 ga	4.27
ST-3-24	24	21/4	Cont. Cuts for Counter & sink tops	10.68
HD-1-18	18	11/2	Heavy Duty for 16 to 18 ga	4.30
HD-1-24	24	11/2	Heavy Duty for 20 to 24 ga	4.30
HD-1-32	32	11/2	Heavy Duty for over 24 ga	4.30
HD-2-14	14	21/2	Heavy Duty for 1/8" material	5.97
HD-2-14	18	21/2	Heavy Duty for 16 to 18 ga	5.97
HD-2-16	24	21/2	Heavy Duty for 20 to 24 ga	5.97
HD-2-32	32	21/2	Heavy Duty for over 24 ga	5.97
HD-2-32 HD-3-14	14	51/4	Heavy Duty for 1/8" material	6.03
HD-3-14 HD-3-18	18	51/4	Heavy Duty for 16 to 18 ga	6.03
HD-3-18 NF-1	5	4	Blades for non-ferrous metals and	
INT-1	3	7	green lumber	9.94

HANDY SERVICE ITEMS



Model No. TW3 Spot Light Sealed beam, complete with battery and Red Flasher. Net PriceP.O.A. Model No. TW4 Spot Light Sealed Beam, complete with Battery (No Red Flasher). Net PriceP.O.A.

REPLACEMENT BATTERY FOR RADAR-LITE



Model No. TW1 Replacement Battery only for TW3, TW4, TW5 and TW6 Radar-Lites. Net Price P.O.A.

LIGHT CELLS



No. 2 - Size D
Battery
Net Price
ne P.O.A.

One P.O.A.
Ctn. (12) P.O.A.
Ctn. (48) P.O.A.

ALUMINIUM PAINT

1	Gallon	Cans		Net Price \$4.95 gal.
		BILE	N PEVO	

ALLEN KEYS

7 Assort	ed In A Kit	.90 Kit
6" Long	Keys — 1/8"	.18 ea.
	5/32"	.20 ea.

FLASHLIGHTS



No. 350

Industrial Model - Fibre Barrel Shatterproof Lens. Less Batteries

Net Price P.O.A.

No. 226



Streamline - Prefocused
Brass Construction
Less Batteries

Net Price P.O.A.

LIGHT LAMPS



10 Per

Net Price P.O.A.

DROP LIGHTS

#625 — 25 Ft. Long #650 — 50 Ft. Long #675 — 75 Ft. Long #601 — 100 Ft. Long

All Have Switch-In-Handle with Socket and

Net Price #625 P.O.A.

#650 P.O.A. #675 P.O.A. #6100 P.O.A.

KEEN-KUTTER CUTTING OIL

Supplied in one gallon cans.

Net Price \$1.97

NOW AVAILABLE TO CONTINUE-FLO CUSTOMERS BROWN BOGGS



As an authorized representative of Brown-Boggs Foundry & Machine Co. Limited, we are able to supply you with all of the popular equipment necessary to operating a sheet metal fabricating shop—

NEW MIPATAN MODEL J-800 DUCT HAMMER



LOCKFORMER MACHINES — LOCKFORMING & FLANGING EQUIPMENT — THE NEW POWER SLITTING MACHINE — LOCKFORMER SNAPLOCK MACHINE (for making snaplock pipe & duct) — SHEARS — ROLL FORMING EQUIPMENT — FOLDERS — CRIMPERS — BEADERS — GROOVERS — SEAMERS — BRAKES — HAMMERS — SOLDERING COPPERS — AND MANY OTHER ITEMS.

MAY WE SOLICIT YOUR ENQUIRIES
(BROWN BOGGS CATALOGUE ON REQUEST)

QUALITY TOOLS BY GRAY-BONNEY PLIERS TINNERS' HAMMERS Net Price \$3.42(16 oz.)..... No. 17A Net No. 17B(12 oz.)..... 3.15 Price 3.79(16 oz.)..... Mechanics No. 19A(12 oz.)..... 3.53 No. B-29 \$4.28 No. 19B Combination No. B6 (6")94 RIVETTERS' HAMMERS Combination No. B8 (8") 1.39 Water Pump and Electricians Net Price No. 258 Heavy Duty Diagonal Cutting No. B-18 3.26 15B(18 oz.)...... \$3.38 No.(15 oz.)..... No. 15C 15F 3.27 3.90(7 oz.)..... 2.89 No. Long Nose Side Cutting 2.63 No.(4 oz.)..... 15G 4.05 No. B-25 Lineman's 3.75 No. B22 (6") NAIL HAMMERS Lineman's 4.95 Net No. B23 (8") Price \$3.68 2A(1 lb. Bell).... No.(1 lb. Bell).... 3.19 PUNCHES No. 33(1 lb. Bell).... No. 191(1 lb. Bell).... 2.52 ANANAS DE S TARO ADJUSTABLE WRENCHES Net Price Lining-up No. 8385 (18") 3 68 Net Lining-up Price No. 8386 (15")(6" 2.59 6 \$2.89 No. B.W. ...(8" No. B.W. No. B.W. No. B.W. 8 No. C-28 (5") .87 4.28 Pin 6.23 No. C-29 (55/8") .90 9.38 Pin STILSON WRENCHES No. C-30 (63/8") 1.09 Long Taper No. C-25 (8") 1.01 Net Long Taper Price No. C-26 (9") 1.09 No. NSP(8" 8 \$3.60 10 (10") 14 (14") 18 (18") No. NSP Solid 4.65 No. C-21 (51/2") .79 No. NSP 8.93 Solid No. NSP No. C-22 (61/4") .87 Solid CHISELS No. C-23 (7") 1.05 (Cold) Centre No. C-34 (5") .79 GRAY CS CANADA TE PRY or PINCH BAR (5½") (6") (6½") (7½") (8") (8½") No. C38 (16") 2.44 .90 Flat No. C2 FLARING TOOL No. C3 Flat 1.13 No. RF-46 No. C4 Plat 1.32 TUBE BENDER C5 C6 Flat No. 1.62 No. RF-66 set of 6 3.68 No. 1.99 Flat TUBE CUTTER Flat No. C7 (8½") Long Flat No. C10 (14") C7 2.29 No. RF-99 4.69 2.22

SAWS AND TOOLS BY "DISSTON" DURAFLEX (Flexible)

			(HAND)			
Number	Length inches	Teeth per inch	Thick- ness	Width	Weight 100 Blades	Net Price
F1018	10	18	.025	1/2	3-12	P.O.A.
F1024	10	24	.025	1/2	3-12	P.O.A.
F1032	10	32	.025	1/2	3-12	P.O.A.
F1214	12	14	.025	1/2	4- 4	P.O.A.
F1218	12	18	.025	1/2	4- 4	P.O.A.
F1224	12	24	.025	1/2	4- 4	P.O.A.
F1232	12	32	.025	1/2	4- 4	P.O.A.
Packed 10	00 to a box					

No. 348 HACK SAW FRAME




The Disston No. 348 Hack Saw Frame is a good moderate priced frame. Bright zinc-plated steel frame adjustable to 8, 10 or 12-inch blades in four cutting positions. Wing nut adjustment.

Red plastic pistol grip handle. Depth from tooth edge to inside of back, 31/8 inches. Net PriceP.O.A.



K-6 KEYSTONE HAND SAW

	Length	Points	Net Price
K-6	20"	10	P.O.A.
	22"	10	P.O.A.
	24"	9	P.O.A.
	26"	8, 10	P.O.A.
	26" rip	51/2	P.O.A.



No. 8 DISSTON COMPASS SAW

Length — 12" - 14"

Packed ½ dozen in box

Extra Blades packed 1 dozen in box

Net Price: 12" - P.O.A. 14" - P.O.A.



No. 4 DISSTON COMPASS SAW

Length - 12" - 14"

Packed 1/4 dozen in box Not Assembled

Extra blades or handles packed 1 dozen in box

Net Price: 12" - P.O.A. 14" - P.O.A.
BOSTITCH TACKER



Your Inquiries
are invited on
all your Tool Requirements.
Quality Tools at
Economical Prices.

MALCO SCRATCH AWL



BLADE — Properly formed and hardened steel blade will pound through several thicknesses of 24 gauge steel and can be resharpened many times. Blade WILL NOT pound through handle.

HANDLE — Made of the toughest plastic, "Tenite — 2", the handle is two inches long, has large rounded end for comfortable palm pressure or hitting with palm of hand and is grooved to prevent rolling on bench. It is GUARANTEED to satisfy YOU.

Size of handle 2" x 11/4" 51/4" Overall length 31/4" Weight per dozen 13/8# Blade length Packed 12 to the box Net Price Each \$.50

MALCO HAND CRIMPER



FAST - EASY CRIMPING FULL 20 GAUGE CAPACITY


Perfect for all round, square and corrugated pipe. This crimper has no equal at any price. It is faster, more powerful, more versatile, better constructed and priced yery low. It is GUARANTEED to please YOU.

You can make fast full length crimps either shallow or deep on round or square pipe. One heavy crimp in each corner of square down spout and pieces slide together easily. On corrugated pipe, crimp just the bumps. Operate with 3-jaw side on outside of pipe.


Length of Crimp — Maximum 11/8 inches 9 inches Overall Length -Leverage - Compound and Spring Return


Net Price Each \$5.50


MALCO HAND SEAMER



- Compound Leverage
- Forged Steel Jaws
- Spring return action
- Formed Steel handles
- Has Hand Stop (pressure plate)
- Will flatten seam inside a 3½" opening
- Guaranteed to satisfy Overall length, 81/4" — weight 11/8# Width of jaws 31/4" - Jaw depth 11/8"







MALCO TOOLS Pipe and Duct Holder

A "HELPER" IN EVERY SET — No. 2 DH Pipe & Duct Holder, set of two (2) powerful clamps and 4' of chain, holds any size or shape duct in place, either between or under joist, until it is properly secured.

Net Price Each

No. 2DH — Pipe & Duct Holder \$5.50



No. N-1 HAND NOTCHER — Compound leverage with spring return action — A fast, easy cutting notcher. Notches 31° angle 13/16" deep. Furnished with nonslip grips.

No. N-1 — Hand Notcher \$6.93



No. SL-1 SNAP-LOCK PUNCH — Compound leverage with spring return action — Forms a raised ear that stops and locks seamed edges of pipe or duct when snapped together. Capacity 20 ga. Tool sets ears in 3/8" from edge. Furnished with nonslip arips.

No. SL-1 Snap-Lock Punch \$6.30



"UNBREAKABLE" TINNERS HAMMERS — Forged in one piece from tough tool steel. Shock-proof leather grip is the most comfortable and durable in all cliamtes. (no loose heads or broken handles.)

No. RH-4 Polished Riverting Hammer, 3/4" face, 12 oz. head.

No. RH-4B Industrial Blue instead of Polished.

No. SH-3 Polished Setting Hammer, 1/8" face, 18 oz. head.

No. SH-3B Industrial Blue instead of Polished.

No.	RH-4	Hammer		\$5.54	
No.	RH-4B	Hammer	.,	5.03	
No.	SH-3	Hammer	- DAME	5.80	

5.26

No. SH-3B Hammer

NATIONAL PROPANE TORCH 100% CANADIAN MADE



This is a Propane Gas Torch with the **THROW AWAY** Cylinder; 12-ounce capacity. It is illegal to refill.

The cylinder of this torch is sheet Steel construction made to withstand the pressure of Propane Gas, and is approved by the Board of Transport Commissioners for Canada.

The burner is controlled by a wheel-handled valve allowing very fine adjustment. There is no pre-heating — lights instantly.

This unit is priced as follows:

NT-100 Cylinder & one Pointed Flame Burner \$5,21 Net NT-110 Cylinder & one Brush Flame Burner 5.21 NT-90 Cylinder only 1.43 NT-1 & NT-2 Burner only 3.79 NT-51P & NT-52U Head only 2.55 NT-30 Spreader attachment 1.46 NT-11P & NT-12U Tet68 NT-902 & NT-902A Burner Tube with Ferrule NT-40 *Solder Coppers 3/8" dia. 1.91 NT-41 *Solder Coppers 3/4" dia. 2.10

*Tips on NT-40 and NT-41 are Tellurium Copper.

All the above are suggested resale prices.

NT-100 TORCH (with Pointed Flame Burner)



NT-1 Pointed Flame Burner Unit



NT-2 Brush Flame Burner Unit

NT-90 Cylinder only



NT-30
Flame Spreader
For Use with
Brush Flame
Burner only

NT-11P Pointed
Flame Jet
NT-12U Brush
Flame Jet



NT-902A 90° Burner Tube with Ferrule

NT-51—Pointed Flame Burner Head




NT-52U—Brush Flame Burner Head



NT-40 Solder Tip—3/8"
Use with
Pointed Flame Burner



NT-41 Solder Tip-3/4"
Use with
Pointed Flame Burner



NATIONAL NYE CLAMP KIT VISES

SELF LOCKING

CLAMP KIT VISES

*ILLUSTRATED

Complete Vise Number	90	91	900
Pipe Size Capacity	1/8-2	1/8-21/2	1/8-11/2
Shipping Weight, Complete Vise—lbs	131/4	163/4	. 8
NET PRICE	\$21.20 ea.	\$25.96 ea.	\$14.70 ea.

NYE COMBINATION VISE STANDS

*ILLUSTRATED



All Nye Vise Stands designed so yoke parts $\frac{1}{6}$ " to $2\frac{1}{2}$ " can be replaced by chain vise parts $\frac{1}{2}$ " to 4" on the same base in a matter of minutes.

by chair	vise	parts	1/2"	to	4"	on	the	same	base	in	α	matter	of	minutes.
Model N	0.						Desc	cription	1					Net Price

*No. 88AT	Vise Stand with Tray	\$61.18
No. 88BT	Vise Stand with Tray	62.06
No. 88CT	Vise Stand with Tray	68.34

NYE CHAIN VISES

Vises No. 52 and 53 similar to above, except for style of jaws, and no pipe rest or bender.



CHAIN VISES

Mod. No.	61	52	53
Pipe Size Cap'y	1/8-21/2	1/4-4	1/4-8
Shipping Wt.	83/4	51	37
NET PRICE	\$12.67	\$25.65	\$61.60

Genuine Nye Thin Blade Cutter Wheels Pins and Rolls



Fit All Standard Makes of Pipe Cutters

Hardened and tempered alloy steel. Smooth edge — polished for easy cutting.



Solid Roller Hub Type for Cast Iron Soil Pipe

Barnes Cutter Nos. 4 to 7 — Weight per doz.* 2 lbs.

IN VIEW OF ALL THE VARIOUS SIZES AVAILABLE PRICES WILL BE GIVEN ON REQUEST.

NATIONAL.

Nye Heavy Duty Pipe Cutters



Every pipe cutter is checked for alignment and tested before leaving the factory.
Wheel blocks travel on extra wide ways which assures continued alignment.
Solid malleable construction and all steel handle makes this an exceptionally dependable and durable tool.

Catalog No.		Size Range	App. Shp. Wt. Lbs.	Net Price
1N	36"-134"	(Uses 1 and 2N Wheels, Pins and Rollers)	6	\$14.55
2N	16"-2"	(Uses 1 and 2N Wheels, Pins and Rollers)	7	19.45
4N	2"-4"	(Uses 4N Wheels, Pins and Rollers)	17	59.15

NYE 2NP PIPE CUTTER For Use With Power Units

1/8" to 2"



• Three Roller Balancing Long Sleeve Protects Thread

> Net Pric \$19.35

- Solid Malleable Construction
- this amazing new cutter . . . -aligning! This feature assures square cuts eliminates
- I find this successful this feature assures again is self-aligning! This feature assures again spirals.

 spirals.

 can be applied to pipe while pipe is in motion.


 cuts with much less effort.

 saves more than half your time!

tter for Power Units. Uses Nye 2N or 2R Wheels Shipping Weight 6 lbs

NYE No. 51B RATCHET PIPE THREADER





Catalog No.	ITEM	Apr. Shp. Wt. Lbs.	Net Price
51B 51DC	Ratchet Pipe Threader (Complete with Dies) High Speed Dies (Set of Four Segments)	231/2	\$70.80 8.00
51 51B 65R	High Speed Dies (Set of Four Segments)	1/2	8.00 8.00 8.00

*Approximate Shipping Weights.

- 1. Cuts Pipe Thread or Straight Thread for plumbing, conduit or mechanical joints with one set of high speed dies on pipe sizes 1"—114", 112"—2".
- 2. Opens Automatically on Both Power and Hand Operation, when approximately eleven threads have been cut. Cannot jam lead screw.
- Opens manually at any time during cut if spin back knob is pulled out.
- 4. Chasers are always in open position when stock is being removed from pipe. Consequently they are not chased back over thread. This eliminates tearing and injury to threads or chasers.
- 5. Pipe size selector can be changed from one size to another in an instant. No screwing or unscrewing of lead screw. A simple adjustment is provided for deep or shallow threads.
- 6. Adjustable guide allows quick clamping to pipe by three jaws synchronized to operate with one movement of guide ring. Three turns of locking screw will tighten. Drip or crooked thread cut as readily as standard.
- 7. Dual Purpose Spin Back Knob, which operates like a fishing reel, permits turning stock back in a few seconds to starting position before removal from pipe. Pipe holder cannot spin off lead screw; stop is provided at the correct starting position for another thread. Pulling this knob causes the selfopening feature

to operate.

Authorized Jobber for

J. WISS & SONS CO.

METAL CUTTING SHEARS - TINNERS' SNIPS

			Net
Stock	Approx.	Length	Price
No.	Length	of Cut	Each

REGULAR PATTERN

	Inlaid Steel	Blades	
10	111/2"	21/2"	\$5.59
9	121/2"	3"	6.08
8	133/4"	31/2"	7.09
7	141/2"	4"	7.62
61/2	153/4"	41/2"	8.36



Solid Steel

A-12	8"	2"	\$2.51
A-11	93/4"	21/4"	2.96
A-10	11"	21/2"	3.38
A- 9	121/2"	3"	3.64



COMBINATION PATTERN

	Inlaid Steel	Blades	
19	121/2"	3"	\$6.60
18	133/4"	31/2"	7.62
17	141/2"	4"	8.07



Solid Steel

V-19	13"	3"	\$4.09
V-13	7"	15/8"	2.25
V-10	10"	21/4"	3.00



Inlaid Steel Blades

9-C.B. 12½" 3" \$9.12

GRAY-BONNEY HANDY SEAMERS

3½" 8" Overall \$4.43



118 The World's Finest Sheet Metal Tools

Authorized lobber for

I. WISS & SONS CO.

METAL CUTTING SHEARS - TINNERS' SNIPS

Net Stock Approx. Length Price No. Length of Cut Each

BULLDOG SNIPS

Regular Pattern Inlaid Steel Blades

5 17" 21/2" 9.12

COMBINATION PATTERN

Solid Steel

16" A-16 3" \$6.27

METAL MASTER SNIPS

	1	Aviation		Net	
Stock No.	Approx. Length	Length of cut	Type of Cut	Price Each	
M-1	10"	13/8"	Left	4.32	
M-2	10"	13/8"	Right	4.32	
M-3	10"	11/2"	Straight & Comb.		
M-5	91/8"	7/8"	Bulldog	4.32	

Springs for M-1, M-2, M-3, M-5 Snips10 Rubber Handles, per pair

LIGHT METAL SNIPS

Jewelers

J-7 7" 11/4" Curved 2.97 T-7 7" 11/4" Straight 2.78

Hand Plenum Folders — Various Sizes Please Enquire.





FASTENING TOOLS DRILL BITS Materials Handling Equipment

HIT-IT By HILTI

FASTENING INTO CONCRETE



Catalogue and Prices Available.
Upon Request — Please Enquire.

B.S.A. DRILL BITS

High Speed — Straight Shank

	Net Price
Diameter	Each
1/16"	 \$.18
3/32"	 .21
7/64"	 .24
1/8"	 .28
5/32"	 .31
3/16"	 .38
1/4"	 .54
5/16"	 .85
3/8"	 . 1.18

WOODEN MALLETS

No. 1—Size 2½" dia. x 5½" Long x 12" Overall60

YEATS DOLLIES



 Model No. 9
 \$123.00

 Model No. 7
 97.25



Model 9 - Dolly

Model 7 - Dolly

Designed And Perfected By Experienced Handlers
"Makes Light Work Of Heavy Loads"

Very Appropriate For The Handling Of Furnaces
Especially Up or Down Cellar Stairways.

GRAY-BONNEY **Regular Screw Drivers**

Square Shank

Gray-Bonney Square Shank Screw Drivers are made with forged one-piece blades, from special alloy steel, carefully heat treated over their entire length. The handles are of the popular transparent type. which combines toughness and durability with attractive appearance. Screw drivers in the square series are primarily designed for strength and are confidently recommended for heavy work. Blades are formed with an upset shoulder, against which the handles are forced, and the method of anchoring the shank eliminates the possibility of loose handles.

No.	Length of Blade	Width of Tip	Overall Length	Deale: Net
5 04	4"	5/16"	73/4"	\$1.54
5 06	6"	7/16"	101/4"	2.14
5 08	8"	1/2"	123/4"	2.63
5 012	12"	1/2"	171/2"	3.34

Guarantee - Screwdrivers

Square

Shank

Electricians

Screwdriver Blades are heat treated throughout; broken blades can be reground or returned to factory for regrinding. We cannot accept responsibility for screwdrivers which have been abused.

Flectricians

Gray-Bonney Electricians' Screw Drivers are designed with the care and precision so necessary in screw drivers of this type. The blades are forged from special alloy steel, and are heat treated over their entire length. All drivers, regardless of length, are made from 3/6" stock, which makes them invaluable for reaching hardto-get-at-screws. The handles are made of tough transparent composition, and are non-conductors of electricity.

No.	Length of Blade	Width of Tip	Overall Length	Dealer Net
003	3"	3/16"	61/2"	\$1.13
006	6"	3/16"	91/2"	1.24
0010	10"	3/16"	131/2"	1.43

Round Shank

Grav-Bonney Round Shank Screw Drivers are somewhat lighter than the square type, and are ideal for automotive mechanics. They are made with blades ranging from 4" to 12", and all tips are taper ground, with the entire length of the blades finely polished. The handles are made of moulded composition, and in addition to being extremely durable, are designed to give the user a secure yet comfortable grip. The blade is forged from alloy steel and carefully heat treated over its entire length.

These screw drivers are ideal for electrical work as the handles are nonconductors of electricity.

No.	Length of Blade	Width of Tip	Overall Length	Dealer Net
04	4"	1/4"	73/4"	\$1.39
06	6"	5/16"	101/4"	1.88
08	8"	3/8"	13"	2.25
010	10"	3/8"	15"	2.51
012	12"	7/16"	171/2"	3.15

Care of Screwdrivers

We frequently receive screwdrivers for grinding which have been used where a tire iron or chisel would have been more suitable. This practice does not save time and usually results in spoiling a good screwdriver.

Wood Handle

Gray-Bonney Wood Handle Screw Drivers are made with the same high grade materials as used in the more expensive drivers. Blades are forged from alloy steel, and are securely anchored in the handles, which are of selected hardwood and beautifully finished.

Tips are taper ground, and the fluted handles give a firm yet comfortable grip. These screw drivers are ideal for mechanics. carpenters, and electricians, and are excellent value.

No.	Length of Blade	Width of Tip	Overall Length	Dealer Net
W 03	3"	7/32"	71/4"	\$1.16
W 04	4"	1/4"	9"	1.24
W 06	6"	5/16"	113/4"	1.43
W 08	8"	3/8"	141/6"	1.95
W 010	10"	7/16"	161/2"	2.18



Round

Shank

EVANS TAPES & RULES





Evans Pocket Tapes

Evans "King Size" Tapes

ALL TAPES SHOWN ON THIS PAGE HAVE THESE EXCLUSIVE DOUBLE MARKINGS

Work in feet and inches? Read here.
Work in inches? Read here.

PLUS sliding end hooks that automatically start at zero for inside or outside measurements.

EVANS POCKET TAPES

No.	Length of Blade	DESCRIPTION	Packed In Display Box	Weight Per Doz. Lbsoz.	Net Price
106W	6 Foot	CHROME PLATED DIE CAST CASE — ½ inch steel blade	12	3.6	\$1.15
108W	8 Foot	marked in eighths and six-	12	3.12	1.30
110W	10 Foot	inches. Black figures on snow-	12	4.0	1.65
112W	12 Foot	white blade. Each tape packed in a plastic carrying case.	12	4.4	2.10
		EVANS "KING SIZE" TAI With 34 inch wide blade			Net Price
6KW	6 Foot	CHROME PLATED DIE CAST CASE — Wide blade marked	6	4.14	1.65
8KW	8 Foot	in eighths and sixteenths. Black figures on snow-white	6	5.6	2.25
10KW	10 Foot	blade. Belt clip supplied on each tape at no extra charge.	6	6.0	2.55
12KW	12 Foot	Each tape packed in a plastic carrying case.	6	6.8	2.98



PRICED AT ONLY PENNIES MORE THAN CONVENTIONAL TAPES

Pocket I	Model	Net	Price	
PT 6W	6 ft.		\$1.35	
PT 8W	8 ft.		1.60	
PT10W	10 ft.		1.90	
PT12W	12 ft.		2.25	

QUALITY DOUBLE CAM ACTION TOOLS By KLENK



K-6

KDC-5 — New Double Cam Action Pipe Cutter for duct work, stove pipe, etc. Net Price Ea. \$6.15

K-6 - Double Action Pipe Crimper. Net Price Each \$4.10

RABONE (BLINDMAN'S) RULES

36" Extended Net Price Each \$1.50

WING DIVIDERS



FINEST IN QUALITY AND DESIGN Most accurate and fastest adjusting dividers available. Points are expertly heat treated to hold their sharpness a long time and may be resharpened often.

AVAILABLE IN TWO SIZES MALCO

No. 18 Makes circles up to 36" plus. No. 24 Makes circles up to 48" plus.

Net No. 18 . \$3 10 No. 24 . 3 80

FRICTION TRAMMELS

TIME SAVING ALL STEEL ACCURATE



NET PRICE EACH \$5.90

No. 10 MONARCH PAINT BRUSHES



MEAKINS

Excellent value paint and varnish brush. Pure bristle.

Width	Length Out	Packaged	Net Price Each
1"	2-3/16"	1 Doz.	P.O.A.
11/2"	2-7/16"	1 Doz.	P.O.A.
2"	2-7/16"	1 Doz.	P.O.A.
21/2"	2-11/16"	½ Doz.	P.O.A.
3"	2-11/16"	1 Doz.	P.O.A.
31/2"	2-15/16"	½ Doz.	P.O.A.
4"	2-15/16"	½ Doz.	P.O.A.

OSTER PIPE AND BOLT THREADING MACHINES AND RELATED EQUIPMENT

We are authorized distributors and will be pleased to supply literature and prices on request.

Starfue

PREFACTION

TO THE MAGNIFICENT NEW

STARFULL

PREFACTION

TO THE PLACE

TO TH





Backed by a company that knows heating

NOW AVAILABLE

in

FOUR MODELS

- 1. SENIOR
- 2. JUNIOR
- 3. INSERT
- 4. JUNIOR INSERT

If you've wanted a fireplace for a room in your home or cottage, here is the answer to your wish!

Just right for living room, bedroom, recreation room or studio — can be used almost anywhere. Comes to you as a complete unit — easy and quick to install — a simple "do-it-yourself" job. Marvellously efficient. Burns wood, coal or gas.* Enjoy perfection — see the new STARRIRE by CONTINUE-FLO.

FEATURES



Solid brass doors and trim with japanned enamel casing.



Scientifically controlled draft ensures maximum use of fuel.



Fiberglass insulation at back and sides insures heat reflection to room area.



High efficiency from large heat exchanger area. For maximum radiation.



Easy to clean — lift out ash

Nodel No.	Description	Net Pric
200	STARFIRE FIREPLACE	\$189.50
201	STARFIRE "INSERT"	162.50
100	STARFIRÉ "JUNIOR"	174.50
101	JUNIOR INSERT	155.50

2 WALL PANELS AND CEILING TRIM 30.50



Prefabricated — easy to install. Comes complete — ready to use, and can be installed almost any place.

Shadow panel and clock available at extra cost.

AVAILABLE FOR

1. WOOD 2. GAS 3. COAL

FIRING

BRASS FITTINGS S. A. E. FLARED TUBE FITTINGS





LONG NUT				SHORT NUT	
Stock	Tube	Net	Stock	Tube	Net
No.	Size	Price	No.	Size	Price
441-4	1/4	.11	441S-4	1/4	.09
441-5	5/16	.15	441S-5	5/16	.11
441-6	3/8	.20	441S-6	3/8	.15





MALE ELBOW 90°				LEWALE ELBOM			
Stock No.	Tube Size	Pipe Size	Net Price	Stock No.	Tube Size	Pipe Size	Net Price
449-5B 449-5C	5/16 5/16	1/4 3/8	.26 .54	450-4A 450-4B	1/4	1/8 1/4	.24
449-6B 449-6C	3/8 3/8	1/4 3/8	.31	450-5B 450-6B	5/16 3/8	1/4 1/4	.43



T	JNION COUPLI	NG	REDUCING		
Stock No.	Tube Size	Net Price	Stock No.	Tube Sizes	Net Price
442-4	1/4	.11	442R-5x4	5/16 to 1/4	.35
442-5	5/16	.15	442R-6x4	3/8 to 1/4	.26
442-6	3/8	.20	442R-6x5	3/8 to 5/16	.48





MALE CONNECTOR				FEMALE CONNECTOR			
Stock No.	Tube Size	Pipe Size	Net Price	Stock No.	Tube Size	Pipe Size	Net Price
448-5B	5/16	1/4	.17	446-5B	5/16	1/4	.22
448-5C	5/16	3/8	.41	446-6B	3/8	1/4	.26
448-6B	3/8	1/4	.19	446-6C	3/8	3/8	.30
448-6C	3/8	3/8	.22	446-6D	3/8	1/2	.52

IMPORTANT — This is a Representative Stock List Only. Many other sizes stocked. Write for a complete brass fitting catalogue.

BRASS FITTINGS SOLDERLESS COMPRESSION FITTINGS





SLEEVE			SIANDARD NOI			
Stock	Tube	Net	Stock	Tube	Net	
No.	Size	Price	No.	Size	Price	
660-4	1/4	.02	661-4	1/4	.04	
660-5	5/16	.02	661-5	5/16	.06	
660-6	3/8	.02	661-6	3/8	.07	





MALE CONNECTOR				MALE ELBOW			
Stock No.	Tube Size	Pipe Size	Net Price	Stock No.	Tube Size	Pipe Size	Net Price
668-5B 668-5C		1/4 3/8	.19	669-5B 669-5C	5/16 5/16	1/4 3/8	.30
668-6B		1/4 3/8	.20	669-6B 669-6C	3/8	1/4 3/8	.30

			11	
	-		SIE.	1
Sec. 2	GNET,	LF >	The same	470.



UNION COUPLING				TEE	
Stock	Tube	Net	Stock	Tube	Net
No.	Size	Price	No.	Size	Price
662-4	1/4	.20	664-4	1/4	.43
662-5	5/16	.24	664-5	5/16	.52
662-6	3/8	.30	664-6	3/8	.65





FEMALE ELBOW				FEMALE CONNECTOR			
Stock No.	Tube Size	Pipe Size	Net Price	Stock No.	Tube Size	Pipe Size	Net Price
670-4B	1/4	1/4	.44	666-4B	1/4	1/4	.26
670-5B	5/16	1/4	.44	666-5B	5/16	1/4	.31
670-6C	3/8	3/8	.78	666 6C	3/8	3/8	.52

IMPORTANT — This is a Representative Stock List Only. Many other sizes stocked. Write for a complete Brass Fitting Catalogue. Continue-Flo Stock Only Top-Quality Brass Goods.

MINNEAPOLIS-HONEYWELL CONTROLS PROTECTORELAYS







Ignition & Timing Voltage & Cycle 115V-25/60 cy. Adjustable 115V-25/60 cy.



Exchange or Rebuilt New With your Trade-in Net Price 30.97 17.25 33.68 19.65

LIMIT, TEMPERATURE & PRESSURE CONTROLS

LA419A LA412A	Airstat Furnacestat	11.24 11.86	5.81 6.23
L498B	Combination (With Swivel Flange) 250° limit setting	14.08	8.63
L498B	Combination (Without Flange) 200° limit setting	14.08 10.91	8.63 5.81
LA409A LA409B	Surface Aquastat Reverse Acting Low Limit Controller	10.91	5.81
L404A	Pressuretrol Range 0-15 lbs; 2-50 lbs;	25.31	17.25

THERMOSTAT & TEMPERATURE CONTROLS

		Net New Price	Exch. or Rebuilt Net Price
T86A	Thermostat 55° to 85°	9.95	5.78
TS86A	Thermostat—For Use With VS-87A Gas Valve—Range 55°-85F.	9.95	5.78
T852-A	Chronotherm — Range 50° to 80° — 115 Volt specify 25 or 60 cy.	45.38	21.00

VALVES

V5000A Dribble Proof
V4001A Delayed opening (Specify cycle) Net Price 10.08
V4001A Delayed opening (Specify cycle) Net Price 11.26
COMPLETE LINE OF MINNEAPOLIS-HONEYWELL CONTROLS AVAILABLE.
PLEASE INQUIRE. CATAOGUES AND CURRENT PRICE LISTS ON REQUEST.
DAMPER MOTORS — MODUTROL MOTORS MODUTROL SWITCHES —
SYSTEMS AVAILABLE, PLEASE INQUIRE.

ENGINEERING ADVICE AVAILABLE FOR ZONE CONTROLLING OR SPECIAL CONTROL SYSTEMS.

MINNEAPOLIS-HONEYWELL GAS CONTROLS:

COMPLETE LINE AVAILABLE. PLEASE INQUIRE.

CATALOGUES AND CURRENT PRICE LISTS ON REQUEST.

CANADIAN GENERAL ELECTRIC CONTROLS MASTER CONTROLS







NET

TITTOMO	777 777		
THERMOS	STAT	New	Recondition.
AHT20 ACT20 AAT30	"Straight-Line", low-voltage, heating "Straight-Line", low-voltage, cooling "Straight-Line", low-voltage, heating-cooling	13.20 13.20 21.90	9.20
AATOO	Straight-Eine , low-voltage, neuting-cooming	21.30	13.30
MASTER	CONTROL †		
A101-A2 A101-B2 A105-A2 A105-B2	Intermittent 115V 50/60 cycle Continuous 115V 50/60 cycle Int. 25 Second Lockout - 115V - 50/60 cycle Cont. 25 Second Lockout - 115V - 50/60 cycle	37.20 36.20 26.05 25.10	21.40 20.60 20.25 19.50
FLAME D	ETECTORS		
AHD2-A2 AHD2-D2	7-17/32" Total length - No Shield § 7" Total length - With Shield §	P.O.A P.O.A	
WARM A	IR LIMIT CONTROLS		
B110-A2 B110-E2 B111-A2 B111-B2 AHL5-A AHL5-K AHL5-P	Fan & Limit, with summer switch Fan & Limit, without summer switch Opens on temperature rise (150° to 350°F) Closes on temperature rise (50° to 250°F) Fan & Limit, 1½" insertion Fan & Limit, 3" insertion Fan & Limit, 5" insertion	19.65 18.40 10.10 10.30 13.10 13.30 13.55	11.70 10.70 7.35 7.35 7.55 7.55 7.65

[†] Available in 230 volt rating.

NOTE: General Electric Exchange Controls can be purchased at the regular catalogue exchange price by turning in a control of similar operation of ANY VINTAGE or MANUFACTURERS' MAKE.

COMPLETE LINE of General Electric Controls Available. Please inquire Catalogues and current price lists on request.

ENGINEERING ADVICE available for Zone Controlling or Special Control Systems.

CANADIAN GENERAL ELECTRIC GAS CONTROLS: Complete line available. Please inquire. Catalogues and current price lists on request.

[§] Available in 7-17/32", 11-7/32" and 19-17/32" total length.

GENERAL CONTROLS








	Table 1, Special and American	SALES	
		New o	change Net
	LOW VOLTAGE THERMOSTATS		
T190A103 T99A104 T80A TX270	Room Thermostats—Round—24 Volt Room Thermostat—Vertical—24 Volt Room Thermostat—Millivolt only Tempotherm—with Transformer	\$ 9.86 8.79 6.95 45.18	\$ 5.67 4.50 4.88 22.47
	PRIMARY CONTROLS		
5200D21 5520D21 5200D210 5520D210	2-wire Constant Ignition—Stack Mounted 2-wire Intermittent Ignition—Stack Mounted Universal (2 or 3 wire) Constant Ignition Universal (2 or 3 wire) Intermittent Ignition	31.85 34.55 31.85 34.55	17.03 19.43 17.03 19.43
L	IMIT & TEMPERATURE CONTRO	LS	
404D 474D 500D10 500D11	Warm Air Limit Control Combination Fan & Limit Control Strap-on Hot Water Limit Strap-on Hot Water Limit—Reverse Action	12.36 16.48 10.81 10.81	5.78 8.55 6.95 6.95
L52A10A1A	Immersion Adjustable Hot Water Temperature Control Dual or Triple Action Models also available		10.24 P.O.A
	GAS CONTROLS		
B60Y84	1/2" Small Diaphragm Valve M.V.	16.47	11.21
B60YS54	1/2" Small Combination Diaphragm Valve & Safety Shut-Off M.V	21.07	12.98
K3HDC840	Transformer 24 V.	15.66	10.09
B63YA8411 PG9A 260A or B 2600F24	A & B Cock Pilot Generator Assembly M.V. Gas Pilot Burner Thermocouple—24" (other lengths available)	2.10	Replace with New
	OIL VALVES		
K281FA312 K10A	Delayed Action Oil Valve—1/8" IPS Lever Action Solenoid Valve. Various pipe and port sizes—Request prices.	11.40	9,65

ZONE CONTROL-WARM AIR

The Y319B zone control package contains all controls required for two-position control of one zone of a zoned forced warm air heating system. It is used to control the second, third, and fourth zones and is connected into the zone control system at the Q1A Zone Power Box furnished in the Y319A package. The Y319B package includes: T86A Round Ther-





mostat, M828C Damper Motor, Q245A Auxiliary Switch, Q257A Damper Linkage with 4" push rod, AT72D Transformer, and installation fittings. Order burner controls separately.

THERMOSTAT RANGE: 55 to 85 F.

VOLTAGE AND FREQUENCY: 115 volts, 50 or 60 cycles standard. MAXIMUM MOTOR LOAD: 8 lb. at extreme radius of damper arm, 16 lb. at shortest damper arm setting.

WEIGHT: 10 lb.

SETS PER CARTON: 1.

SPECIAL FEATURES AVAILABLE:

. Special voltages and frequencies: 115 volts, 25 cycle; 230 volts, 25 or 60 cycles at extra cost . Q257A Damper Linkage with 30" push rod at extra cost.

WHEN ORDERING SPECIFY:

- 1. Package set number (Y319B).
- 2. Voltage and frequency.

T835A OUTDOOR RESET CONTROL

Dealer Net \$58.85



MODEL: T835A Outdoor Reset Control. TEMPERATURE RANGE: 80 to 140 F.

DIFFERENTIAL: Unscaled and subtractive, adjustable approx. 7 to 25 degree. Factory set at minimum. Adjustable to approx. 65 deg. max.

ELECTRICAL RATING: 2 amps inductive at 24 volts A.C.

RESET RATIO: 1 to 1 (1 deg. outdoor temperature drop causes a 1 deg. increase in bonnet temperature).

DIMENSIONS: Plenum and outdoor bulbs-3/8" diameter, 4" length (including seal-off). Tubing length—Outdoor (including bulb) 30 ft. Indoor (including bulb) 10 ft. Case— Height 55%", width 2", depth 21/4".

MOUNTING: Case-Screws through mounting holes in back of case. Outdoor bulb-Guard with supporting clip and wood plug for tubing wall seal furnished. Plenum bulb-Bulb holder and plate for tubing plenum seal furnished.

SPECIAL FEATURES AVAILABLE:

Refer to current Price Index for any special prices.


1. Model number.

Dealer Net \$45.78

THERMOLOKS THERMOSTAT LOCK BOXES

DOMESTIC

INDUSTRIAL



Domestic Models

	DOL	TICDLIC	T-TOGCTD		
	Model No.	Net	Perfex No. 200	Model No.	Net
M-H Thermostat			Perfex No. 200	P/F 200 :	\$5.94
M-H Thermostat No. TM 11 A	M 11	\$5.20	Detroit Lubricator	D/I	5.94
M-H Chronotherm		40.20	G-E Thermostat	G/E	5.56
M-H Chronotherm No. TM 850	M 147	5.56	Penn Thermostat	-,-	
M-H T 42	T 42	5.94	Penn Thermostat No. 870	P/T	5.94
M-H TA 42 A	TA 42 A		Penn Thermostat	-,	
M-H T 44			Penn Thermostat No. 870 H	P/TH	5.56
M-H T 19			Penn Thermostat		
M-H T 109	T 109		No. 872	P/T 872	5.94
M-H T 86			Iron Fireman		
M-H T 801			General T 70		
M-H T 92			Barber-Colman Eyda		
Sampsel No. 2251			D 1 01		
Sampsel No. 2451			Gydb	Gydb	6.31
White-Rodgers	2101				
No. 120	WR 120	5.94	INDUSTRIAL	MODELS	
White-Rodgers		0.01	M-H Thermostat		
No. 176-6 or 152	WB	5.94	No. TM 11 A	Ind-M11	5.94
Delco Thermostat					
Delco Ctn.			M-H Thermostat No. TM 850	Ind-147	7.05
Perfex 165 A			M-H Thermostat		
Perfex No. 175	P/F 175		No. T 42	Ind-T42	7.05
Perfex No. 135	P/F 135		M-H Thermostat		
Perfex No. 100	P/F 100		M-H Thermostat No. TA 42 A	Ind-TA42A	7.05
1 ellex 140. 100	.1/1 100				

MILLIVOLTMETER 500R — Type — D.C.



For Testing Heating Control Systems which employ D.C. Millivolt Circuits as well as valves, generators, and other components.

Specifications:— Dimensions: In Case, 43/4" x 33/4" x 23/4"; Range: 0-50 MV, 0-500 MV, and 0-1000 MV, D.C.

Cat. No.	Net
500R106B-Meter and Case	
500R104—Leather Case Only	P.O.A.



O. G. TROUGH

(Die-Stamped)

Stiff - True - Snug-fitting

	2"								
	Si	ze					Std.	28 GA.	
10" 12" 15"	girth, girth, girth,	4" 5" 6"	wide wide wide	per per per per	100 100 100	ft. ft. ft.	\$13.00 13.00 15.00 21.55	P.O.A. \$14.95 17.25 24.80	
10	girtii,	,	wide	per	100	11.	26.50	30.50	

TROUGH SPIKES Net Price

TROUGH TUBES

	4	per	lb.	(All	size	s)	Net Price
13 — 6"		.1	6	per	100	(s)	\$1.75

TROUGH ENDS **Net Price**

TROUGH OUTLETS Net Price

THE STATE OF THE S	3
Control of the last	4
	5
<u></u>	6

3"	 .10
4"	 .10
5"	 .10
6"	 .10



	ea.
2"	 P.O.A.
3"	 .35
4"	 .47
5"	 P.O.A.

Not Prices

Not Prices



4" Corru 4" plain 5"

Size

ROUND PIPE (Corrugated and Plain)

, ,	orragatou aria riarri,	TACE	TILCES
		Std.	28 U.S.G.
	per 100 ft.	\$15.30	P.O.A.
	per 100 ft.	15.30	\$17.60
gated	per 100 ft.	19.70	22.65
	per 100 ft.	19.70	22.65
	per 100 ft.	30.65	35.25
	per 100 ft.	37 15	42 75



TROUGH SUNDRIES

MITRES I/S O/S

Net Prices Sol'd.

	ea.
10"	 \$1.05
12"	 P.O.A.

R. or L. End Centre Drops Drop Section Prices and Availability On Application.

SOLDERING COPPERS



2 lbs. per pair	l lb. each
2½ lbs. per pair	1 1/4 lb. each
3 lbs. per pair	1½ lb. each
3½ lbs. per pair1	13/4 lb. each Current Prices
4 lbs. per pair	lb. each

SOLDER
by Federated Metals
At Best Current Prices

STRAINERS

Galvanized Wire



Net Price SAL AMMONIAC Net Price Size Per 100 1/4 lb. Bar \$.23 2" P.O.A. 3" \$26.25 1/2 lb. Bar 4" 31.00 1 lb. Bar63 5" P.O.A.

 MURIATIC ACID
 Net
 ACID SWABS
 Net Price
 Price
 No. SB-748
 Each \$.04
 .04

 40 oz.
 \$.55
 No. SB-748
 Gross
 4.60

 1 Gal.
 2.60

CHARCOAL

Charcoal List Price per bag \$.45

"SUR-DRIVE" HOOKS

All Steel or Spike Drive

Size	Net Price Per 100	Net Price Each
2" All-Steel	\$15.45	\$.16
3" All-Steel		.16
3" Spike Drive	15.45	.16
4" All-Steel	22.05	.23



SQUARE CORRUGATED PIPE AND ELBOWS AND GALVANIZED CONDUCTOR HEADS



EXCLUSIVE CANADIAN DISTRIBUTOR



EXCLUSIVE CANADIAN DISTRIBUTOR

CINCINNATI TROUGH ELBOWS LEAK PROOF — HOT DIPPED AFTER FORMED

Round	Quantity Per Carton			on	Broken	One Ctn.	
Size	45°	60°	75°	90°	Ctn. Net	Net Each	
2"	120	72	96	84	\$.45	\$.43	
3"	72	72	60	60	.45	.43	
4"	48	42	36	36	.75	.71	
5"	24	24	20	18	2.30	2.20	

RAINWATER CUT-OFFS

Plain Round and Corrugated

	Net Prices	Each
3"		\$1.70
4"		2.35



	FLASHING HOOKS	Net Price
21/2"	per 100	\$6.65

COPPER TROUGH AND PIPE

AVAILABLE AT CURRENT PRICES

BACHARACH HEATING SERVICE INSTRUMENTS

These instruments are real time-savers and goodwill builders in installation and service work. Equally important, they are the foremost tools in selling replacements and fuel-saving services-leading to new sales, new profits, and new business-building opportunities.



Indispensable for

TEMPSCRIBE RECORDERS

\$70.00 Net

Air Temperature



Widely used for recording new in-stallation performance, balancing heating systems of every kind, trouble-shooting on service calls, and recording out-

recording outdoor temperatures for "degree day" operations. Saves
time, promotes
customer goodwill, shows
need for repairs
or modernization

Style CT

Gives total running time, as well as exact time of on and off periods as exact time of on and off periods of gas and oil burners, blowers of furnaces, and cooling and refrig-erating equipment. Pen is actuat-ed by an electro-magnet built into hinged front door of instrument.



Net Price

NEUTRAL PRESSURE POINT INDICATOR

A super-sensitive gauge designed specifically for gas conversion burner tests. Indicates, instantly and reliably, furnace draft or pressure of as little as 1/1000 inches W. Suitable for all draft tests specified in AGA Installation Standards for Gas Conversion Burners.

\$13.60 Net Price

FLORITE AIR VELOCITY METER



A practical, accurate air ve-locity meter for heating, air conditioning, and ventilating work. Indispensable for checking rate of air delivery, balancing the system, and ad-justing register deflecting vanes for "draft-free" air distribu-tion. 8" wide scale, with 20 fr./min. scale divisions. Has tion. 8" wide scale, with 20 ft./min. scale divisions. Has unique scale lock which enables retaining reading until lock is released.



FYRITE CO2 INDICATOR

The basic tool in fuel conservation sales and service. Outstanding for lastingly dependable service and strikingly functional design. Accurate within ½ of 1% CO₂. A CO₂check-up with it takes her than an intust results. less than a minute; requires no skill or special training. Comes complete with samcomes complete with sam-pling tube, aspirator bulb, rubber tubing, and the unique Fire Efficiency Finder, all packed in steel

\$50.50 Price



All-Purpose Style

Reads .25"W on 3-inch scale. Has free movement at zero to indicate puff-backs.

A c c u r a c y ful leveling. Two ranges: 0.25" and 1.0" water, respectively. Net

DRAFT GAUGES Pocket Style

Compact. inexpensi practical draft gauge for natural draft "pot" type burners. Comes with 2 section tube, 5" long; all packed in leatherette case. Two ranges—0.14" and 0.25" water, respec-tively. Net

tively. \$35.50 Price -\$12.50 Price

STACK THERMOMETERS Dial Type \$11.00 Net Price

RANGE 200°-1000° F. -RANGE 100°-950° F. Large dial and numbers make it as easy to read as a clock. Has steel sleeve holder for mounting n flue flue pipe; convenient handle withdrawing from hot flue pine.

Pocket Style \$9.80 Net Price High quality mercury-in-glass thermometer. Annealed glass; and pressure filled for maximum shock resistance.

GAS PRESSURE GAUGE

This gauge has been developed specifically for gas service men and heating dealers for checking manifold pressures on gas heating units for compliance with the requirements of the local gas companies and the AGA Installation " size- Net

Standards.

Available in two ranges:
one with scale 0.7" W; and
one with a scale 0.15" W on
one side and 0.8.5 ounces per
sq. in. on other side.

\$7" size—Net
\$19.50 Price
\$25.00 Price

\$25.00 Price



COMBUSTION TEST KITS FRIIT Service KII— \$7.40 Net Price Countries FYRITE oct. Indicator, DRAFT. RITE Pocket Draft Gauge, Mercury Pocket Style Thermometer, Fire Efficiency Finder FYRITE Master KII— \$99.00 Net Price Contains FYRITE CJ, Indicator, Model MZF All Furpow Draft Draft Draft Thermometer and Fire Efficiency Finder.

Thermometer and Fire Efficiency Finder.

FYRITE Utility Kit—\$128.00 Net Price
Contains TRUE-SPOT Smoke Tester,

FYRITE CO, Indicator, Model MZF All

Purpose Deaft Gauge, Dial Type
Thermometer and Fire Efficiency Finder

mometer and Fire Efficiency Finder
FYRITE Gossuver Kit- \$193.50 Net Price
Contains FYRITE Oxygen Indicasor, FY.
RITE CO, Indicasor, DRAFTRITE Deaf
Gauge 1.4° W range, Net Thermometer, Gas
Pressure Gauge 15° W range, Fire Efficiency
Finder and Gas Service Calculator.

The instruments shown here have been developed specifically for the Heating, Air Conditioning and Refrigeration Trades to make the tests recommended by industry in connection with sale, installation and inspection of heating, air conditioning and refrigeration equipment and the sale of fuel;

Catalogues And Prices Available Upon Request.

BACHARACH SERVICE INSTRUMENTS (Cont'd.)

CROSS LEVEL



Indispensable for installing oil space heaters, to level burner and oil flow control; also used to level condensing units of commercial cooling and freezing equipment. Shows level in both directions.

NET PRICE \$5.70

MODEL-MED-FILTER GAUGE



Automatically and unfailingly indicates the exact time that Automatically and unfailingly indicates the exact time that filters on forced air heating, cooling or ventilating units should be cleaned or replaced. When dirty filter is allowed to remain in furnace or air conditioner the unit loses efficiency and can even become inoperative. This gauge reminds users of the filter's importance—reduces emergency calls and service complaints. Easy to install on any type heating or cooling equipment—requires only drilling of four ½4" holes through wall of unit. Can be adjusted conveniently, accurately to any kind of system or filter.

NET PRICE \$8.85

LEVELOMETER



A Good Gauge Completes A Good Installation Remote Reading Gauge

Three Net Models Price Midget \$ 46.00 Small 69.50

When ordering specify model length & depth of tank grade of oil -Capacity of tank.

TEESDALE FUELGUARD SUCTION LINE GAUGE



NET PRICE \$10.50

31/2" Dial

REMOTE READING GAUGE Needs no tank assembly Reads in feet & inches Scale to figure gallons

BACHARACH SERVICE INSTRUMENTS

For HEATING • AIR CONDITIONING • REFRIGERATION

These instruments are real time-savers and goodwill builders in installation and service work. Equally important, they are the foremost tools in selling new equipment and replacements — leading to new sales, new profits, and new business-building opportunities.

The instruments shown here have been developed specifically for the Heating, Air Conditioning and Refrigeration Trades to make the tests recommended by industry in connection with sale, installation and inspection of heating, air conditioning and refrigeration equipment and the sale of fuel.



FYRITE SERVICE KIT

This kit provides a very economical, yet complete set of combustion-testing instruments.

KIT CONTAINS

FYRITE CO2 Indicator with Bulb Assembly, DRAFTRITE Draft Gauge, TEMPOINT Dial Thermometer, Fire Efficiency Finder Stack Loss Slide Rule.

Net Price \$74.00

FYRITE MASTER KIT



This kit provides a superior assortment of combustion-testing instruments — each being the last word in quality, professional appearance and operating convenience. The kit is a valuable asset to any heating business.

KIT CONTAINS

FYRITE CO2 Indicator with Bulb Assembly, Model MZF All purpose Draft Gauge, TEM-POINT Dial-type Thermometer, Fire Efficiency Finder Stack Loss Slide Rule.

Net Price \$99.00



FYRITE UTILITY KIT


This kit contains instruments for combustion efficiency tests, as well as for determining smoke density in the flue gases. With the smoke tester it is possible to adjust a burner for highest combustion efficiency, as well as for clean burning of the fuel.

KIT CONTAINS

TRUE-SPOT Smoke Tester, FYRITE CO2 Indicator with Bulb Assembly, Model MZF All Purpose Draft Gauge, TEMPOINT Dial-type Thermometer, Fire Efficiency Finder Stack Loss Side Rule, Oil Burner Smoke Scale.

Net Price \$128.00

Rite-Vent The vent with the EYE APPEAL



RITE-VEN	T TYPE	B1 - 8,	10, & 12"	40.00
SIZE	NET P		WEIGHT	- 37 31
	A	В	-	
3"x5"	12.00	12.80	28	100 00
"x3"	7.00	7.68	40	300 300
8"x18"	4.20	4.48	40	
0"x31			24	
0"x18"	14.76	15.74	24	
OXIO	9.75	10.40	24	- 300 - 300
2"x3"	20.98	22.37	28	2000 1000
12"x18"	12.00	12.80	28	200000000000000000000000000000000000000

SIZE	NET P	RICE	NO.PER CARTON	WEIGHT
-		D	Cris IO.	
3"	2.25	2.40	6	13
4"	3.41	3.65	6	17
5"	4.09	4.37		21
6"	4.78		6	24
7"	5.23	5.58	4	24
	SING	LE "F	IT-OVER" B1 18"	LENGTHS LONG
SIZE	NET P	RICE	NO.PER CARTON	WEIGHT
8"	4.20	4.48		20
10"	7.80		4	24
	10.88	11.60		32

	1000	45° E	LROWS		
SIZE	NET F	RICE	NO.PER	WEIGHT	
	A	B	CARTON		100
3"	2.15	2.30	6	7	4
4"	2.56	2.74	6	10	
5"	3.00	3.21	6	10	
6"	3.61	3.86	6	10	The second second
7"	5.19	5.54	3	7	₩ (0.11)
8"	5.55	5.92	3	9	
10"	12.00	12.80	2	8	
12"	15.00	16.00	2	10	
					Alexander



SIZE	NET P	RICE	NO.PER CARTON	WEIGHT	
x3x3	4.15	4.44	4	8	
×4×4	5.01	5.36	4	12	-
v5v5	5.86	6.27	4	14	400
x6x6	6,83	7.16	4	16	- 6
x7x7	8.19	8.75	2	10	- 88
x5x3	5.86	6.27	4	12	- 33
v6v3	6.71	7.17	4	14	3.8
x6x4	6.71	7.17	4	15	- 13
x7x4	8.19	8.75	2	9	2000
x7x3	8.19	8.75	2	9	- 100
x8x8	9.15	9.76	2 2 2	12	10000
x8x7	9.15	9.76	2	12	
×8×4	9.15	9.76	2	12	
0x10x10	24.75	26.39	1	8	
2x12x12	29.85	31.83	1	10	

Rite-Vent for Canadians and the Canadian climate

Rite-Vent The symbol of quality and efficiency



Rite-Vent Canadian designed and Canadian manufactured

CORRUGATED "WESCO-FLEX" CONNECTORS Flexible Connectors For Gas Appliances



"WESCO FLEX" GAS APPLIANCE CONNECTOR

Tubing Type of Joint Length	1/2" I.D. Ground Type "A" Net Price Each	1/2" I.D. Flare Type "C" Net Price Eac	3/8" I.D. Flare Type "CD" h Net Price Each
12" 18" 24" 30" 36" 42" 48" 54"	\$2.09 2.36 2.67 2.94 3.23 3.42 3.69 3.99 4.25	\$1.98 2.27 2.57 2.85 3.15 3.33 3.60 3.89 4.16	\$1.85 2.04 2.25 2.46 2.67 2.88 3.11 3.50 3.95
USED FOR	KITCHEN STOVES, WATER		CLOTHES DRYERS,

FITTINGS — STRAIGHT, MALE OR FEMALE, ¾" - ½" - ¾" - ¼"

RITE-VENT OVAL GAS VENT PIPE & FITTINGS

5 Foot Lengths

			2 cano	
Size	Net A	Price B	Car	Wgt.
4"	6 68	7.12	6	45
5"	9.75	10.40	4	54
	3 Fo	ot Len	gths	
4"	4.09	4.36	6	27
5"	5.85	6.24	4	31
	18"	Leng	hs	
4"	2.21	2.36	10	22
5"	2,96	3.16	10	28
	12"	Leng	ths	
4"	1.86	1.99	6	10
5"	2.33	2.48	6	13

OVAL TEE CAPS

		Price		Per	
Size	A	В	ton	ton	
4"	.90	.96	10	1	
5"	1.16	1.24	10	2	

OVAL ADJUSTABLE LENGTHS 1 Piece 18" Long

1	Piece		Long		
Size	Net P	B	Weight		
4"	2.06	2.20	2		
5"	2.63	2.80	3		

OVAL STARTER COLLARS No. Wt.

Size	Net I	Price B	Car-	Per Car-	
4"	1.13	1.20	ton 6	18	
5"	1.35	1.44	6	20	

SPACER PLATES

	Net P	rice	Per Car-	Per Car-	
Size	A	В	ton	ton	
4"	.38	.40	10	4	
5"	.45	.48	10	5	

A-Carton Lots B-Broken Carton Lots

ADAPTERS

NOTE: THE ADAPTER IS USED TO CONVERT THE OVAL TO THE NORMAL ROUND FITTINGS (RAIN CAPS, FLASHING ETC.) AS SOON AS THE OVAL RUN ENTERS THE ATTIC SPACES.

ROUND TO OVAL

OVAL TO ROUND

No. Wt. Per Per Net Price Car-Car-Size A B ton ton 4" 2.48 2.64 6 8

4" 2.48 2.64 6 8 5" 3.56 3.80 6 12

OVAL INCREASERS

Net Price A B

4-5 4.65 4.96 6 10
Underwriters' Laboratories
of Canada Table of
Capacities

B.T.U. per Hour

3	45,000	7	245,000
4	80,000	8	320,000
5	125,000	10	500,000
6	180,000	12	720,000

4

RITE-VENT OVAL ELBOWS 45°

	Net	Price	No. Per Car-	Wgt.
Size	A	В	ton	Lbs.
4"	3.53	3.76	6	6
5"	7.81	8.33	6	14

OVAL ELBOWS FLAT



No. Per Wgt. **Net Price** Car- in ton Lbs. Size A B 4" 6 3.53 3.76 6 5" 7.81 8.33 6 14

OVAL TEES WITH A FEMALE COUPLING

Size	Net I	Price B	Per Car-	Wt. Per Car- ton
4"	6.53	6.96	6	12
5"	8.78	9.36	6	20

GAS VALVES AND STOPS

WALLACEBURG

SERVICE STOPS



Forged brass body and plug for greater strength, better appearance, no sandholes or porosity, smoother ports for maximum flow with low turbulence. Body and plug taper turned together as mating parts for perfect seal.

Spring loaded Gas Stop with stamped steel lever handle. AGA — CGA listed. Female iron pipe both ends. Tested at 40 p.s.i. operating pressure 6 in. mercury. Available in ½", ¾" & 1" sizes. Approved for use in British Columbia.

Style No.	Size	Details	Dealer Net Each
W-277	1/2"	Spring Loaded — Not Tapped — With Stop	\$1.93
W-279	3/4"	Spring Loaded - Not Tapped - With Stop	2.56
W-280	1"	Spring Loaded — Not Tapped — With Stop	4.80
W-276	1/2"	Spring Loaded - Pilot Tapped Both Sides - 1 Side Plugged - With Stop	2.00
W-278	3/4"	Spring Loaded — Pilot Tapped Both Sides — 1 Side Plugged — With Stop	2.60
W-268	1"	Spring Loaded - Pilot Tapped Both Sides - 1 Side Plugged - With Stop	5.65



Solid Bottom Valves up to %" tested at 100 P.S.I. operating pressure 10 P.S.I. - 1" to 2" tested at 200 P.S.I. operating pressure 50 P.S.I.

W-901 Flat Head, solid bottom valve without check.
Approved for installation in Alberta. Female iron pipe both ends.

Style No.	Size	Details	Dealer Net Each
W-901	1/2"	Gas Stop — Without Check Pin	\$1.75
W-901	3/4"	Gas Stop — Without Check Pin	2.40
W-901	1"	Gas Stop — Without Check Pin	3.30



Flat Head, solid bottom valve with check. Approved for installation in Manitoba and Saskatchewan. Female I.P. threads both ends.

Style No.	Size	Details	Dealer Net Each
W-902	1/2"	Gas Stop - With Check Pin	\$1.75
W-902	3/4"	Gas Stop — With Check Pin	2.40
W-902	1"	Gas Stop — With Check Pin	3.30

Tire-chief

factory built Safety Chimney
Installs in Two Hours
Improves Furnace Performance

Everything that makes a chimney better is combined in a Fire-chief. It is packed with features that make it first for safety, efficiency, fuel savings, economy and easy installation. Light weight, factory built, precision fit sections crect fast without special tools or experience.



The Fire-chief SIX" — air insulated for economy and efficient operation, is ideal for homes with Domestic size Pressure Atomizing Oil or Gas fired furnaces.

Strait-Thru Economy Model also.

tire-chief seven

The Fire-chief SEVEN" — perfect complement to the modern house — is an impressive example of scientific chimney design and construction. Combines outstanding performance and complete safety with durable good looks.

tire-chief Ten"

The Fire-chief TEN"—for extra capacity, residential, commercial, industrial—is perfect for the small plant, service station, apartment or office building. The stain-less steel Dura-Flue liner has enlarged 10-inch flue capacity . . . permitting fast flow of gases.

ULC TESTED AND LISTED CHMC APPROVED

See Page 143 for Prices — 6" - 7" - 10". .



FIRE-CHIEF CARTON CONTENTS and PRICE LIST FOR 6" FIRE-CHIEF

Carton Number	Description	Net Prices	Ship. Wgt. in Lbs.
No. 636	Basic Assembly Carton. Complete 4 foot Chimney with 36" Housing including all components	\$34.72	37 lbs.
No. 648	Basic Assembly Carton. Complete 5 foot Chimney with 48" Housing including all components	40.60	46 lbs.
No. 600	"Strait-thru" Round Kit where no Housing is required — contains Starter Box, Chimney Cap and Roof Line Accessories, only Con-		
	tains one foot of effective chimney	18.40	19 lbs.
No. 63	3 foot Chimney section	11.92	18 lbs.
No. 64	4 foot Chimney section	15.88	24 lbs.
No. 65 No. 605	5 foot Chimney section	19.84	30 lbs. 3 lbs.

7" FIRE CHIEF

Total Height (Feet)	Net Prices	Total Height Net (Feet) Prices
2' 6"	\$28.92	18' 6"\$ 99.00
3' 6"	35.12	19' 6" 105.20
4' 6"	37.68	20' 6" 107.76
5' 6"	43.88	21' 6" 113.96
6' 6"	46.44	22' 6" 116.52
7' 6"	52.64	23' 6" 122.72
8' 6"	55.20	24' 6" 125.28
9' 6"	61.40	25' 6" 131.48
10' 6"	63.96	26' 6" 134.04
11' 6"	70.16	27' 6" 140.24
12' 6"	72.72	28' 6'' 142.80
13' 6"		29' 6" 149.00
14' 6"	01 10	30' 6" 151.56
	00.00	155 50
15' 6"	87.68	100.00
16' 6"	90.24	
17' 6"	96.44	33′ 6″ 166.52

When a "Brickaded" Housing is used on a PITCHED ROOF replace the No. 3-B Carton with a No. 3 Carton. For "B" Dimension (Brickaded Housing) ADD as follows:

ADD as follows:	rices
(49" to 60")—Supply a No. 4-60 Brickaded Housing and ADD	6.72 9.08 11.36 13.44 21.88
ing ADD	3.68
If a Side Entry into the chimney is used replace 1 only No. 2-S Single Carton with 1 only No. 6 Carton ADD	3.76
For No. 5 DuraFlue Cleanout "T" with removable watertight trap ADD For No. 7 Rain Cap complete with Wind Skirt ADD	6.08 4.40
10" INDICATOR OF CIT	

10" INDUSTRIAL STACK

						Net
101	Complete	Four Foot 10"	' Stack includin	g all co	omponents .	\$66.30
102	Complete	two foot addi	tional sections			19.20

IET-"T" DRAFT INDUCERS



STAND	ARD N	MODELS
Model No.	Pipe Size	Net Prices
6-S	6"	\$32.97
7-S	7"	32.97
8-S	8"	32.97
10-S	10"	32.97

INTERMEDIATE MODELG

TODLL	3
Pipe Size	Net Prices
	\$46.05 46.05 46.05 46.05
	Pipe

INDUSTRIAL MODELS Model Pipe Net Prices No. Size 7" 7-H \$86.28 8" 8-H 87.53 89.61 10" 10-H 12" 12-H 92.92 14" 14-H 96.25

Patents Pending. 6", 7", 8", and 10" sizes.

PRODUCES FAST, DEPENDABLE DRAFT FOR TOP PERFORMANCE FROM ANY BURNER OR FUEL!

BREIDERT AIR-X-HAUSTER



For Vent Flues and Chimneys					
Model No.	Collar Size	Net Price	Model No.	Collar Size	Net Price
4303	3"	\$6.49	4308	8"	\$17.31
4304	4"	6.49	4309	9"	26.93
4305	5"	8.66	4310	10"	26.93
4306	6"	8.66	4312	12"	30.06
4307	7"	17.31	4314	14"	P.O.A.
			4316	16"	P.O.A.

Sizes available up to 48" diameter. Prices on application.

Flue caps for installation can be made in our plant. Prices on application.

Representing a revolutionary new principle in ventilator design, the Breidert Air-X-Hauster converts the power of air currents blowing in any direction into a suction force never before approached.

Totally Different . . . In design and operation, the Breidert Air-X-Hauster is unlike any other ventilator on the market. Most ventilators work efficiently only when the wind strikes on a horizontal plane, but the Breidert Air-X-Hauster provides positive ventilation **no matter which way** the wind blows. It remains absolutely stationary . . . there are no moving parts to jam or get out of orde# . . . no operating or maintenance expense.

Based on Aerodynamic Principles . . . The scientific design of the Breidert Air-X-Hauster is based on the natural principle that air always rushes in to fill a vacuum. Wind currents striking the Breidert Air-X-Hauster from any direction create a vacuum which causes fumes and smoke to be steadily siphoned out of the stack or chimney. Up or down wind currents do not impair the efficiency of the Breidert Air-X-Hauster. Back-Drafts Eliminated . . . It is impossible for the positive suction action of the Breidert Air-X-Hauster to be reversed. Back-drafts are completely eliminated where there is no interior negative pressure!

HORIZONTAL DRAFT DIVERTERS ALUMINUM



Size	Net	Price
3"		\$3.46
5"		3.81
6"		4.15
7"		4.91

WILDER DRAFT DIVERTERS

MANUFACTURED ACCORDING TO A.G.A. RECOMMENDATIONS



Vertical Type A



Vertical Type C



Horizontal



Horizontal-tovertical

VERTICAL TYPE 'A'

			Net	Price
Pipe Size	Gauge	Shipping Weight Lbs.	Black Enamel	Galvanized Steel
3	26 26 26 22	1 1½ 2½ 2½	\$1.35 1.90 2.50 3.10	\$1.40 1.98 2.64 3.27
4 5 6 7 8	22 22 24	31/2 43/4 65/8	4.25 6.35	4.48 6.77
			'C'	
3 4	26 26	1 17/8	1.35 2.00	
	H	ORIZONTAL DRAFT	HOODS	
3 4	26 26	2 ³ / ₄ 4 ¹ / ₄	\$2.90 3.70	\$2.36 3.03
3 4 5 6 7	26 26 26	4½ 5 7	4.60 5.40	3.71 4.20 5.85
7 8	24	9 15	7.00 9.65	7.80
		ZONTAL TO VERTIC	The second secon	
3 4 5 6 7 8	26 26 26 26 24 24	3/4 1 15/8 21/4 3 4	\$2.05 2.40 2.90 3.55 4.30 5.70	\$2.10 2.45 3.00 3.55 4.35 5.70
	M	ODIFIED ELL DRAF	T HOOD	
3 4 5 6 7 8	26 26 26 26 26 26 24	1½ 1¾ 3½ 4½ 6 6 7¾	\$ 3.55 4.00 5.20 6.75 8.80 11.20	\$ 3.65 4.15 5.35 6.90 8.90 11.25

"DELHI" BLOWER PACKAGE UNITS

For Converting Gravity Furnaces to Forced-Air Systems.



		60 Cycle Net Price
No.	95	\$ 72.00
No.	100	78.00
No.	120	87.00
No.	140	115.00
	140X	120.00
No.	140XX	132.00
	160	145.00
No.	160X	159.00



	Spe	cification	ıs		
Unit No.	Blower	B.T.U.	Motor	C.F.M.	Filters
No. 95	No. 9	65,000	1/4	800	1 - 20x25x2
No. 100	No. 10	75,000	1/4	1050	2 - 16x25x2
No. 120	No. 20	130,000	1/4	1800	3 - 16x25x2
No. 140	No. 40	160,000	1/4	2100	4 - 16x25x2
No. 140X	No. 40	185,000	1/4	2400	4 - 16x25x2
No. 140XX	No. 40	195,000	1/2	2600	4 - 16x25x2
No. 160	No. 60	210,000	1/3	2900	4 - 20x25x2
No. 160X	No. 60	230,000	1/2	3200	4 - 20x25x2

A Complete unit includes: — Blower, Blower-Filter Cabinet, Motor, Filters, Furnacestat, canvas and strap connections.

ACCESSORIES ADAPTOR BOOT PAN TOP

Units 95, 100, 120 Units 140, 160 MOTORS

Prices On Application

25 cycle — 60 cycle
Fan duty in stock
Available at best
current prices.

PULLEYS	BELTS
in stock	in stock
Prices on	Prices on
request.	request.

(Single

No.

409

410

412

"DELHI" BLOWERS

"400 SERIES" STANDARD MODEL

Size

9"

10"

12"

Width Single Inlet)

1/4

1/4

1/4

H.P. Req'd. Net Price

\$28.00

30.75

36.00

(Dou	ble Wid	th Double	(nlet)
No.	Size	H.P. Req'd	Net Price
G-9	9"	1/4	\$16.41
G-10	10"	1/4	18.01
G-110	11"	1/4	20.79
G-12	12"	1/4	23.66
G-14	14"	1/3	36.63
G-15	15"	1/2	39.01
G-16	16"	1/2	46.38
G-18	18"	1/2	89.56

414	14"	1/3	49.20
416	16"	1/2	61.50
izontal Bottom	Right Hand Discharge. I Horizontal	Left Har Dischar	id Intake
The ab	ove are spe	cial Mo	d. P.O.A.
Price i	includes Bel	t, Moto	r Mount,

Price includes Belt, Motor Mount, Variable Motor Pulley and Fan Pulley, Less Motor.

Variable Motor Pulley and Fan Pulley. Less Motor. Larger sizes -Prices on request.

AIR MOVING PRODUCTS FOR HEATING, COOLING, VENTILATING







"800 Series"

"200 Series" Duct Blower







"400 Series"

"G Series"

"D530" Utility Exhauster

McLARTY FANS HEAT THAT COLD ROOM



(60 Cycle Only)
Fits right in the pipe
Easy to install



#50 Fan

Booster Fan

If circulation is restricted by too small, too long, or a flat running pipe, the hot air will not circulate and you have a cold room. A McLarty Warm Air Booster Fan installed in the pipe that leads to your cold room will quickly restore circulation and solve your problem.

problem					X	Weight	Net
Model	Fan Size	Fits Pipe	Approx. c.f.m.	Watts	Approx. R.P.M.	Packed	Price
812C	7"	8" - 12"	125	20	1200	3 lbs.	\$14.50
1224C	10"	12" - 24"	350	50	750	6 lbs.	21.95
No. 5	0 Fan Co	ntrol 1/4 H.I	. Capaci	ty - 110	0 volt - 6	0 cycle	7.00






8" MODEL 227 38 WATT-700 CFM FREE AIR	12	8" for C	and 1	0'' IG	MO insta	DELS Illation
ROOF FAN FOR OPEN BEAM CEILING		MODEL NO.	GRILLE FINISH	Std. Pkg.	Pkg. Wt.	Net
	17 18 0 \$ 50 —	227-C Complete	Chrome	1	12	\$26.40
1	OB-5D	227-R* Complete	Copper- tone	1	12	26.40
8" MODEL 224 38 WATT-700 CFM FREE AIR		224-C Complete	Chrome	1	61/2	17.66
Requires—32 Reducer or 31 Elbow		224-P* Complete	Painted	1	61/2	16.98
10" MODEL 225 58 WATT-1100 CFM FREE AIR	10° DIA	225-C Complete	Chrome	1	6	25.43
Requires—22 Reducer or 31 Elbow		225-P* Complete	White Baked Enamel	1	6	23.31
	-32 REDUCER	No. 32		1	11/2	2.64
31/2	fits Model #224 and reduces to 7" round duct.	No. 32	-	4	7	2.45
3/2	-22 REDUCER fits Model #225 and reduces to 8" round duct.	No. 22	Useria (ligge	1	11/2	2.64
1314	-31 ELBOW fits top of Model #224 and turns to 31/4" x 10" duct	No. 31		1	21/2	3.20
3%	-21 ELBOW fits top of Model #225 and turns to 31/4" x 10" duct	No. 21	NAME OF	1	31/2	3.69
FILTER	For 2208, 2209, 224 227, 225, 245	3208	Pa	cked	1	2.18
(Fits inside Fan Grille)	For 2200, 2210	3210		r Ctn.	1	2.42

CLYDE AIR CIRCULATORS α n d VENTILATING FANS

For OFFICE, HOME, FACTORY, STORES, BANKS, Etc.

A complete unit of durable construction, with automatic shutters that open when fan starts and closes when fan stops. Dependable performance. Quiet operation at standard motor speeds. Fully guaranteed. Easily installed.

teed. Easily installed.
Frame made of heavy steel spot-welded shutters made rust-proof, weather stripped for protection against the weather, finished in crinkle enamel. C.S.A. approval. Fully guaranteed for 12 months.




		60 C	YCLE		Net
V 12	12"	1/8	1725	1800	\$58.00
V 16	16"	1/4	1725	3500	58.00
V 18	18"	1/4	1725	4500	68.25
V 18	18"	1/6	1140	4000	78.55
V 20	20"	1/6	1140	5500	89.76
V 24	24"	1/4	1140	7000	110.35
D 1 m					

Panel Type Exhaust Fans \$4.25 less Net Pr	ice sho	wn	above
Ball Bearing Motors	\$11.22	to	above
Two Speed	37.40	to	above
Reversible	28.90	to	above
Explosion Proof	32.73	to	above
Variable Speed Control	61.20	to	above

AUTOMATIC SHALLOW SHUTTERS

	Size	Net
	12"	\$13.75
7	7 411	14.88
The same of	16"	16.05
1	18"	18.33
32	20"	20.64
	24"	25.21
Market Control	30"	37.22

LAU "NITEAIR"






LAU ATTIC & EXHAUST FANS NITEAIR FANS — RANCHER & PANEL MODELS (Made in Canada)

Model	Description
RANCHER TY	PE FANS (For Horizontal Mounting) Net
NA-243R	24" Fan, 1/3 HP 60 cy., Mtr., 4750 CFM @ 655 RPM. Ship. Weight 56 lbs \$ 76.00
NA-303R	30" Fan, 1/3 HP 60 cy. Mtr., 6409 CFM @ 466 RPM, Ship, Weight 80 lbs
NA-363R	36" Fan 1/3 HP 60 cy. Mtr., 8780 CFM @ 376 RPM. Ship. Weight 100 lbs
SHUTTER No.	610 FOR RANCHER TYPE FANS
For NA 243R	For ceiling opening 26" x 301/4",
	Ship. Weight 11 lbs. 22.66
	For ceiling opening 30" x 36 ¹ / ₄ ", Ship, Weight 13 lbs, 24.66
For NA 363R	For ceiling opening 36" x 42½", Ship. Weight 17 lbs. 28.67
PANEL TYPE	FANS (For Vertical Mounting)
NA-243P	24" Fan, 1/3 HP 60 cy. Mtr., 4750 CFM @
NIN COOD	655 RPM. Ship. Weight 66 lbs. 82.66
NA-303P	30" Fan, 1/3 HP 60 cy. Mtr., 7611 CFM @ 564 RPM. Ship. Weight 92 lbs 96.66
NA-363P	36" Fan 1/3 HP 60 cy. Mtr., 9925 CFM @
	413 RPM. Ship. Weight 111 lbs 118.00
	556 FOR PANEL TYPE FANS
For NA 303P For NA 363P	Shutter Size 26" x 26", Shipping Wgt. 19 lbs 19.67 Shutter Size 32" x 32", Shipping Wgt. 33 lbs 32.33 Shutter Size 38" x 38", Shipping Wgt. 36 lbs 39.44
	MOTORS AVAILABLE ON REQUEST Motor carries 1 Year Manufacturers' Warranty. Fan
GUARANTEE	carries full 5-Year Guarantee. CSA Approved.



CGA APPROVED AUTOMATIC WHISPER-QUIET GAS WATER HEATER

- CONTINUE-FLO
 SINGLE PORT BURNER
- FIBREGLASS INSULATION
- MINNEAPOLIS-HONEYWELL CONTROLS
- SPIRAL FLUE
- STRONG GALVANIZED OR GLASS-LINED TANK



Distance between Water Conn. 8"
Recovery Rate based on 100° Rise
and 60° Rise — be sure to specify
type of gas when ordering.

PER HOUR RECOVERY


Gallons	Gas	Input	100° Rise	60° Rise
20	Nat.	20,000 BTU	16.8 gal.	28 gal.
20	L.P.	18,500 BTU	15.5 gal.	25.9 gal.
30	Nat.	30,000 BTU	25.2 gal.	42 gal.
30	L.P.	30,000 BTU	25.2 gal.	42 gal.
40	Nat.	33,000 BTU	27.7 gal.	46.2 gal.
40	L.P.	30,000 BTU	25.2 gal.	42 gal.



BEAUTIFULLY STYLED AUTOMATIC ELECTRIC WATER HEATERS

GLASS AND ZINC LINED CSA APPROVED 10-YEAR WARRANTY

- Super Senitive Thermostat
- Hi Temperature Thermostatic Cut-Off Switch
- Butt Welded Tank Construction
- Immersion Type Heating Units
- Draw Neck Unit Port Construction
- Baffle Plate baffles incoming cold water
- Extra Thick Fibreglass Insulation
- Protective Magnesium Anode
- Pleasing White Enamel Finish



GALVANIZED LINED MODEL

Single Element	Double Element	Capacity Imperial Gals.	Jacket Dia.	Appr Shipp Wei	oing
CF-CE-30-S-10		24	201/2"	180	lbs.
CF-CE-40-S-10	CF-CE-40-D-10	32	221/2"	206	lbs.
CF-CE-52-S-10	CF-CE-52-D-10	41	241/2"	236	lbs.
GLASS LINED MO	ODEL				
CF-CE-30-GS-10		24	201/2"	195	lbs.
CF-CE-40-GS-10	CF-CE-40-GD-10	32	221/2"	230	lbs.
CF-CE-52-GS-10	CF-CE-52-GD-10	41	241/2"	248	lbs.
Floor to Hot	Water Outlet 491	/2" — He	eight Overall	551/2"	

QUANTITY DISCOUNTS AVAILABLE ON REQUEST. CONTINUE-FLO AUTOMATIC GAS-FIRED HOT WATER HEATERS

GALVANIZED MODELS - 5 YEAR WARRANTY

Model Number	Net Price
CF-20-S-5	\$59.50
CF-30-S-5	67.50
CF-40-S-5	76.50
GLASS LINED MODELS - 10 Y	EAR WARRANTY
Model Number	Net Price
CF-20-S-10	73.00
CF-30-S-10	74.25

NOTE — All Gas-fired Water Heaters are shipped for Natural Gas Firing.
Propane Orifices are supplied only when requested at no Additional Charge.

CF-40-S-10

CONTINUE-FLO AUTOMATIC ELECTRIC WATER HEATERS

CUSTOM GALVANIZED — SINGLE ELEMENT —

Model	Metrice
Number	
CF-E-30-S10	\$64.50
CF-E-40-S10	71.50
CF-E-52-S10	80.75

CUSTOM GALVANIZED — DOUBLE ELEMENT —

Model Number	Net Price
CF-E-40-D10	77.50
CF-E-52-D10	87.00

DELUXE GLASS LINED — SINGLE ELEMENT — 10 YEAR WARRANTY

Model Number	Net Price
CF-E-30-GS	79.50
CF-E-40-GS	83.00
CF-E-52-GS	90.00

DELUXE GLASS LINED — DOUBLE ELEMENT —

Model	Net Price
Number CF-E-40-GD	89.50
CF-E-52-GD	109.50


750 - 4000 Watt Combinations Available — 110 or 220 Volts.

NOTE — Unless Otherwise Requested We Will Ship 110 Volt Heaters
With Elements of Standard Wattage.

IMPORTANT — Pressure Relief Valves Are NOT Included With Either Gas or Electric Water Heaters. If Required. Please Specify — The Additional Charge is \$1.75 Net Price.

93.50

Not Drice



"PEERLESS" FAN AND BLOWER UNIT HEATERS

Model	Shipping Weight	— Dealer Net – FAN TYPE	BTU Input	Model	Shipping Weight	Dealer Net BLOWER TYPE
LUH-25A	72	P.O.A.	25,000	LUHB-25A	90	P.O.A.
LUH-50A	128	P.O.A.	50,000	LUHB-50A	161	P.O.A.
LUH-75A	168	P.O.A.	75,000	LUHB-75A	202	P.O.A.
LUH-100A	176	P.O.A.	100,000	LUHB-100A	216	P.O.A.
LUH-125A	225	P.O.A.	125,000	LUHB-125A	270	P.O.A.
LUH-150A	270	P.O.A.	150,000	LUHB-150A	314	P.O.A.
LUH-175A	308	P.O.A.	175,000	LUHB-175A	384	P.O.A.
LUH-200A	316	P.O.A.	200,000	LUHB-200A	392	P.O.A.
LUH-225A	392	P.O.A.	225,000	LUHB-225A	470	P.O.A.
LUH-250A	400	P.O.A.	250,000	LUHB-250A	478	P.O.A.
LUH-275A	507	P.O.A.	275,000	LUHB-275A	551	P.O.A.
LUH-300A	520	P.O.A.	300,000	LUHB-300A	564	P.O.A.

Above units are complete with Low Voltage Controls Including Solenoid Valve, 100% S.S.O. and Honeywell "Round" Thermostat (T86A). If Line Voltage Controls desired — Please Specify.

"PEERLESS' DUCT FURNACES

				DEALER NET	PRICE	
Model	BTU Input,	Shipping Weight		With Stainless Steel Heat	Add to Prices at left for Features Listed Below	
			Exchanger	Exchanger	Modulating Valve Range 60 - 100	Modulating Valve Range 120 - 240
DF-150 DF-200 DF-250 DF-300	150,000 200,000 250,000 300,000	295 340 430 465	P.O.A.	P.O.A.	P.O.A.	P.O.A.

Above Units c/w Regulator, Safety Pilot, Main & Pilot Shut-Off Cocks, Limit Control, 115 Volt Solenoid Valve or 24 V. Valve plus Transformer (please specify).

PLEASE NOTE: Fan Control Not Included.

BLOWER CABINETS AVAILABLE - PRICES ON REQUEST.



MARCHAND "700" OIL SPACE HEATERS

As modern as today's busy homemakers, this Marchand Oil Space Heater brings you the same smart trend trat enhances the most modern room.

You can have beauty and economy all at a modest price when you own a Marchand.

Side Door Lighting for Convenience

- C.S.A. Approved
- Automatic Safety Oil Control Valve
- Contempory Design for Today's Modern
 Living
- Leg Levelling Screws
- Long Life Staboloy Pilot Rings
- Heavy Split Cast Burner Rings

MARCHAND SPECIFICATIONS

Net	
Model 5016\$72.75	M
B.T.U. (CSA Output)48,200	В
Height47"	H
Width22"	W
Depth Less Tank22"	D
Depth Tank Included311/2"	D
Tank Capacity 5 gal.	T
Shipping Weight120 lbs.	S
C.C. Input30C.C.	C

C

Net
\$89.95
67,000
56"
26"
26"
351/2"
5 gal.
165 lbs.
41C.C.

"700" OIL SPACE HEATER C/W TANK

PRICES EFFECTIVE: APRIL 15, 1959

Model No.	Tank Capacity	B.T.U. Output	Net Price Each
5016	5 gal.	35,000	\$72.75
7016	5 gal.	50,000	89.95

"700" OIL SPACE HEATER LESS TANK

5016	5 gal.	35,000	65.25
7016	5 gal.	50,000	82.40

OPTIONAL	EQUIPMENT	If Bought	Net Price If Bought Separately
		AA TETT OTTTE	peharatery

35 FBA	Circulating Blower (60 cy. only) \$13.7	75 \$15.25
2703	Wall Thermostat & Electric Head (60 cy.) 20.0	
2709	Wall Thermostat, Electric Head &	
	Automatic Fan Control for 35 FBA 7.	80 8.40
240 MTY	Mechanical Thermostat	00 24.40
3 Gal.	Oil Tank 9.	40 10.40
5 Gal.	Oil Tank 6.	85 7.65



GAS-FIRED CIRCULATORS

These excitingly new Marchand 700's introduce the trend of tomorrow. You see clean, fresh lines in Marchand's cirulators that are designed for faster circulation of air. Faster heat distribution plus a built-in draft diverter permitting closer to the wall installation.

Approved by A.G.A. and C.G.A. for use on Natural L.P.G. and Mixed Gases.

100% SAFE! (Pilot Shut-off)



EASY INSTALLATION !

NEW STYLING !





GAS RADIANT CIRCULATOR

All around comfort with warmer floors is obtained from its Pyrex Glass and radiant front. Input capactities 30,000 to 55,000 B.T.U. per hour.

GAS CIRCULATOR

Marchand again sets the new style trend of tomorrow with its smart cabinet styling, quality and engineering. Input capacities, 15,000 to 55,000 B.T.U. per hour.

		SPECIFI	CATION	S AND	PRICES			
Model	730R	740R	755R	715C	725C	730C	740C	755C
B.T.U. Input	30,000	40,000	55,000	15,000	25,000	30,000	40,000	55,000
Height	29"	35"	35"	171/2"	27"	29"	35"	35"
Width	26"	26"	331/2"	19"	23"	26"	26"	331/2"
Depth	13"	18"	18"	131/2"	111/2"	13"	18"	18"
Vent	4"	5"	5"	3"	3"	4"	5"	5"
Gas. Connect.	3/8"	3/8"	1/2"	3/8"	3/8"	3/8"	3/8"	1/2"
No. Rad. (dbls.) 6	6	8					
Pyrex Glass	6 pcs.	6 pcs.	8 pcs.					
Ship. Weight								
Approx. (Lbs.)	77	107	130	32	57	70	100	120
Net Price Ea.	68.60	80.30	87.90	36.35	49.20	58.20	72.05	80.30

SECTION INDEX

	Pages
PREFACE	1 - 4
TECHNICAL DATA	5 - 15
FABRICATED GOODS	16 - 36
REGISTERS	37 - 56
FILTERS — AIR	57
FURNACES & BURNERS	58 - 79
FURNACE PRICES (GAS & OIL)	71 - 75
OIL BURNER ACCESSORIES, ETC.	80 - 105
TOOLS	106 - 123
FIREPLACES	124
BRASS FITTINGS	125 - 126
CONTROLS — OIL & GAS	127 - 131
RAIN GOODS	132 - 134
TEST INSTRUMENTS	135 - 137
GAS VENT & ACCESSORY ITEMS	138 - 145
BLOWERS & FANS	146 - 150
WATER HEATERS	151 - 153
UNIT HEATERS—SPACE HEATERS, ETC.	154 - 156
REFER TO GENERAL INDEX FOR EASY	REFERENCE

If Not Listed Please Enquire

INDEX

A Page	C Page
Acid, Muriatic133	Combustion Chambers95
Acid Swabs133	Cone Collars 30
Aluminum Paint108	Connectors, drain-pipe17
Asbestos Boot Wrap85	Connectors, pipe
Asbestos Millboard85	Connectors, drain-pipe 17 Connectors, pipe 17 Connectors, canvas 24
Asbestos Paper, corr. or plain85	Connectors, flexible WESCO 139 Controls - Honeywell 127, 130 Controls - G.E. 128 Controls - General 129 Controls - Signet 130
Asbestos Rope85	Controls - Honeywell127, 130
Asbestos Rope	Controls - G.E. 128
Awls, scratch, MALCO112, 121	Controls - General129
	Controls - Signet130
В	Copper Tubing90
Baffle Stools95	Couplings - flexible81
Bases chimney 34	Crimpers
Batteries, flashlight 108	Cutters, pipe123
Belts and pulleys 88	Cutter Wheels116
Blades, Super-Saw107	Cutting Oil108
Blades, hacksaw	
Batter Stotis 34 Bases, chimney 34 Batteries, flashlight 108 Belts and pulleys 88 Blades, Super-Saw 107 Blades, hacksaw 111 Blotter Gates 86 Blotter Blotter 86	D
Blowers, Package units146, 147	Dampers17, 22
Boiler Elbows21	Dampers, gravity twist
Boiler tees21	Dampers, gravity twist84
Bolts, stove86	Dampers, smoke pipe84
Boot, combination - & Register	Dampers, cast check 84
Boot, combination - & Register pack	Damper Regulator Sets
Boot, casing - galv34	Diffusers, floor37, 38, 41, 52
Boot wrap - asbestos85	Diffusers, ceiling47, 48
Booster Fans & controls -	Diffusers - Commercial &
McClarty147	Industrial56
boxes, IIII - locking & nush type 62	Dividers, Wing123
Boxes, floor - galv30	Dividers, Wing 123 Dollies, Yeats 120
Boxes, register - galv	Doors, soot (chimney cleanouts) 86
Brass fittings125; 126	Door closers83
Brushes, furnace 82 Brushes, paint 123	Draft diverters - Alum. 145 Draft diverters - Wilder 145 Draft Inducers - Jet "T" 144
Brusnes, paint	Draft diverters - Wilder145
Burners-Gas, CONTINUE-FLO79 Burners, Oil, CONTINUE-FLO76	Draft Baseletana
Bullheads, galv30	Draft Regulators
Bushings, duplex82	Drive Cleats 25
bushings, duplex2	Drop Lights 109
C	Drop Lights
a all w. b.	Duct 23
Canco Cold Water Paste 85	Duct - Elgen silent 24
Caps, mushroom34	Duct - rectangular 25
Casing boots - galv34	Duct - Elgen silent
Casings, furnace - galv34	Duct risers
Cement, roofing	Duct offsets - rect. 27
Cement oil and age line 94	Duct offsets - rect
Cement, oil and gas line94 Cement, High Temp (Sairset)95	Duct holders113
Caulking compounds80	
Charcoal 133	E
Charcoal 133 Chemical Aids 102	Elbows - galv
Chain, furnace86	Elbows - galv. Adjustable19
Chimneys - Firechief142, 143	Elbows - galv. tapered
Chimneys - Firechief	Elbows - galv. tapered
& DOYLE101	Elbows - boiler21
Cleaning Solvent - ZIPP89	Elbows - rect. flat26
& DOYLE 101 Cleaning Solvent - ZIPP 89 Cleats - "S" and Drive 25 Collars - 2" standard 24	Elbows - rect. side angle27
Collars - 2" standard24	Elbows - plenum28
Collars - starting (Top	Elbows - aluminum29
Takeoffs)28	Elbows - Trans, reverse
Collars, cone30	Elbows - 3-way stack30
Collars, galv33	Elbows - blue

E Page	H Page
Elbows - stack (flat and angle)31 Elbows - stack - reversible31	Hooks - Sure-Drive
Elbows - troughing	Humidifier parts97
Electrode Assemblies - STEINEN 92 Ends - duct	I I
Exhaust Fans (Emerson-Pryne) 148	Ignition Cable 92 Increasers - galv. 33
Exhaust Fans - (Clyde)	Increasers - galv. 33 Inducers - Draft Jet "T" 144 Instruments - Test 135, 136, 137 Inspection Mirrors 91
F	Inspection Mirrors91
Faces, wood	Joint Tane - Polyken 86
Fans - Booster - & controls (McClarty)	Joint Tape - Polyken
(McClarty)	K
Fill Boxes - locking & flush type 82	Keys - Allen
Fillers - air 57 Filters - oil 104 Filter refill cartridges 105	L
Flashlights - Radar Lites	Lining - joist
	Links - fusible90
Firebrick - Insulating	M
Fittings - 3-way Trans	Magna Bar
Fittings - black malleable94 Fittings - brass125, 126	Meters, Millivolt
Furnaces -	Millboard, asbestos 85 Mirrors - Inspection 91 Motors, electric 98 Muriatic Acid 133
"CONTINUE-FLO"58 to 75 Furnaces - floor - GAS78	
Furnaces - floor - GAS	Nipples94
Furnace cement 80 Furnace chain 86	Notabasa 110
	Nozzles
G Gas Burners -	Nozzle Extractors 91
CONTINUE-FLO79 Gas vents -	Neutroda Oil Absorber 102
RITE VENT	0
Gauges - tank	Oil Burners - CONTINUE-FLO
	Oilers
Hacksaw blades111	Oil Filters
Hacksaw blades	Oil Tanks 90 Oylite Stick 102
Hammers - Mipitan 109 Hammers 110, 113 Hand cleaner - YPZ 89	P
Handi-Koter - E-Z Kleen	Paint - aluminum
Gas-Marchand	
Heaters - Unit - Gas	Pipe - CO-LOK 19, 20 Pipe - aluminum 29 Pipe - black malleable iron 94
Heaters - Water - GAS151, 153 Heaters - Water - Electric152, 153	Pipe - Dille
Hoods - ventilating (LAU)147 Hooks - flashing134	Pipe - copper (trough)
IF NOT LISTED P	LEASE ENQUIRE

Your Most Reliable Source Of Supply For All Your Needs

P	Page	T Po	ige
Pipe cutters	123	Tackers - Bostitch	111
Pipe holders	113	Takeoffs - longway	.17
Pipe machines		Takeoffs - Top - starting collars	28
Pipe wrenches	115	Takeoffs - longway Takeoffs - Top - starting collars Tanks - Oil	.90
Plenums	28	Tank Fittings	88
Plenum elbows	28	Tank Gauges80,	
Pulleys and helts	88	Tane Joint - Polyken	86
Pulleys and belts Pumps - burner	99	Tape, Joint - Polyken	122
Punches	113	Taners, blue	32
i dicties		Tapers agly	33
R		Tapers, galv. Tees, alum. Tees, blue	29
Radar Lites	108	Tees blue	32
Reducers - galv	33	Tees, boiler	21
Refractory materials	95	Tees galv	21
Reducers - galv. Refractory materials Registers - Misc.	.37 to 56	Tees, galv Terminals - Rajah	89
Register boxes - galv	30	Thimbles - chimney	84
Register boxes - galv Register & boot combinat	ion17	Thimbles - chimney Thimbles - stove pipe Tinners' Hammers Tinners' Rivets	84
Regulators - draft	93	Tinners' Hammers	113
Repair Kits - Tankit Reznor Unit Heaters - Gas156,	89	Tinners' Rivets	86
Reznor Unit Heaters -		Tools - hand110, 117,	121
Gas	157, 158	Tools - Hilti	
Risers - rect. duct	26		
Risers - transition Rivets - tinners	30	Tools - pipe	11/
Rivets - tinners	86	Tops - galv. furnace	
Rockwool	95	Torches - National	
Roof coatings	80	Transformers	
Rope - asbestos	85	Transitions - galv	
Rules	122, 123	Transition Reverse Elbows	30
		Transition Risers	
S		Transitional Fittings - 3-way	
Salamoniac	133	Trammels	
Saws - compass	111	Troughing Accessories 132, 133,	
Saws - hand	111		
C D		Tubing - Copper	90
"Super-Saw" Scratch Awls	106		
Scratch Awls	.112, 121	V	
Screws - sheet metal	80. 90	Vacuum Cleaners - NU-VAC	
Screwdrivers	121	Vacuum Cleaners - NU-VAC & DOYLE	103
Screwdrivers Seamers	.112, 118	Valves, misc87,	127
Service Instruments135, Shutters - automatic	136, 137	Valves, Gas	
Shutters - automatic	149	Vane Runners	
Slide charts	91	Vents Gas	
Snips, WISS Solder	118, 119	RITE VENT138, 139,	140
Solder	133	Vents, revolving	
Soldering Copper Soldering Copper Handles Sonoairduct	133	Ventalarms (Whistlers)	00
Soldering Copper Handles	133	vendidinis (vinstiers)	33
Sonoairduct	36	Vises "NYE"	.116
Soot Destroyers - KLEEN SPRAY			
KLEEN SPRAY	102	W	
Soot Doors	86	Water Heaters - Electric152,	153
Space Heaters - Gas Space Heaters - Oil	156	Water Heaters - Gas151,	
Space Heaters - Oil	155	Wheels, cutter	
Stack - galv.	31	Wire Jumpers	
Stack Elbows - 3-way	30		
Stack Elbows - flat & ang	le31	Wire - stove pipe	84
Stack Elbows - 3-way Stack Elbows - flat & ang Stack Heads	31	Wood faces	
Stoppers - galv	33	Wrenches - pipe	
Stove Bolts	86	Wrenches - adjustable	.110
Strap - suspension	90		
Super-Saws	106	X-Y-Z	
Super-Saw Blades	107		00
Super-Saws Super-Saw Blades Suspension Strap	90	YPZ Hand Cleaner	89
Swabs, acid Switches, electric	133		
"S" Cleats	83		
D Clears	2.5		

If Not Listed Please Enquire Your Most Reliable Source Of Supply For All Your Needs

The Most Acceptable To The Trade

CONTINUE-FLO MATERIALS

CAN SAVE YOU MONEY & MANY WASTED HOURS

More Installations Per Day
At Much Lower Costs

"Coast to Coast"

WE WILL LAY YOUR JOB OUT — TAKE OFF MATERIALS

AND SUPPLY YOU WITH

INSTALLATION DRAWINGS AND INSTRUCTIONS

QUALITY BEYOND COMPARE

Air Distribution Fittings, Registers and material of every form for all types of warm air heating and cooling systems



HEAD OFFICE & PLANT 1254 EAST PLAINS RD., P.O. BOX 340 — BURLINGTON, ONTARIO


QUALITY and SERVICE

ALWAYS MAINTAINED

CONTINUE-FLO

OIL — GAS — COAL

WINTER AIR CONDITIONERS



THE FURNACE WITH THE 20 YEAR WARRANTY

OIL BURNERS — GAS BURNERS

FURNACE FITTINGS — PIPE

CONTROLS — DUCTWORK SYSTEMS

A COMPLETE LINE OF RAIN GOODS

•	Distributed By	

CONTINUE-FLO HEATING PRODUCTS LTD.

1254 EAST PLAINS RD., P.O. BOX 340, BURLINGTON, ONTARIO